

The *DL-Lite* Family and Relations

Alessandro Artale

Diego Calvanese

*Faculty of Computer Science, Free University of Bozen-Bolzano
Piazza Domenicani, 3 I-39100 Bolzano, Italy*

ARTALE@INF.UNIBZ.IT

CALVANESE@INF.UNIBZ.IT

Roman Kontchakov

Michael Zakharyashev

*School of Computer Science and Information Systems, Birkbeck College
Malet Street, London WC1E 7HX, U.K.*

ROMAN@DCS.BBK.AC.UK

MICHAEL@DCS.BBK.AC.UK

Abstract

The recently introduced series of description logics under the common moniker ‘*DL-Lite*’ has attracted attention of the description logic and semantic web communities due to the low computational complexity of inference, on the one hand, and the ability to represent conceptual modeling formalisms, on the other. The main aim of this article is to carry out a thorough and systematic investigation of inference in the logics of the ‘extended *DL-Lite* family,’ under a variety of combinations of constructs and under different semantic assumptions. Specifically, we extend the original *DL-Lite* logics along five axes: by (i) adding the Boolean connectives, (ii) adding number restrictions to concept constructs, (iii) allowing role hierarchies, (iv) allowing role disjointness, symmetry, asymmetry, reflexivity, irreflexivity and transitivity constraints, and (v) adopting or dropping the unique name assumption. We analyze the combined complexity of satisfiability for the resulting logics, as well as the data complexity of instance checking and answering positive existential queries. Our approach is based on considering *DL-Lite* logics as suitable fragments of first-order logic, which provides useful insights into their properties and, in particular, computational behavior.

Contents

1	Introduction	3
2	The Extended <i>DL-Lite</i> Family of Description Logics	6
2.1	Syntax and Semantics of the Logics in the <i>DL-Lite</i> Family	7
2.2	<i>DL-Lite</i> for Conceptual Modeling	11
3	Reasoning in the <i>DL-Lite</i> Family	14
3.1	Reasoning Problems	14
3.2	Complexity Measures: Data and Combined Complexity	16
3.3	Remarks on the Complexity Classes LOGSPACE and AC^0	16
3.4	Summary of Complexity Results	17
4	The Landscape of <i>DL-Lite</i> Logics	19
4.1	The <i>DL-Lite</i> Family and OWL 2	20
5	Satisfiability: Combined Complexity	21
5.1	$DL-Lite_{bool}^N$ and its Fragments: First-Order Perspective	22
5.2	$DL-Lite_{core}^{\mathcal{R}, \mathcal{F}}$ is EXPTIME-hard	30
5.3	Reconciling Number Restrictions and Role Inclusions	35
5.4	Role Transitivity Constraints	41
6	Instance Checking: Data Complexity	42
6.1	$DL-Lite_{bool}^N$, $DL-Lite_{bool}^{\mathcal{R}}$ and $DL-Lite_{bool}^{(\mathcal{R}, \mathcal{N})}$ are in AC^0	42
6.2	P- and CONP-hardness for Data Complexity	45
7	Query Answering: Data Complexity	50
8	<i>DL-Lite</i> without the Unique Name Assumption	56
8.1	$DL-Lite_{\alpha}^{(\mathcal{R}, \mathcal{N})}$: Arbitrary Number Restrictions	57
8.2	$DL-Lite_{\alpha}^{(\mathcal{R}, \mathcal{F})}$: Functionality Constraints	58
8.3	Query Answering: Data Complexity	61
9	Conclusion	62
	References	65

1. Introduction

Description Logic (cf. Baader, Calvanese, McGuinness, Nardi, & Patel-Schneider, 2003 and references therein) is a family of knowledge representation formalisms developed over the past three decades and, in recent years, widely used in various application areas such as:

- *conceptual modeling* (Bergamaschi & Sartori, 1992; Calvanese et al., 1998b, 1999; McGuinness & Wright, 1998; Franconi & Ng, 2000; Borgida & Brachman, 2003; Bernardi et al., 2005; Artale et al., 1996, 2007, 2007b),
- *information and data integration* (Beeri et al., 1997; Levy & Rousset, 1998; Goasdoue et al., 2000; Calvanese et al., 1998a, 2002a, 2002b, 2008; Noy, 2004; Meyer et al., 2005),
- *ontology-based data access* (Dolby et al., 2008; Poggi et al., 2008a; Heymans et al., 2008),
- *the Semantic Web* (Hefin & Hendler, 2001; Horrocks et al., 2003).

Description logics (DLs, for short) are underlying the standard Web Ontology Language OWL¹, which is now in the process of being standardized by the W3C in its second edition, OWL 2.

The widespread use of DLs as flexible modeling languages stems from the fact that, similarly to more traditional modeling formalisms, they structure the domain of interest into classes (or concepts, in the DL parlance) of objects with common properties. Properties are associated to objects by means of binary relationships (or roles) to other objects. Constraints available in standard DLs also resemble those used in conceptual modeling formalisms for structuring information: is-a hierarchies (i.e., inclusions) and disjointness for concepts and roles, domain and range constraints for roles, mandatory participation to roles, functionality and more general numeric restrictions for roles, covering within concept hierarchies, etc. In a DL knowledge base (KB), these constraints are combined to form a TBox asserting intensional knowledge, while an ABox collects extensional knowledge about individual objects, such as whether an object is an instance of a concept, or two objects are connected by a role. The standard reasoning services over a DL KB include checking its consistency (or satisfiability), instance checking (whether a certain individual is an instance of a concept), and logic entailment (whether a certain constraint is logically implied by the KB). More sophisticated services are emerging that can support modular development of ontologies by checking, for example, whether one ontology is a conservative extension of another one w.r.t. a certain vocabulary (see, e.g., Ghilardi, Lutz, & Wolter, 2006; Cuenca Grau, Horrocks, Kazakov, & Sattler, 2008; Kontchakov, Wolter, & Zakharyashev, 2008).

Description logics have recently been used to provide access to large amounts of data through a high-level conceptual interface, which is of relevance to both data integration and ontology-based data access. In this setting, the TBox constitutes the conceptual, high-level view of the information managed by the system, and the ABox is physically stored in an external relational database and accessed using the standard relational database technology (Poggi et al., 2008a; Calvanese et al., 2008). The fundamental inference service in this case

1. <http://www.w3.org/2007/OWL/>

is answering queries by taking into account the constraints in the TBox and the data stored in the (external) ABox. The kind of queries that have most often been considered are first-order *conjunctive queries*, which correspond to the commonly used SELECT-PROJECT-JOIN SQL queries. The key properties for such an approach to be viable in practice are (i) efficiency of query evaluation, with the ideal target being traditional database query processing, and (ii) that query evaluation can be done by leveraging the relational technology already used for storing the data.

With these objectives in mind, a series of description logics—the *DL-Lite family*—has recently been proposed and investigated by Calvanese, De Giacomo, Lembo, Lenzerini, and Rosati (2005, 2006, 2008a), and later extended by Artale, Calvanese, Kontchakov, and Zakharyashev (2007a), Poggi, Lembo, Calvanese, De Giacomo, Lenzerini, and Rosati (2008a). Most logics of the family meet the requirements above and, at the same time, are capable of representing many important types of constraints used in conceptual modeling. In particular, inference in various *DL-Lite* logics can be done efficiently both in the size of the data (data complexity) and in the overall size of the KB (combined complexity): KB satisfiability for those logics was shown to be polynomial for combined complexity, while answering queries in AC^0 for data complexity—which, roughly, means that, given a conjunctive query over a KB, the query and the TBox can be rewritten (independently of the ABox) into a union of conjunctive queries over the ABox alone. (It is to be emphasized that the data complexity measure is very important in the application context of the *DL-Lite* logics, since one can reasonably assume that the size of the data largely dominates the size of the TBox.) This query rewriting technique has been implemented in various systems, notably QuOnto² (Acciarri, Calvanese, De Giacomo, Lembo, Lenzerini, Palmieri, & Rosati, 2005; Poggi, Rodriguez, & Ruzzi, 2008b). It has also been demonstrated (Kontchakov et al., 2008) that developing, analyzing and re-using *DL-Lite* ontologies (TBoxes) can be supported by efficient tools capable of checking various types of entailment between such ontologies w.r.t. given vocabularies, in particular, by minimal module extraction tools (Kontchakov, Pulina, Sattler, Selmer, Schneider, Wolter, & Zakharyashev, 2009)—which do not yet exist for richer languages.

The significance of the *DL-Lite* family is testified by the fact that it forms the basis of OWL 2 QL, one of the three profiles of OWL 2.³ The OWL 2 profiles are fragments of the full OWL 2 language that have been designed and standardized for specific application requirements. According to (the current version of) the official W3C profiles document, the purpose of OWL 2 QL is to be the language of choice for applications that use very large amounts of data and where query answering is the most important reasoning task.

The common denominator of the *DL-Lite* logics constructed so far is as follows: (i) quantification over roles and their inverses is not qualified (in other words, in concepts of the form $\exists R.C$ we must have $C = \top$) and (ii) the TBox constraints are concept inclusions that cannot represent any kind of disjunctive information (say, that two concepts cover the whole domain). The other *DL-Lite* dialects were designed—with the aim of capturing more conceptual modeling constraints, but in a somewhat *ad hoc* manner—by extending this ‘core’ language with a number of constructs such as global functionality constraints, role inclusions and restricted Boolean operators on concepts (see Section 4 for details). Although

2. <http://www.dis.uniroma1.it/quonto/>

3. <http://www.w3.org/TR/owl2-profiles/>

some attempts have been made (Calvanese et al., 2006; Artale et al., 2007a; Kontchakov & Zakharyashev, 2008) to put the original *DL-Lite* logics into a more general perspective and investigate their extensions with a variety of DL constructs required for conceptual modeling, the resulting picture still remains rather fragmentary and far from comprehensive. A proper systematic investigation of the *DL-Lite* family and relatives has become even more urgent and challenging in view of the choice of the constructs to be included in the specification of the OWL 2 QL profile⁴ (in particular, because OWL drops the unique name assumption, UNA, usually adopted in DL, and uses equalities and inequalities between object names instead).

The main aim of this article is to fill in this gap and provide a thorough and comprehensive understanding of the interaction between various *DL-Lite* constructs and their impact on the computational complexity of reasoning. To achieve this goal, we consider a spectrum of logics, classified according to five mutually orthogonal features:

- (1) the presence or absence of role inclusion assertions;
- (2) the form of the allowed concept inclusion assertions, where we consider four classes, called *core*, *Krom*, *Horn*, and *Bool*, that show different computational properties;
- (3) the form of the allowed numeric constraints, ranging from none, to global functionality constraints only, and to arbitrary number restrictions;
- (4) the presence or absence of the unique name assumption (and the equalities and inequalities between object names, if this assumption is dropped); and
- (5) the presence or absence of standard role constraints such as disjointness, symmetry, asymmetry, reflexivity, irreflexivity, and transitivity.

For all the resulting cases, we characterize the combined and data complexity of KB satisfiability and instance checking, as well as the data complexity of query answering. The obtained *tight* complexity results are summarized in Section 3.4 (Table 2 and Remark 3.1).

As already mentioned, the original motivation and distinguishing feature for the logics in the *DL-Lite* family was their ‘lite’-ness in the sense of low computational complexity of the reasoning tasks (query answering in AC^0 for data complexity and tractable KB satisfiability for combined complexity). In the broader perspective we take here, not all of our logics meet this requirement, in particular, those with *Krom* or *Bool* concept inclusions⁵. However, we identify another distinguishing feature that can be regarded as the natural logic-based characterization of the *DL-Lite* family: embeddability into the one-variable fragment of first-order logic without equality and function symbols. This allows us to relate the complexity of *DL-Lite* logics to the complexity of the corresponding fragments of first-order logic, and thus to get a deep insight into the underlying logical properties of each *DL-Lite* variant. For example, most upper bound results obtained below follow from this embedding and well-known results on the classical decision problem (see, e.g., Börger, Grädel, & Gurevich, 1997) and descriptive complexity (see, e.g., Immerman, 1999).

4. http://www.w3.org/TR/owl2-profiles/#OWL_2_QL

5. Note, by the way, that logics with *Bool* concept inclusions turn out to be quite useful in conceptual modeling and reasonably manageable computationally (Kontchakov et al., 2008).

One of the most interesting findings in this article is that number restrictions, even expressed locally, instead of global role functionality, can be added to the original *DL-Lite* logics (under the UNA and without role inclusions) ‘for free,’ that is, without changing their computational complexity. The first-order approach shows that in most cases we can also extend the *DL-Lite* logics with the role constraints mentioned above, again keeping the same complexity. It also gives a framework to analyze the effect of adopting or dropping the UNA and using (in)equalities between object names. For example, we observe that if equality is allowed in the language of *DL-Lite* (which only makes sense without the UNA) then the AC^0 data complexity results for query answering transform into LOGSPACE-completeness results, with the property of first-order rewritability being lost. It also turns out that dropping the UNA results in P-hardness of reasoning (for both combined and data complexity) in the presence of functionality constraints (NLOGSPACE-hardness was shown by Calvanese et al., 2008), and NP-hardness if arbitrary number restrictions are allowed.

Another interesting finding is the dramatic impact of role inclusions, when combined with number restrictions (or even functionality constraints), on the computational complexity of reasoning. As was already observed in (Calvanese et al., 2006), such a combination increases the data complexity of instance checking from LOGSPACE to NLOGSPACE. We show here that the situation is actually even worse: for data complexity, instance checking turns out to be P-complete in the case of core and Horn logics and CONP-complete in the case of Krom and Bool logics; moreover, KB satisfiability, which is NLOGSPACE-complete for the simplest ‘core’ case—i.e., efficiently tractable, when role inclusions or number restrictions are used separately—becomes EXPTIME-complete for combined complexity—i.e., provably intractable, when they are used together.

To retain both role inclusions and functionality constraints in the language and keep complexity within the required limits, (Poggi et al., 2008a) introduced another *DL-Lite* dialect, called *DL-Lite_A*, which restricts the interaction between role inclusions and functionality constraints. Here we extend this result by showing that the *DL-Lite* logics with such a limited interaction between role inclusions and number restrictions can still be embedded into the one-variable fragment of first-order logic, and so exhibit the same behavior as their fragments with only role inclusions or only number restrictions.

The article is structured in the following way. In Section 2, we introduce the logics of the *DL-Lite* family and illustrate their features as conceptual modeling formalisms. In Section 3, we discuss the reasoning services and the complexity measures we analyze in what follows, and give an overview of the obtained complexity results. In Section 4, we place the introduced *DL-Lite* family in the context of previous *DL-Lite* logics, and discuss its relationship with OWL 2. In Section 5, we study the combined complexity of KB satisfiability and instance checking, while in Section 6, we consider the data complexity for these problems. In Section 7, we study the data complexity of query answering. In Section 8, we analyze the impact of dropping the UNA and adding equalities between object names on the complexity of reasoning. Section 9 concludes the article.

2. The Extended *DL-Lite* Family of Description Logics

Description Logic (Baader et al., 2003) is a family of logics that have been studied and used in knowledge representation and reasoning since the 1980s. In DLs, the elements of

the domain of interest are structured into *concepts* (unary predicates) and their properties are specified by means of *roles* (binary predicates). Complex concept and role expressions (or simply concepts and roles) are constructed, starting from a set of concept and role names, by applying suitable constructs, where the set of available constructs depends on the specific description logic. Concepts and roles can then be used in a *knowledge base* to assert knowledge, both at the intensional level, in a so-called *TBox* ('T' for terminological), and at the extensional level, in a so-called *ABox* ('A' for assertional). A TBox typically consists of a set of axioms stating the inclusion between pairs of concepts or roles. In an ABox, one can assert membership of objects (i.e., constants) in concepts, or that a pair of objects is connected by a role. DLs are supported by reasoning services, such as satisfiability checking and query answering, that rely on their logic-based semantics.

2.1 Syntax and Semantics of the Logics in the *DL-Lite* Family

We introduce now the (extended) *DL-Lite* family of description logics, which was initially proposed with the aim of capturing typical conceptual modeling formalisms, such as UML class diagrams and ER models (see Section 2.2 for details), while maintaining good computational properties of standard DL reasoning tasks (Calvanese et al., 2005). We begin by defining the description logic $DL-Lite_{bool}^{\mathcal{R}, \mathcal{N}}$, which can be regarded as the *supremum* of the original *DL-Lite* family (Calvanese et al., 2005, 2006, 2007b) in the lattice of description logics.

The language of $DL-Lite_{bool}^{\mathcal{R}, \mathcal{N}}$ contains *object names* a_0, a_1, \dots , *concept names* A_0, A_1, \dots , and *role names* P_0, P_1, \dots . Complex *roles* R and *concepts* C of this language are defined as follows:

$$\begin{aligned} R & ::= P_i \quad | \quad P_i^-, \\ B & ::= \perp \quad | \quad A_i \quad | \quad \geq q R, \\ C & ::= B \quad | \quad \neg C \quad | \quad C_1 \sqcap C_2, \end{aligned}$$

where q is a positive integer. The concepts of the form B will be called *basic*.

A $DL-Lite_{bool}^{\mathcal{R}, \mathcal{N}}$ *TBox*, \mathcal{T} , is a finite set of *concept and role inclusion axioms* (or simply *concept and role inclusions*) of the form:

$$C_1 \sqsubseteq C_2 \quad \text{and} \quad R_1 \sqsubseteq R_2,$$

and an *ABox*, \mathcal{A} , is a finite set of assertions of the form:

$$A_k(a_i), \quad \neg A_k(a_i), \quad P_k(a_i, a_j) \quad \text{and} \quad \neg P_k(a_i, a_j).$$

Taken together, \mathcal{T} and \mathcal{A} constitute the $DL-Lite_{bool}^{\mathcal{R}, \mathcal{N}}$ *knowledge base* $\mathcal{K} = (\mathcal{T}, \mathcal{A})$. In the following, we denote by $role(\mathcal{K})$ the set of role names occurring in \mathcal{T} and \mathcal{A} , by $role^\pm(\mathcal{K})$ the set $\{P_k, P_k^- \mid P_k \in role(\mathcal{K})\}$, and by $ob(\mathcal{A})$ the set of object names in \mathcal{A} . For a role R , we set:

$$inv(R) = \begin{cases} P_k^-, & \text{if } R = P_k, \\ P_k, & \text{if } R = P_k^-. \end{cases}$$

As usual in description logic, an *interpretation*, $\mathcal{I} = (\Delta^{\mathcal{I}}, \cdot^{\mathcal{I}})$, consists of a nonempty *domain* $\Delta^{\mathcal{I}}$ and an interpretation function $\cdot^{\mathcal{I}}$ that assigns to each object name a_i an element

$a_i^{\mathcal{I}} \in \Delta^{\mathcal{I}}$, to each concept name A_i a subset $A_i^{\mathcal{I}} \subseteq \Delta^{\mathcal{I}}$ of the domain, and to each role name P_i a binary relation $P_i^{\mathcal{I}} \subseteq \Delta^{\mathcal{I}} \times \Delta^{\mathcal{I}}$ over the domain. Unless otherwise stated, we adopt here the *unique name assumption* (UNA):

$$a_i^{\mathcal{I}} \neq a_j^{\mathcal{I}} \quad \text{for all } i \neq j. \quad (\text{UNA})$$

However, we shall always indicate which of our results depend on the UNA and which do not, and when they do depend on this assumption, we discuss also the consequences of dropping it (see also Sections 4 and 8).

The role and concept constructs are interpreted in \mathcal{I} in the standard way:

$$\begin{aligned} (P_k^-)^{\mathcal{I}} &= \{(y, x) \in \Delta^{\mathcal{I}} \times \Delta^{\mathcal{I}} \mid (x, y) \in P_k^{\mathcal{I}}\}, & (\text{inverse role}) \\ \perp^{\mathcal{I}} &= \emptyset, & (\text{the empty set}) \\ (\geq q R)^{\mathcal{I}} &= \{x \in \Delta^{\mathcal{I}} \mid \#\{y \in \Delta^{\mathcal{I}} \mid (x, y) \in R^{\mathcal{I}}\} \geq q\}, & (\text{at least } q \text{ } R\text{-successors}) \\ (\neg C)^{\mathcal{I}} &= \Delta^{\mathcal{I}} \setminus C^{\mathcal{I}}, & (\text{not in } C) \\ (C_1 \sqcap C_2)^{\mathcal{I}} &= C_1^{\mathcal{I}} \cap C_2^{\mathcal{I}}, & (\text{both in } C_1 \text{ and in } C_2) \end{aligned}$$

where $\#X$ denotes the cardinality of X . We will use standard abbreviations such as

$$C_1 \sqcup C_2 = \neg(\neg C_1 \sqcap \neg C_2), \quad \top = \neg \perp, \quad \exists R = (\geq 1 R), \quad \leq q R = \neg(\geq q + 1 R).$$

Concepts of the form $\leq q R$ and $\geq q R$ are called *number restrictions*, and those of the form $\exists R$ are called *existential concepts*.

The *satisfaction relation* \models is also standard:

$$\begin{aligned} \mathcal{I} \models C_1 \sqsubseteq C_2 &\text{ iff } C_1^{\mathcal{I}} \subseteq C_2^{\mathcal{I}}, & \mathcal{I} \models R_1 \sqsubseteq R_2 &\text{ iff } R_1^{\mathcal{I}} \subseteq R_2^{\mathcal{I}}, \\ \mathcal{I} \models A_k(a_i) &\text{ iff } a_i^{\mathcal{I}} \in A_k^{\mathcal{I}}, & \mathcal{I} \models P_k(a_i, a_j) &\text{ iff } (a_i^{\mathcal{I}}, a_j^{\mathcal{I}}) \in P_k^{\mathcal{I}}, \\ \mathcal{I} \models \neg A_k(a_i) &\text{ iff } a_i^{\mathcal{I}} \notin A_k^{\mathcal{I}}, & \mathcal{I} \models \neg P_k(a_i, a_j) &\text{ iff } (a_i^{\mathcal{I}}, a_j^{\mathcal{I}}) \notin P_k^{\mathcal{I}}. \end{aligned}$$

A knowledge base $\mathcal{K} = (\mathcal{T}, \mathcal{A})$ is said to be *satisfiable* (or *consistent*) if there is an interpretation, \mathcal{I} , satisfying all the members of \mathcal{T} and \mathcal{A} . In this case we write $\mathcal{I} \models \mathcal{K}$ (as well as $\mathcal{I} \models \mathcal{T}$ and $\mathcal{I} \models \mathcal{A}$) and say that \mathcal{I} is a *model of \mathcal{K}* (and of \mathcal{T} and \mathcal{A}).

The languages of the *DL-Lite* family we investigate in this article are obtained by restricting the language of $DL\text{-Lite}_{bool}^{\mathcal{R}, \mathcal{N}}$ along three axes: (i) the Boolean operators ($_{bool}$) on concepts, (ii) the number restrictions (\mathcal{N}) and (iii) the role inclusions (\mathcal{R}).

Similarly to classical logic, we adopt the following definitions. A $DL\text{-Lite}_{bool}^{\mathcal{R}, \mathcal{N}}$ TBox \mathcal{T} will be called a *Krom TBox*⁶ if its concept inclusions are restricted to:

$$B_1 \sqsubseteq B_2, \quad B_1 \sqsubseteq \neg B_2 \quad \text{or} \quad \neg B_1 \sqsubseteq B_2 \quad (\text{Krom})$$

(here and below all the B_i and B are basic concepts). \mathcal{T} will be called a *Horn TBox* if its concept inclusions are restricted to:

$$\prod_k B_k \sqsubseteq B \quad (\text{Horn})$$

6. The Krom fragment of first-order logic consists of all formulas in prenex normal form whose quantifier-free part is a conjunction of binary clauses.

(by definition, the empty conjunction is \top). Finally, we will call \mathcal{T} a *core TBox* if its concept inclusions are restricted to:

$$B_1 \sqsubseteq B_2 \quad \text{or} \quad B_1 \sqsubseteq \neg B_2. \quad (\text{core})$$

As $B_1 \sqsubseteq \neg B_2$ is equivalent to $B_1 \sqcap B_2 \sqsubseteq \perp$, core TBoxes can be regarded as sitting in the intersection of Krom and Horn TBoxes.

Remark 2.1 We will sometimes use conjunctions on the right-hand side of concept inclusions in these restricted languages: $C \sqsubseteq \prod_k B_k$. Clearly, this ‘syntactic sugar’ does not add any extra expressive power.

The fragments of $DL\text{-Lite}_{bool}^{\mathcal{R},\mathcal{N}}$ with Krom, Horn and core TBoxes will be denoted by $DL\text{-Lite}_{krom}^{\mathcal{R},\mathcal{N}}$, $DL\text{-Lite}_{horn}^{\mathcal{R},\mathcal{N}}$ and $DL\text{-Lite}_{core}^{\mathcal{R},\mathcal{N}}$, respectively. Other fragments are obtained by limiting the use of number restrictions and role inclusions. Let $\alpha \in \{core, krom, horn, bool\}$.

- The fragment of $DL\text{-Lite}_{\alpha}^{\mathcal{R},\mathcal{N}}$ without number restrictions $\geq q R$, for $q \geq 2$, but with role inclusions will be denoted by $DL\text{-Lite}_{\alpha}^{\mathcal{R}}$. Note that, in $DL\text{-Lite}_{\alpha}^{\mathcal{R}}$, we can still use existential concepts $\exists R$ (that is, $\geq 1 R$).
- Next, denote by $DL\text{-Lite}_{\alpha}^{\mathcal{R},\mathcal{F}}$ the fragment of $DL\text{-Lite}_{\alpha}^{\mathcal{R},\mathcal{N}}$ in which of all number restrictions $\geq q R$, we have existential concepts (with $q = 1$) and only those with $q = 2$ that occur in concept inclusions of the form $\geq 2 R \sqsubseteq \perp$. Such an inclusion is called a *global functionality constraint* because it states that role R is *functional* (more precisely, if $\mathcal{I} \models (\geq 2 R \sqsubseteq \perp)$ and both $(x, y) \in R^{\mathcal{I}}$ and $(x, z) \in R^{\mathcal{I}}$, then $y = z$).
- Finally, if role inclusions are excluded from the language, then (for each α) we obtain three fragments: $DL\text{-Lite}_{\alpha}^{\mathcal{N}}$ (with arbitrary number restrictions), $DL\text{-Lite}_{\alpha}^{\mathcal{F}}$ (with functionality constraints and existential concepts $\exists R$), and $DL\text{-Lite}_{\alpha}$ (without number restrictions different from $\exists R$).

Thus $DL\text{-Lite}_{core}$ is the minimum of all our languages.

As we shall see later on in this paper, the logics of the form $DL\text{-Lite}_{\alpha}^{\mathcal{R},\mathcal{F}}$ and $DL\text{-Lite}_{\alpha}^{\mathcal{R},\mathcal{N}}$, even for $\alpha = core$, turn out to be computationally rather costly because of the interaction between role inclusions and functionality constraints (or, more generally, number restrictions). On the other hand, for the purpose of conceptual modeling one may need both of these constructs; cf. the example in Section 2.2. A compromise can be found by artificially limiting the interplay between role inclusions and number restrictions in a way similar to (Poggi et al., 2008a).

For a TBox \mathcal{T} , let $\sqsubseteq_{\mathcal{T}}^*$ denote the reflexive and transitive closure of the relation

$$\{(R, R'), (inv(R), inv(R')) \mid R \sqsubseteq R' \in \mathcal{T}\}$$

and let $R \equiv_{\mathcal{T}}^* R'$ iff $R \sqsubseteq_{\mathcal{T}}^* R'$ and $R' \sqsubseteq_{\mathcal{T}}^* R$. Say that R' is a *proper sub-role of R* in \mathcal{T} if $R' \sqsubseteq_{\mathcal{T}}^* R$ and $R' \not\equiv_{\mathcal{T}}^* R$.

Consider the language obtained from $DL\text{-Lite}_{bool}^{\mathcal{R},\mathcal{N}}$ by imposing the following syntactic restriction on $DL\text{-Lite}_{bool}^{\mathcal{R},\mathcal{N}}$ TBoxes \mathcal{T} :

(inter) if R has a proper sub-role in \mathcal{T} then \mathcal{T} contains no *negative occurrences*⁷ of number restrictions $\geq q R$ or $\geq q \text{inv}(R)$ with $q \geq 2$.

Moreover, in this language we can allow *positive occurrences* of *qualified number restrictions* $\geq q R.C$ in TBoxes \mathcal{T} provided that the following condition is satisfied:

(exists) if $\geq q R.C$ occurs in \mathcal{T} then \mathcal{T} does not contain negative occurrences of $\geq q' R$ or $\geq q' \text{inv}(R)$, for $q' \geq 2$.

We remind the reader of the semantics of qualified number restrictions: for an interpretation $\mathcal{I} = (\Delta^{\mathcal{I}}, \cdot^{\mathcal{I}})$,

$$(\geq q R.C)^{\mathcal{I}} = \{x \in \Delta^{\mathcal{I}} \mid \#\{y \in C^{\mathcal{I}} \mid (x, y) \in R^{\mathcal{I}}\} \geq q\}.$$

Note that, by **(exists)**, no such TBox can contain both a functionality constraint $\geq 2 R \sqsubseteq \perp$ and an occurrence of $\geq q R.C$, for any $q \geq 1$.

Finally, we can also allow TBoxes \mathcal{T} to contain *role constraints* (or *axioms*) of the form:

$$\text{Dis}(R_1, R_2), \quad \text{Asym}(P_k), \quad \text{Sym}(P_k), \quad \text{Irr}(P_k), \quad \text{and} \quad \text{Ref}(P_k).$$

The meaning of these constraints is defined as follows: for an interpretation $\mathcal{I} = (\Delta^{\mathcal{I}}, \cdot^{\mathcal{I}})$,

- $\mathcal{I} \models \text{Dis}(R_1, R_2)$ iff $R_1^{\mathcal{I}} \cap R_2^{\mathcal{I}} = \emptyset$ (roles R_1 and R_2 are *disjoint*);
- $\mathcal{I} \models \text{Asym}(P_k)$ iff $P_k^{\mathcal{I}} \cap (P_k^-)^{\mathcal{I}} = \emptyset$ (role P_k is *asymmetric*);
- $\mathcal{I} \models \text{Sym}(P_k)$ iff $P_k^{\mathcal{I}} = (P_k^-)^{\mathcal{I}}$ (P_k is *symmetric*);
- $\mathcal{I} \models \text{Irr}(P_k)$ iff $(x, x) \notin P_k^{\mathcal{I}}$ for all $x \in \Delta^{\mathcal{I}}$ (P_k is *irreflexive*);
- $\mathcal{I} \models \text{Ref}(P_k)$ iff $(x, x) \in P_k^{\mathcal{I}}$ for all $x \in \Delta^{\mathcal{I}}$ (P_k is *reflexive*).

The resulting language containing both role inclusions and (qualified) number restrictions, controlled by conditions **(inter)** and **(exists)**, as well as the above types of role constraints will be denoted by $DL\text{-Lite}_{bool}^{(\mathcal{RN})}$. It is to be emphasized that these extra constructs are used in conceptual modeling and also belong to the OWL 2 proposal; moreover, as we shall see later, they do not affect the computational complexity of the members of the $DL\text{-Lite}$ family.

The languages $DL\text{-Lite}_{horn}^{(\mathcal{RN})}$, $DL\text{-Lite}_{krom}^{(\mathcal{RN})}$ and $DL\text{-Lite}_{core}^{(\mathcal{RN})}$ are defined as the corresponding fragments of $DL\text{-Lite}_{bool}^{(\mathcal{RN})}$; cf. Table 1. We only note that a concept C occurring in some $\geq q R.C$ can be any concept allowed on the right-hand side of concept inclusions in the respective language (or a conjunction thereof).

For $\alpha \in \{bool, horn, krom, core\}$, denote by $DL\text{-Lite}_{\alpha}^{(\mathcal{RN})+}$ the extension of $DL\text{-Lite}_{\alpha}^{(\mathcal{RN})}$ with *role transitivity constraints* of the form $\text{Tra}(P_k)$, the meaning of which is as expected:

- $\mathcal{I} \models \text{Tra}(P_k)$ iff $(x, y) \in P_k^{\mathcal{I}}$ and $(y, z) \in P_k^{\mathcal{I}}$ imply $(x, z) \in P_k^{\mathcal{I}}$, for all $x, y, z \in \Delta^{\mathcal{I}}$ (P_k is *transitive*).

7. An occurrence of a concept on the right-hand (left-hand) side of a concept inclusion is called *negative* if it is in the scope of an odd (even) number of negations \neg ; otherwise the occurrence is called *positive*.

We remind the reader of the standard restriction limiting the use of transitive roles in DLs (see, e.g., Horrocks, Sattler, & Tobies, 2000): namely, only *simple* roles R are allowed in concepts of the form $\geq qR$, for $q \geq 2$, where by a *simple role* in a given TBox \mathcal{T} we understand a role without transitive sub-roles (including itself). In particular, if \mathcal{T} contains $\text{Tra}(P)$ then P and P^- are not simple, and so \mathcal{T} cannot contain occurrences of concepts of the form $\geq qP$ and $\geq qP^-$, for $q \geq 2$.

We also define languages $DL\text{-Lite}_\alpha^{(\mathcal{R}\mathcal{F})}$ as sub-languages of $DL\text{-Lite}_\alpha^{(\mathcal{R}\mathcal{N})}$, in which only number restrictions of the form $\exists R$, $\exists R.C$ and functionality constraints $\geq 2R \sqsubseteq \perp$ are allowed—provided, of course, that they satisfy **(inter)** and **(exists)**; in particular, $\exists R.C$ is not allowed if R is functional. As before, $DL\text{-Lite}_\alpha^{(\mathcal{R}\mathcal{F})+}$ are the extensions of $DL\text{-Lite}_\alpha^{(\mathcal{R}\mathcal{F})}$ with role transitivity constraints.

role constraints	role inclusions	number restrictions	concept inclusions			
			core	Krom	Horn	Bool
no	no	$\exists R$ $\exists R/\text{funct.}$ $\geq qR$	$DL\text{-Lite}_{core}$ $DL\text{-Lite}_{core}^{\mathcal{F}}$ $DL\text{-Lite}_{core}^{\mathcal{N}}$	$DL\text{-Lite}_{krom}$ $DL\text{-Lite}_{krom}^{\mathcal{F}}$ $DL\text{-Lite}_{krom}^{\mathcal{N}}$	$DL\text{-Lite}_{horn}$ $DL\text{-Lite}_{horn}^{\mathcal{F}}$ $DL\text{-Lite}_{horn}^{\mathcal{N}}$	$DL\text{-Lite}_{bool}$ $DL\text{-Lite}_{bool}^{\mathcal{F}}$ $DL\text{-Lite}_{bool}^{\mathcal{N}}$
no	yes	$\exists R$ $\exists R/\text{funct.}$ $\geq qR$	$DL\text{-Lite}_{core}^{\mathcal{R}}$ $DL\text{-Lite}_{core}^{\mathcal{R},\mathcal{F}}$ $DL\text{-Lite}_{core}^{\mathcal{R},\mathcal{N}}$	$DL\text{-Lite}_{krom}^{\mathcal{R}}$ $DL\text{-Lite}_{krom}^{\mathcal{R},\mathcal{F}}$ $DL\text{-Lite}_{krom}^{\mathcal{R},\mathcal{N}}$	$DL\text{-Lite}_{horn}^{\mathcal{R}}$ $DL\text{-Lite}_{horn}^{\mathcal{R},\mathcal{F}}$ $DL\text{-Lite}_{horn}^{\mathcal{R},\mathcal{N}}$	$DL\text{-Lite}_{bool}^{\mathcal{R}}$ $DL\text{-Lite}_{bool}^{\mathcal{R},\mathcal{F}}$ $DL\text{-Lite}_{bool}^{\mathcal{R},\mathcal{N}}$
disj. (a)sym. (ir)ref.	yes	$\exists R.C/\text{funct.}^{\text{a}}$ $\geq qR.C^{\text{a}}$	$DL\text{-Lite}_{core}^{(\mathcal{R}\mathcal{F})}$ $DL\text{-Lite}_{core}^{(\mathcal{R}\mathcal{N})}$	$DL\text{-Lite}_{krom}^{(\mathcal{R}\mathcal{F})}$ $DL\text{-Lite}_{krom}^{(\mathcal{R}\mathcal{N})}$	$DL\text{-Lite}_{horn}^{(\mathcal{R}\mathcal{F})}$ $DL\text{-Lite}_{horn}^{(\mathcal{R}\mathcal{N})}$	$DL\text{-Lite}_{bool}^{(\mathcal{R}\mathcal{F})}$ $DL\text{-Lite}_{bool}^{(\mathcal{R}\mathcal{N})}$
disj. (a)sym. (ir)ref. tran.	yes	$\exists R.C/\text{funct.}^{\text{a}}$ $\geq qR.C^{\text{a}}$	$DL\text{-Lite}_{core}^{(\mathcal{R}\mathcal{F})+}$ $DL\text{-Lite}_{core}^{(\mathcal{R}\mathcal{N})+}$	$DL\text{-Lite}_{krom}^{(\mathcal{R}\mathcal{F})+}$ $DL\text{-Lite}_{krom}^{(\mathcal{R}\mathcal{N})+}$	$DL\text{-Lite}_{horn}^{(\mathcal{R}\mathcal{F})+}$ $DL\text{-Lite}_{horn}^{(\mathcal{R}\mathcal{N})+}$	$DL\text{-Lite}_{bool}^{(\mathcal{R}\mathcal{F})+}$ $DL\text{-Lite}_{bool}^{(\mathcal{R}\mathcal{N})+}$

^{a)} restricted by **(inter)** and **(exists)**.

Table 1: The extended *DL-Lite* family.

Thus, the *DL-Lite* family we consider in this article consists of 40 different logics collected in Table 1; the inclusions between the languages are shown in Figure 1.

The position of these logics relative to other *DL-Lite* logics known in the literature and the OWL 2 QL profile will be discussed in Section 4. And starting from Section 5, we begin a thorough investigation of the computational properties of the logics in the *DL-Lite* family, both with and without the UNA. But before that we illustrate the expressive power of the *DL-Lite* logics by a concrete example.

2.2 *DL-Lite* for Conceptual Modeling

A tight correspondence between conceptual modeling formalisms, such as the ER model and UML class diagrams, and various description logics has been pointed out in various papers, e.g., (Calvanese et al., 1998b, 1999; Borgida & Brachman, 2003; Berardi et al.,




Figure 1: Language inclusions in the extended *DL-Lite* family.

2005). Here we give an example showing how *DL-Lite* logics can be used for conceptual modeling purposes; for more details see (Artale et al., 2007b).




Figure 2: A UML class diagram.

Let us consider the UML class diagram depicted in Figure 2 and representing (a portion of) a company information system. According to the diagram, all managers are employees and partitioned into area managers and top managers. This information can be represented by means of the following concept inclusions (where in brackets we specify the minimal

DL-Lite language the inclusion belongs to):

$$\begin{aligned}
 \textit{Manager} &\sqsubseteq \textit{Employee} && (\textit{DL-Lite}_{core}) \\
 \textit{AreaManager} &\sqsubseteq \textit{Manager} && (\textit{DL-Lite}_{core}) \\
 \textit{TopManager} &\sqsubseteq \textit{Manager} && (\textit{DL-Lite}_{core}) \\
 \textit{AreaManager} &\sqsubseteq \neg \textit{TopManager} && (\textit{DL-Lite}_{core}) \\
 \textit{Manager} &\sqsubseteq \textit{AreaManager} \sqcup \textit{TopManager} && (\textit{DL-Lite}_{bool})
 \end{aligned}$$

Each employee has two functional attributes, *empCode* and *salary*, with integer values; here we only represent the latter:

$$\begin{aligned}
 \textit{Employee} &\sqsubseteq \exists \textit{salary} && (\textit{DL-Lite}_{core}) \\
 \exists \textit{salary}^- &\sqsubseteq \textit{Integer} && (\textit{DL-Lite}_{core}) \\
 \geq 2 \textit{ salary} &\sqsubseteq \perp && (\textit{DL-Lite}_{core}^{\mathcal{F}})
 \end{aligned}$$

The binary relationship *worksOn* has *Employee* as its domain and *Project* as its range:

$$\begin{aligned}
 \exists \textit{worksOn} &\sqsubseteq \textit{Employee} && (\textit{DL-Lite}_{core}) \\
 \exists \textit{worksOn}^- &\sqsubseteq \textit{Project} && (\textit{DL-Lite}_{core})
 \end{aligned}$$

(similarly for *boss* with *Employee* and *Manager*). Each employee works on a project and has exactly one boss, while a project must involve at least three employees:

$$\begin{aligned}
 \textit{Employee} &\sqsubseteq \exists \textit{worksOn} && (\textit{DL-Lite}_{core}) \\
 \textit{Employee} &\sqsubseteq \exists \textit{boss} && (\textit{DL-Lite}_{core}) \\
 \geq 2 \textit{ boss} &\sqsubseteq \perp && (\textit{DL-Lite}_{core}^{\mathcal{F}}) \\
 \textit{Project} &\sqsubseteq \geq 3 \textit{ worksOn}^- && (\textit{DL-Lite}_{core}^{\mathcal{N}})
 \end{aligned}$$

A top manager manages exactly one project and also works on that project, while a project is managed by exactly one top manager:

$$\begin{aligned}
 \exists \textit{manages} &\sqsubseteq \textit{TopManager} && (\textit{DL-Lite}_{core}) \\
 \exists \textit{manages}^- &\sqsubseteq \textit{Project} && (\textit{DL-Lite}_{core}) \\
 \textit{TopManager} &\sqsubseteq \exists \textit{manages} && (\textit{DL-Lite}_{core}) \\
 \textit{Project} &\sqsubseteq \exists \textit{manages}^- && (\textit{DL-Lite}_{core}) \\
 \geq 2 \textit{ manages} &\sqsubseteq \perp && (\textit{DL-Lite}_{core}^{\mathcal{F}}) \\
 \geq 2 \textit{ manages}^- &\sqsubseteq \perp && (\textit{DL-Lite}_{core}^{\mathcal{F}}) \\
 \textit{manages} &\sqsubseteq \textit{worksOn} && (\textit{DL-Lite}_{core}^{\mathcal{R}})
 \end{aligned}$$

All in all, the only languages in the *DL-Lite* family capable of representing the UML class diagram in Figure 2 are $\textit{DL-Lite}_{bool}^{\mathcal{R},\mathcal{N}}$ and $\textit{DL-Lite}_{bool}^{(\mathcal{R},\mathcal{N})}$. Note, however, that except for the covering constraint, $\textit{Manager} \sqsubseteq \textit{AreaManager} \sqcup \textit{TopManager}$, all other concept inclusions

in the *DL-Lite* translation of the UML class diagram belong to variants of the ‘core’ fragments $DL-Lite_{core}^{\mathcal{R},\mathcal{N}}$ and $DL-Lite_{core}^{(\mathcal{R},\mathcal{N})}$. It is not hard to imagine a situation where one needs $DL-Lite_{horn}$ concept inclusions to represent integrity constraints over UML class diagrams, for example, to express that ‘no chief executive officer may work on five projects and be a manager of one of them:’

$$CEO \sqcap (\geq 5 \text{ worksOn}) \sqcap \exists \text{manages} \sqsubseteq \perp \quad (DL-Lite_{horn}^{\mathcal{N}})$$

In the context of UML class diagrams, the Krom fragment $DL-Lite_{krom}$ (with its variants) seems to be useless: it extends $DL-Lite_{core}$ with concept inclusions of the form $\neg B_1 \sqsubseteq B_2$ or, equivalently, $\top \sqsubseteq B_1 \sqcup B_2$, which are rarely used in conceptual modeling. On the other hand, the Krom fragments are important for pinpointing the borderlines of various complexity classes over the *DL-Lite* family of description logics; see Table 2.

3. Reasoning in the *DL-Lite* Family

We discuss now the reasoning problems we consider for the logics of the *DL-Lite* family, their mutual relationships, and the complexity measures we adopt. We also provide an overview of the complexity results obtained in this article.

3.1 Reasoning Problems

We will concentrate on three fundamental reasoning tasks for the logics \mathcal{L} of the *DL-Lite* family: satisfiability (or consistency), instance checking and query answering.

For a DL \mathcal{L} in our *DL-Lite* family, we define an \mathcal{L} -concept inclusion as any concept inclusion allowed in \mathcal{L} . Similarly, we define the notions of \mathcal{L} -KB and \mathcal{L} -TBox. Finally, define an \mathcal{L} -concept as any concept that can occur on the right-hand side of an \mathcal{L} -concept inclusion or a conjunction of such concepts.

Satisfiability. The *KB satisfiability problem* is to check, given an \mathcal{L} -KB \mathcal{K} , whether there is a model of \mathcal{K} . Clearly, satisfiability is the minimal requirement for any ontology as the consistency test is run quite often at the ontology development stage. As is well known in DL (Baader et al., 2003), many other reasoning tasks for description logics are reducible to the satisfiability problem. Consider, for example, the *subsumption problem*: given an \mathcal{L} -TBox \mathcal{T} and an \mathcal{L} -concept inclusion $C_1 \sqsubseteq C_2$, decide whether $\mathcal{T} \models C_1 \sqsubseteq C_2$, that is, for every model \mathcal{I} of \mathcal{T} , we have $C_1^{\mathcal{I}} \sqsubseteq C_2^{\mathcal{I}}$. To reduce this problem to (un)satisfiability, take a fresh concept name A , a fresh object name a , and set $\mathcal{K} = (\mathcal{T}', \mathcal{A})$, where

$$\mathcal{T}' = \mathcal{T} \cup \{A \sqsubseteq C_1, A \sqsubseteq \neg C_2\} \quad \text{and} \quad \mathcal{A} = \{A(a)\}.$$

It is easy to see that $\mathcal{T} \models C_1 \sqsubseteq C_2$ iff \mathcal{K} is *not* satisfiable. For core, Krom and Horn KBs, if $C_2 = \prod_k D_k$, where each D_k is a (possibly negated) basic concept, checking unsatisfiability of \mathcal{K} amounts to checking unsatisfiability of each of the KBs $\mathcal{K}_k = (\mathcal{T}_k, \mathcal{A})$, where $\mathcal{T}_k = \mathcal{T} \cup \{A \sqsubseteq C_1, A \sqsubseteq \neg D_k\}$ (for Horn KBs, replace $A \sqsubseteq \neg B$ with the equivalent $A \sqcap B \sqsubseteq \perp$).

The *concept satisfiability problem*—given an \mathcal{L} -TBox \mathcal{T} and an \mathcal{L} -concept C , decide whether $C^{\mathcal{I}} \neq \emptyset$ in a model \mathcal{I} of \mathcal{T} —is also easily reducible to KB satisfiability. Indeed, take a fresh concept name A , a fresh object name a , and set $\mathcal{K} = (\mathcal{T}', \mathcal{A})$, where

$$\mathcal{T}' = \mathcal{T} \cup \{A \sqsubseteq C\} \quad \text{and} \quad \mathcal{A} = \{A(a)\}.$$

Then C is satisfiable w.r.t. \mathcal{T} iff \mathcal{K} is satisfiable.

Instance checking. The *instance checking problem* is to decide, given an object name a , an \mathcal{L} -concept C and an \mathcal{L} -KB $\mathcal{K} = (\mathcal{T}, \mathcal{A})$, whether $\mathcal{K} \models C(a)$, that is, $a^{\mathcal{I}} \in C^{\mathcal{I}}$, for every model \mathcal{I} of \mathcal{K} . Instance checking is also reducible to (un)satisfiability: an object a is an instance of an \mathcal{L} -concept C in every model of $\mathcal{K} = (\mathcal{T}, \mathcal{A})$ iff the KB $\mathcal{K}' = (\mathcal{T}', \mathcal{A}')$, with

$$\mathcal{T}' = \mathcal{T} \cup \{A \sqsubseteq \neg C\} \quad \text{and} \quad \mathcal{A}' = \mathcal{A} \cup \{A(a)\},$$

is not satisfiable, where A is a fresh concept name. For core, Krom and Horn KBs, if $C = \prod_k D_k$, where each D_k is a (possibly negated) basic concept, we can proceed as for subsumption: checking the unsatisfiability of \mathcal{K}' amounts to checking the unsatisfiability of each KB $\mathcal{K}'_k = (\mathcal{T}'_k, \mathcal{A}')$ with $\mathcal{T}'_k = \mathcal{T} \cup \{A \sqsubseteq \neg D_k\}$.

Conversely, KB satisfiability is reducible to the complement of instance checking: \mathcal{K} is satisfiable iff $\mathcal{K} \not\models A(a)$, for a fresh concept name A and a fresh object a .

Query answering. A *positive existential query* $q(x_1, \dots, x_n)$ is any first-order formula $\varphi(x_1, \dots, x_n)$ constructed by means of conjunction, disjunction and existential quantification starting from atoms of the form $A(t)$ and $P(t_1, t_2)$, where A is a concept name, P a role name, and t, t_1, t_2 are *terms* taken from the list of variables y_0, y_1, \dots and the list of object names a_0, a_1, \dots (i.e., φ is a positive existential formula). More precisely,

$$\begin{aligned} t & ::= y_i \mid a_i, \\ \varphi & ::= A_k(t) \mid P_k(t_1, t_2) \mid \varphi_1 \wedge \varphi_2 \mid \varphi_1 \vee \varphi_2 \mid \exists y_i \varphi. \end{aligned}$$

The free variables of φ are called *distinguished variables* of q and the bound ones are *non-distinguished variables* of q . We write $q(x_1, \dots, x_n)$ for a query with distinguished variables x_1, \dots, x_n . A *conjunctive query* is a positive existential query that contains no disjunction (it is constructed from atoms by means of conjunction and existential quantification only).

Given a query $q(\vec{x}) = \varphi(\vec{x})$ with $\vec{x} = x_1, \dots, x_n$ and an n -tuple \vec{a} of object names, we write $q(\vec{a})$ for the result of replacing every occurrence of x_i in $\varphi(\vec{x})$ with the i th member of \vec{a} . Queries containing no distinguished variables will be called *ground* (they are also known as Boolean).

Let $\mathcal{I} = (\Delta^{\mathcal{I}}, \cdot^{\mathcal{I}})$ be an interpretation. An *assignment* \mathbf{a} in $\Delta^{\mathcal{I}}$ is a function associating with every variable y an element $\mathbf{a}(y)$ of $\Delta^{\mathcal{I}}$. We will use the following notation: $a_i^{\mathcal{I}, \mathbf{a}} = a_i^{\mathcal{I}}$ and $y^{\mathcal{I}, \mathbf{a}} = \mathbf{a}(y)$. The *satisfaction relation* for positive existential formulas with respect to a given assignment \mathbf{a} is defined inductively by taking:

$$\begin{aligned} \mathcal{I} \models^{\mathbf{a}} A_k(t) & \text{ iff } t^{\mathcal{I}, \mathbf{a}} \in A_k^{\mathcal{I}}, \\ \mathcal{I} \models^{\mathbf{a}} P_k(t_1, t_2) & \text{ iff } (t_1^{\mathcal{I}, \mathbf{a}}, t_2^{\mathcal{I}, \mathbf{a}}) \in P_k^{\mathcal{I}}, \\ \mathcal{I} \models^{\mathbf{a}} \varphi_1 \wedge \varphi_2 & \text{ iff } \mathcal{I} \models^{\mathbf{a}} \varphi_1 \text{ and } \mathcal{I} \models^{\mathbf{a}} \varphi_2, \\ \mathcal{I} \models^{\mathbf{a}} \varphi_1 \vee \varphi_2 & \text{ iff } \mathcal{I} \models^{\mathbf{a}} \varphi_1 \text{ or } \mathcal{I} \models^{\mathbf{a}} \varphi_2, \\ \mathcal{I} \models^{\mathbf{a}} \exists y_i \varphi & \text{ iff } \mathcal{I} \models^{\mathbf{b}} \varphi, \text{ for some assignment } \mathbf{b} \text{ in } \Delta^{\mathcal{I}} \text{ that may differ from } \mathbf{a} \text{ on } y_i. \end{aligned}$$

For a ground query $q(\vec{a})$, the satisfaction relation does not depend on the assignment \mathbf{a} , and so we write $\mathcal{I} \models q(\vec{a})$ instead of $\mathcal{I} \models^{\mathbf{a}} q(\vec{a})$. The answer to such a query is either ‘yes’ or ‘no.’

For a KB $\mathcal{K} = (\mathcal{T}, \mathcal{A})$, we say that a tuple \vec{a} of object names from \mathcal{A} is a *certain answer* to $q(\vec{x})$ with respect to \mathcal{K} , and write $\mathcal{K} \models q(\vec{a})$, if $\mathcal{I} \models q(\vec{a})$ whenever $\mathcal{I} \models \mathcal{K}$. The *query answering problem* can be formulated as follows: given an \mathcal{L} -KB $\mathcal{K} = (\mathcal{T}, \mathcal{A})$, a query $q(\vec{x})$, and a tuple \vec{a} of object names from \mathcal{A} , decide whether $\mathcal{K} \models q(\vec{a})$.

Note that the instance checking problem is a special case of query answering: an object a is an instance of an \mathcal{L} -concept C w.r.t. a KB \mathcal{K} iff the answer to the query $A(a)$ w.r.t. \mathcal{K}' is ‘yes’, where $\mathcal{K}' = (\mathcal{T}', \mathcal{A})$ and $\mathcal{T}' = \mathcal{T} \cup \{C \sqsubseteq A\}$, with A a fresh concept name. For Horn-concepts $B_1 \sqcap \dots \sqcap B_k$, we consider the query $A_1(a) \wedge \dots \wedge A_k(a)$ w.r.t. \mathcal{K}' , where $\mathcal{K}' = (\mathcal{T}', \mathcal{A})$ and $\mathcal{T}' = \mathcal{T} \cup \{B_1 \sqsubseteq A_1, \dots, B_k \sqsubseteq A_k\}$, with the A_i fresh concept names. Similarly, we deal with Krom-concepts $D_1 \sqcap \dots \sqcap D_k$, where each D_i is a possibly negated basic concept. For core-concepts, the reduction holds just for conjunctions of basic concepts.

3.2 Complexity Measures: Data and Combined Complexity

The computational complexity of the reasoning problems discussed above can be analyzed with respect to different complexity measures, which depend on those parameters of the problem that are regarded to be the input (i.e., can vary) and those that are regarded to be fixed. For satisfiability and instance checking, the parameters to consider are the size of the TBox \mathcal{T} and the size of the ABox \mathcal{A} , that is the number of symbols in \mathcal{T} and \mathcal{A} , denoted $|\mathcal{T}|$ and $|\mathcal{A}|$, respectively. The size $|\mathcal{K}|$ of the knowledge $\mathcal{K} = (\mathcal{T}, \mathcal{A})$ is simply given by $|\mathcal{T}| + |\mathcal{A}|$. For query answering, one more parameter to consider would be the size of the query. However, in our analysis we adopt the standard database assumption that the size of queries is always bounded by some reasonable constant and, in any case, negligible w.r.t. both the size of the TBox and the size of the ABox. Thus we do not count the query as part of the input.

Hence, we consider our reasoning problems under two complexity measures. If the whole KB \mathcal{K} is regarded as an input, then we deal with *combined complexity*. If, however, only the ABox \mathcal{A} is counted as an input, while the TBox \mathcal{T} (and the query) is regarded to be fixed, then our concern is *data complexity* (Vardi, 1982). Combined complexity is of interest, e.g., when we are still designing and testing the ontology. On the other hand, data complexity is preferable in all those cases where the TBox is fixed or its size (and the size of the query) is negligible compared to the size of the ABox, which is the case, for instance, in the context of querying data through ontologies (Calvanese, De Giacomo, Lembo, Lenzerini, Poggi, & Rosati, 2007) and other data intensive applications (Decker, Erdmann, Fensel, & Studer, 1999; Noy, 2004; Lenzerini, 2002; Calvanese et al., 2008). Since the logics of the *DL-Lite* family were tailored to deal with large data sets stored in relational databases, data complexity of both instance checking and query answering is of particular interest to us.

3.3 Remarks on the Complexity Classes LogSpace and AC⁰

In this paper, we deal with the following complexity classes:

$$\text{AC}^0 \subseteq \text{LOGSPACE} \subseteq \text{NLOGSPACE} \subseteq \text{P} \subseteq \text{NP} \subseteq \text{EXPTIME}.$$

Their definitions can be found in the standard textbooks like (Garey & Johnson, 1979; Papadimitriou, 1994; Vollmer, 1999; Kozen, 2006). Here we only remind the reader of the two smallest classes LOGSPACE and AC^0 .

A problem belongs to LOGSPACE if there is a two-tape Turing machine \mathcal{M} such that, starting with an input of length n written on the *read-only input tape*, \mathcal{M} stops in an accepting or rejecting state having used at most $\log n$ cells of the (initially blank) *read/write work tape*. A LOGSPACE *transducer* is a three-tape Turing machine that, having started with an input of length n written on the read-only input tape, writes the result (of polynomial size) on the *write-only output tape* using at most $\log n$ cells of the (initially blank) read/write work tape. A LOGSPACE *reduction* is a reduction computable by a LOGSPACE transducer; the composition of two LOGSPACE transducers is also a LOGSPACE transducer (Kozen, 2006, Lemma 5.1).

The formal definition of the complexity class AC^0 (see, e.g., Boppana & Sipser, 1990; Vollmer, 1999 and references therein) is based on the circuit model, where functions are represented as directed acyclic graphs built from unbounded fan-in AND, OR and NOT gates (i.e., AND and OR gates may have an unbounded number of incoming edges). For this definition we assume that decision problems are encoded in the alphabet $\{0, 1\}$ and so can be regarded as Boolean functions. AC^0 is the class of problems definable using a family of circuits of constant depth and polynomial size, which can be generated by a deterministic Turing machine in logarithmic time (in the size of the input); the latter condition is called LOGTIME-*uniformity*. Intuitively, AC^0 allows us to use polynomially many processors but the run-time must be constant. A typical example of an AC^0 problem is the evaluation of first-order queries over databases (or model checking of first-order sentences over finite models), where only the database (first-order model) is regarded as the input and the query (first-order sentence) is assumed to be fixed (Abiteboul, Hull, & Vianu, 1995; Vollmer, 1999). The undirected graph reachability problem is known to be in LOGSPACE (Reingold, 2008) but not in AC^0 . A Boolean function $f: \{0, 1\}^n \rightarrow \{0, 1\}$ is called AC^0 -*reducible* (or *constant-depth reducible*) to a function $g: \{0, 1\}^n \rightarrow \{0, 1\}$ if there is a (LOGTIME-uniform) family of constant-depth circuits built from AND, OR, NOT and g gates that computes f . In this case we say that there is an AC^0 -reduction. Note that all the reductions considered in Section 3.1 are AC^0 -reductions. Unless otherwise indicated, in what follows we write ‘reduction’ for ‘ AC^0 -reduction.’

3.4 Summary of Complexity Results

In this article, our aim is to investigate (i) the *combined* and *data complexity* of the satisfiability and instance checking problems and (ii) the *data complexity* of the query answering problem for the logics of our *DL-Lite* family, both with and without the UNA. The obtained and known results for the first 32 logics from Table 1 (the $DL-Lite_{\alpha}^{(\mathcal{R}, \mathcal{F})^+}$ and $DL-Lite_{\alpha}^{(\mathcal{R}, \mathcal{N})^+}$ are not included) are summarized in Table 2 (we remind the reader that satisfiability and instance checking are reducible to the complements of each other). In fact, all of the results in the table follow from the lower and upper bounds marked with $[\geq]$ and $[\leq]$, respectively (by taking into account the hierarchy of languages of the *DL-Lite* family): for example, the NLOGSPACE upper bound for $DL-Lite_{krom}^{\mathcal{N}}$ in Theorem 5.7 implies the same upper bound

Languages	UNA	Complexity		
		Combined complexity Satisfiability	Data complexity	
			Instance checking	Query answering
$DL-Lite_{core}^{[\mathcal{R}]}$ $DL-Lite_{horn}^{[\mathcal{R}]}$ $DL-Lite_{krom}^{[\mathcal{R}]}$ $DL-Lite_{bool}^{[\mathcal{R}]}$	yes/no	NLOGSPACE \geq [A] $P \leq$ [Th.5.13] \geq [A] NLOGSPACE \leq [Th.5.13] NP \leq [Th.5.13] \geq [A]	in AC ⁰ in AC ⁰ in AC ⁰ in AC ⁰ \leq [Cor.6.2]	in AC ⁰ in AC ⁰ \leq [C] coNP \geq [B] coNP
$DL-Lite_{core}^{[\mathcal{F} \mathcal{N}](\mathcal{RN})}$ $DL-Lite_{horn}^{[\mathcal{F} \mathcal{N}](\mathcal{RN})}$ $DL-Lite_{krom}^{[\mathcal{F} \mathcal{N}](\mathcal{RN})}$ $DL-Lite_{bool}^{[\mathcal{F} \mathcal{N}](\mathcal{RN})}$	yes	NLOGSPACE $P \leq$ [Th.5.8, 5.13] NLOGSPACE \leq [Th.5.7, 5.13] NP \leq [Th.5.6, 5.13]	in AC ⁰ in AC ⁰ in AC ⁰ in AC ⁰ \leq [Cor.6.2]	in AC ⁰ in AC ⁰ \leq [Th.7.1] coNP coNP
$DL-Lite_{core/horn}^{[\mathcal{F}](\mathcal{RF})}$ $DL-Lite_{krom}^{[\mathcal{F}](\mathcal{RF})}$ $DL-Lite_{bool}^{[\mathcal{F}](\mathcal{RF})}$ $DL-Lite_{core/horn}^{[\mathcal{N}](\mathcal{RN})}$ $DL-Lite_{krom/bool}^{[\mathcal{N}](\mathcal{RN})}$	no	$P \leq$ [Cor.8.6] \geq [Th.8.5] $P \leq$ [Cor.8.6] NP NP \geq [Th.8.2] NP \leq [Th.8.3]	$P \geq$ [Th.8.5] P $P \leq$ [Cor.8.6] coNP \geq [Th.8.2] coNP	P coNP coNP coNP coNP
$DL-Lite_{core/horn}^{\mathcal{R},\mathcal{F}}$ $DL-Lite_{krom/bool}^{\mathcal{R},\mathcal{F}}$ $DL-Lite_{core/horn}^{\mathcal{R},\mathcal{N}}$ $DL-Lite_{krom/bool}^{\mathcal{R},\mathcal{N}}$	yes/no	EXPTime \geq [Th.5.10] EXPTime EXPTime EXPTime	$P \geq$ [Th.6.7] coNP \geq [Th.6.5] coNP \geq [Th.6.6] coNP	$P \leq$ [D] coNP coNP coNP \leq [E]

[A] complexity of the respective fragment of propositional Boolean logic

[B] follows from (Schaerf, 1993)

[C] (Calvanese et al., 2006)

[D] follows from (Hustadt, Motik, & Sattler, 2005; Eiter, Gottlob, Ortiz, & Šimkus, 2008)

[E] follows from (Ortiz, Calvanese, & Eiter, 2006, 2008; Glimm, Horrocks, Lutz, & Sattler, 2007)

Table 2: Complexity of *DL-Lite* logics.

$DL-Lite_{\alpha}^{[\beta_1|\dots|\beta_n]}$ means any of $DL-Lite_{\alpha}^{\beta_1}, \dots, DL-Lite_{\alpha}^{\beta_n}$
 (in particular, $DL-Lite_{\alpha}^{[\mathcal{R}]}$ is either $DL-Lite_{\alpha}$ or $DL-Lite_{\alpha}^{\mathcal{R}}$)
 $DL-Lite_{core/horn}^{\beta}$ means $DL-Lite_{core}^{\beta}$ or $DL-Lite_{horn}^{\beta}$ (likewise for $DL-Lite_{krom/bool}^{\beta}$)

for $DL-Lite_{krom}^{\mathcal{F}}$, $DL-Lite_{krom}$, $DL-Lite_{core}^{\mathcal{N}}$, $DL-Lite_{core}^{\mathcal{F}}$ and $DL-Lite_{core}$ because all of them are sub-languages of $DL-Lite_{krom}^{\mathcal{N}}$.

Remark 3.1 Two further complexity results are to be noted (they are not included in Table 2):

- (i) If equality between object names is allowed in the language of *DL-Lite*, which only makes sense if the UNA is dropped, then the AC⁰ data complexity results in Table 2 transform into LOGSPACE-completeness results (see Section 8); inequality constraints do not affect the complexity.

- (ii) If we extend any of our languages with role transitivity constraints then the combined complexity of satisfiability remains the same, while for data complexity, instance checking and query answering become NLOGSPACE-hard (see Lemma 6.3), i.e., the AC^0 data complexity results transform into NLOGSPACE-completeness while all other complexities remain the same.

In either case, the property of first-order rewritability—that is, the possibility of rewriting a given query q with the help of a given TBox \mathcal{T} into a single first-order query q' returning the certain answers to q over $(\mathcal{T}, \mathcal{A})$ for every ABox \mathcal{A} , which ensures that the query answering problem is in AC^0 for data complexity—becomes unfeasible.

Detailed proofs of our results will be given in Sections 5–8. For the variants of logics involving number restrictions, all upper bounds hold also under the assumption that the numbers q in concepts of the form $\geq q R$ are given in *binary*. (Intuitively, this follows from the fact that in our proofs we only use those numbers that explicitly occur in the KB.) All lower bounds remain the same also for the unary coding, since in the corresponding proofs we only use numbers that are smaller than or equal to 4.

In the next section we consider our *DL-Lite* family in a more general context by identifying its place among other *DL-Lite*-related logics, in particular the OWL 2 profiles.

4. The Landscape of *DL-Lite* Logics

The original family of *DL-Lite* logics was created with two goals in mind: to identify description logics that, on the one hand, are capable of representing some basic features of conceptual modeling formalisms (such as UML class diagrams and ER diagrams) and, on the other hand, are computationally tractable, in particular, matching the AC^0 data complexity of database query answering.

As we saw in Section 2.2, to represent UML class diagrams one does not need the typical quantification constructs of the basic description logic \mathcal{ALC} (Schmidt-Schauß & Smolka, 1991), namely, universal restriction $\forall R.C$ and *qualified* existential quantification $\exists R.C$: one can always take the role filler C to be \top . Indeed, domain and range restrictions for a relationship P can be expressed by the concept inclusions $\exists P \sqsubseteq B_1$ and $\exists P^- \sqsubseteq B_2$, respectively. Thus, almost all concept inclusions required for capturing UML class diagrams are of the form $B_1 \sqsubseteq B_2$ or $B_1 \sqsubseteq \neg B_2$. These observations motivated the introduction of the first *DL-Lite* logic in (Calvanese et al., 2005), which in our new nomenclature corresponds to $DL-Lite_{core}^{\mathcal{F}}$. The main results of (Calvanese et al., 2005) were a polynomial-time upper bound for the combined complexity of KB satisfiability and a LOGSPACE upper bound for the data complexity of conjunctive query answering (under the UNA). These results were extended in (Calvanese et al., 2006) to two larger languages: $DL-Lite_{horn}^{\mathcal{F}}$ and $DL-Lite_{horn}^{\mathcal{R}}$, which were originally called $DL-Lite_{\top, \mathcal{F}}$ and $DL-Lite_{\top, \mathcal{R}}$, respectively. In (Calvanese et al., 2007b), another member of the *DL-Lite* family (named $DL-Lite_{\mathcal{R}}$) was introduced: it extended $DL-Lite_{core}^{\mathcal{R}}$ with *role disjointness* axioms of the form $Dis(R_1, R_2)$. The computational behavior of the new logic turned out to be the same as that of $DL-Lite_{core}^{\mathcal{R}}$. It may be worth mentioning that $DL-Lite_{core}^{\mathcal{R}}$ covers the DL fragment of RDFS (Klyne & Carroll, 2004; Hayes, 2004). Note also that (Calvanese et al., 2006) considered the variants of both $DL-Lite_{\top, \mathcal{F}}$ and $DL-Lite_{\top, \mathcal{R}}$ with arbitrary n -ary relations (not only the usual binary roles)

and showed that they are still in LOGSPACE for data complexity. In (Artale et al., 2007b) we showed how n -ary relations can be represented in $DL-Lite_{core}^{\mathcal{F}}$ by means of reification. We conjecture that similar results can be obtained for the other $DL-Lite$ logics introduced in this paper.

A further variant of $DL-Lite$, called $DL-Lite_{\mathcal{A}}$ (\mathcal{A} for attributes), was introduced in (Poggi et al., 2008a) with the aim of capturing as many features of conceptual modeling formalisms as possible, while still maintaining the computational properties of the basic variants of $DL-Lite$. One of the features in $DL-Lite_{\mathcal{A}}$, borrowed from conceptual modeling formalisms, is the distinction between (abstract) objects and domain values, and consequently, between concepts (sets of objects) and domains (sets of values), and between roles (relating objects with objects) and attributes (relating object with values). However, the distinction between concepts and domains, and between roles and attributes has no impact on reasoning whatsoever, since domains can simply be treated in the same way as concepts (that are disjoint from the proper concepts), and similarly for attributes. Instead, more relevant for reasoning is the possibility to express in $DL-Lite_{\mathcal{A}}$ both role inclusions and functionality, i.e., $DL-Lite_{\mathcal{A}}$ includes both $DL-Lite_{core}^{\mathcal{R}}$ and $DL-Lite_{core}^{\mathcal{F}}$, but not $DL-Lite_{core}^{\mathcal{R},\mathcal{F}}$.

As we have already mentioned, role inclusions and functionality constraints cannot be combined in an unrestricted way without losing the good computational properties: in Theorems 5.10 and 6.7, we prove that satisfiability of $DL-Lite_{core}^{\mathcal{R},\mathcal{F}}$ KBs is EXPTIME-hard for combined complexity, while instance checking is data-hard for P (NLOGSPACE-hardness was shown by Calvanese et al., 2006). In $DL-Lite_{\mathcal{A}}$, to keep query answering in AC^0 for data complexity and satisfiability in NLOGSPACE for combined complexity, functional roles (and attributes) are not allowed to be specialized, i.e., used positively on the right-hand side of role (and attribute) inclusion axioms. So condition (**inter**) is a slight generalization of this restriction. $DL-Lite_{\mathcal{A}}$ also allows axioms of the form $B \sqsubseteq \exists R.C$ for *non-functional* roles R , which is covered by condition (**exists**). Thus, $DL-Lite_{\mathcal{A}}$ is a proper fragment of both $DL-Lite_{core}^{(\mathcal{R},\mathcal{F})}$ and $DL-Lite_{horn}^{(\mathcal{R},\mathcal{N})}$. We show in Sections 5.3 and 7 that these three languages enjoy very similar computational properties under the UNA: tractable satisfiability and query answering in AC^0 .

4.1 The $DL-Lite$ Family and OWL 2

The upcoming version 2 of the Web Ontology Language OWL⁸ defines several *profiles*⁹ that is, restricted versions of the language that suit specific needs. The $DL-Lite$ family, notably $DL-Lite_{core}^{\mathcal{R}}$ (or the original $DL-Lite_{\mathcal{R}}$), is at the basis of one of these OWL 2 profiles, called OWL 2 QL. According to <http://www.w3.org/TR/owl2-profiles/>, ‘OWL 2 QL is aimed at applications that use very large volumes of instance data, and where query answering is the most important reasoning task. In OWL 2 QL, [...] sound and complete query answering can be performed in LOGSPACE with respect to the size of the data (assertions) [and] there are polynomial-time algorithms for consistency, subsumption, and classification reasoning. The expressive power of the profile is necessarily quite limited, although it does include most of the main features of conceptual models such as UML class diagrams and

8. <http://www.w3.org/2007/OWL/>

9. The proper term for what in W3C jargon is called a *profile* would be *fragment*. In OWL 2, profiles are defined by placing restrictions on the OWL 2 syntax only.

ER diagrams.’ In this section, we briefly discuss the results obtained in this article in the context of additional constructs that are present in OWL 2.

A very important difference between description logics and OWL is the status of the unique name assumption (UNA): this assumption is commonly made in DL but not adopted in OWL. Instead, the OWL syntax provides explicit means for stating that object names, say a and b , are supposed to denote the same individual, $a \approx b$, or that they should be interpreted differently, $a \not\approx b$ (in OWL, these constructs are called **sameAs** and **differentFrom**).

The complexity results we obtain for logics of the form $DL-Lite_{\alpha}^{\mathcal{R}}$ do not depend on whether or not we adopt the UNA. However, this is not the case for the logics $DL-Lite_{\alpha}^{\mathcal{F}}$ and $DL-Lite_{\alpha}^{\mathcal{N}}$, where there is an obvious interaction between the UNA and number restrictions (cf. Table 2). For example, under the UNA, instance checking for $DL-Lite_{core}^{\mathcal{F}}$ is in AC^0 for data complexity, whereas dropping this assumption results in a much higher complexity: in Section 8, we prove that it is P-complete. The addition of the equality construct \approx to $DL-Lite_{core}^{\mathcal{R}}$ and $DL-Lite_{horn}^{\mathcal{R}}$ slightly changes the data complexity of query answering and instance checking, as it rises from AC^0 to LOGSPACE; see Section 8. What is more important, however, is that in this case we lose first-order rewritability of queries, and as a result cannot use the standard database query engines in a straightforward manner.

Since the OWL 2 profiles are defined as syntactic restrictions without changing the basic semantic assumptions, it was chosen not to include in the OWL 2 QL profile any construct that interferes with the UNA and which, in the absence of the UNA, would cause higher complexity. That is why OWL 2 QL does not include number restrictions, not even functionality constraints. Also, *keys* (the mechanism of identifying objects by means of the values of their properties) are not supported, although they are an important notion in conceptual modeling. Indeed, keys can be considered as a generalization of functionality constraints (Toman & Weddell, 2005, 2008; Calvanese, De Giacomo, Lembo, Lenzerini, & Rosati, 2007a, 2008b), since asserting a unary key, i.e., one involving only a single role R , is equivalent to asserting the functionality of the inverse of R . Hence, in the absence of the UNA, allowing keys would change the computational properties.

As we have already mentioned, some other standard OWL constructs, such as role disjointness, (a)symmetry and (ir)reflexivity constraints, can be added to the $DL-Lite$ logics without changing their computational behavior. Role transitivity constraints, $\text{Tra}(R)$, asserting that R must be interpreted as a transitive role, can also be added to $DL-Lite_{horn}^{(\mathcal{R}, \mathcal{N})}$ but this leads to the increase of the data complexity for all reasoning problems to NLOGSPACE, although the combined complexity remains in P. These results can be found in Section 5.3.

Of other constructs of OWL 2 that so far are not supported by the $DL-Lite$ logics we mention *nominals* (i.e., singleton concepts), *Boolean operators* on roles, and *role chains*.

5. Satisfiability: Combined Complexity

$DL-Lite_{bool}^{\mathcal{R}, \mathcal{N}}$ is clearly a sub-logic of the description logic \mathcal{SHIQ} , the satisfiability problem for which is known to be EXPTIME-complete (Tobies, 2001).

In Section 5.1 we show, however, that the satisfiability problem for $DL-Lite_{bool}^{\mathcal{N}}$ KBs is reducible to the satisfiability problem for the *one-variable fragment*, \mathcal{QL}^1 , of first-order logic without equality and function symbols. As satisfiability of \mathcal{QL}^1 -formulas is NP-complete (see, e.g., Börger et al., 1997) and the logics under consideration contain full Booleans on

concepts, satisfiability of $DL\text{-Lite}_{bool}^{\mathcal{N}}$ KBs is NP-complete as well. We shall also see that the translations of Horn and Krom KBs into \mathcal{QL}^1 belong to the Horn and Krom fragments of \mathcal{QL}^1 , respectively, which are known to be P- and NLOGSPACE-complete (see, e.g., Papadimitriou, 1994; Börger et al., 1997). In Section 5.2, we will show how to simulate the behavior of polynomial-space-bounded alternating Turing machines by means of $DL\text{-Lite}_{core}^{\mathcal{R},\mathcal{F}}$ KBs. This will give the (optimal) EXPTIME lower bound for satisfiability of KBs in all the languages of our family containing unrestricted occurrences of both functionality constraints and role inclusions. In Section 5.3, we extend the embedding into \mathcal{QL}^1 , defined in Section 5.1, to the logic $DL\text{-Lite}_{bool}^{(\mathcal{RN})}$, thereby establishing the same upper bounds as for $DL\text{-Lite}_{bool}^{\mathcal{N}}$ and its fragments. Finally, in Section 5.4 we investigate the impact of role transitivity constraints.

5.1 $DL\text{-Lite}_{bool}^{\mathcal{N}}$ and its Fragments: First-Order Perspective

Our aim in this section is to construct a reduction of the satisfiability problem for $DL\text{-Lite}_{bool}^{\mathcal{N}}$ KBs to satisfiability of \mathcal{QL}^1 -formulas. We will do this in two steps: first we present a lengthy yet quite ‘natural’ and transparent (yet exponential) reduction \cdot^\dagger , and then we shall see from the proof that this reduction can be substantially optimized to a linear reduction \cdot^\ddagger .

Let $\mathcal{K} = (\mathcal{T}, \mathcal{A})$ be a $DL\text{-Lite}_{bool}^{\mathcal{N}}$ KB. Recall that $role^\pm(\mathcal{K})$ denotes the set of direct and inverse role names occurring in \mathcal{K} and $ob(\mathcal{A})$ the set of object names occurring in \mathcal{A} . For $R \in role^\pm(\mathcal{K})$, let $Q_{\mathcal{T}}^R$ be the set of natural numbers containing 1 and all the numerical parameters q for which the concept $\geq q R$ occurs in \mathcal{T} (recall that the ABox does not contain numerical parameters). Note that $|Q_{\mathcal{T}}^R| \geq 2$ if \mathcal{T} contains a functionality constraint for R .

With every object name $a_i \in ob(\mathcal{A})$ we associate the individual constant a_i of \mathcal{QL}^1 and with every concept name A_i the unary predicate $A_i(x)$ from the signature of \mathcal{QL}^1 . For each role $R \in role^\pm(\mathcal{K})$, we introduce $|Q_{\mathcal{T}}^R|$ -many fresh unary predicates

$$E_q R(x), \quad \text{for } q \in Q_{\mathcal{T}}^R.$$

The intended meaning of these predicates is as follows: for a role name P_k ,

- $E_1 P_k(x)$ and $E_1 P_k^-(x)$ represent the domain and range of P_k , respectively; in other words, $E_1 P_k(x)$ and $E_1 P_k^-(x)$ are the sets of points with *at least one* P_k -successor and *at least one* P_k -predecessor, respectively;
- $E_q P_k(x)$ and $E_q P_k^-(x)$ represent the sets of points with *at least* q distinct P_k -successors and *at least* q distinct P_k -predecessors, respectively.

Additionally, for every pair of roles $P_k, P_k^- \in role^\pm(\mathcal{K})$, we take two fresh individual constants

$$dp_k \quad \text{and} \quad dp_k^-$$

of \mathcal{QL}^1 , which will serve as ‘representatives’ of the points from the domains of P_k and P_k^- , respectively (provided that they are not empty). Let $dr(\mathcal{K}) = \{dr \mid R \in role^\pm(\mathcal{K})\}$. Furthermore, for each pair of object names $a_i, a_j \in ob(\mathcal{A})$ and each $R \in role^\pm(\mathcal{K})$, we take a fresh *propositional variable* $Ra_i a_j$ of \mathcal{QL}^1 to encode the ABox assertion $R(a_i, a_j)$.¹⁰

10. In what follows, we slightly abuse notation and write $R(a_i, a_j) \in \mathcal{A}$ to indicate that $P_k(a_i, a_j) \in \mathcal{A}$ if $R = P_k$, or $P_k(a_j, a_i) \in \mathcal{A}$ if $R = P_k^-$.

By induction on the construction of a $DL-Lite_{bool}^N$ concept C we define the \mathcal{QL}^1 -formula C^* :

$$\begin{aligned} \perp^* &= \perp, & (A_i)^* &= A_i(x), & (\geq q R)^* &= E_q R(x), \\ (\neg C)^* &= \neg C^*(x), & (C_1 \sqcap C_2)^* &= C_1^*(x) \wedge C_2^*(x). \end{aligned}$$

The $DL-Lite_{bool}^N$ TBox \mathcal{T} corresponds then to the \mathcal{QL}^1 -sentence $\forall x \mathcal{T}^*(x)$, where

$$\mathcal{T}^*(x) = \bigwedge_{C_1 \sqsubseteq C_2 \in \mathcal{T}} (C_1^*(x) \rightarrow C_2^*(x)). \quad (1)$$

The ABox \mathcal{A} is translated into the following pair of \mathcal{QL}^1 -sentences

$$\mathcal{A}^{\dagger 1} = \bigwedge_{A_k(a_i) \in \mathcal{A}} A_k(a_i) \quad \wedge \quad \bigwedge_{\neg A_k(a_i) \in \mathcal{A}} \neg A_k(a_i), \quad (2)$$

$$\mathcal{A}^{\dagger 2} = \bigwedge_{P_k(a_i, a_j) \in \mathcal{A}} P_k a_i a_j \quad \wedge \quad \bigwedge_{\neg P_k(a_i, a_j) \in \mathcal{A}} \neg P_k a_i a_j. \quad (3)$$

For every role $R \in \text{role}^\pm(\mathcal{K})$, we need two \mathcal{QL}^1 -formulas:

$$\varepsilon_R(x) = E_1 R(x) \rightarrow \text{inv}(E_1 R)(\text{inv}(dr)), \quad (4)$$

$$\delta_R(x) = \bigwedge_{\substack{q, q' \in Q_T^R, \quad q' > q \\ q' > q'' > q \text{ for no } q'' \in Q_T^R}} (E_{q'} R(x) \rightarrow E_q R(x)), \quad (5)$$

where (by overloading the inv operator),

$$\text{inv}(E_q R) = \begin{cases} E_q P_k^-, & \text{if } R = P_k, \\ E_q P_k, & \text{if } R = P_k^-, \end{cases} \quad \text{and} \quad \text{inv}(dr) = \begin{cases} dp_k^-, & \text{if } R = P_k, \\ dp_k, & \text{if } R = P_k^-. \end{cases}$$

Formula (4) says that if the domain of R is not empty then its range is not empty either: it contains the constant $\text{inv}(dr)$, the ‘representative’ of the domain of $\text{inv}(R)$. The meaning of (5) should be obvious.

We also need formulas representing the relationship of the propositional variables $R a_i a_j$ with the unary predicates for the role domain and range: for a role $R \in \text{role}^\pm(\mathcal{K})$, let R^\dagger be the following \mathcal{QL}^1 -sentence

$$\bigwedge_{a_i \in \text{ob}(\mathcal{A})} \bigwedge_{q \in Q_T^R} \bigwedge_{\substack{a_{j_1}, \dots, a_{j_q} \in \text{ob}(\mathcal{A}) \\ j_k \neq j_{k'} \text{ for } k \neq k'}} \left(\bigwedge_{k=1}^q R a_i a_{j_k} \rightarrow E_q R(a_i) \right) \quad \wedge \quad \bigwedge_{a_i, a_j \in \text{ob}(\mathcal{A})} (R a_i a_j \rightarrow \text{inv}(R) a_j a_i), \quad (6)$$

where $\text{inv}(R) a_j a_i$ is the propositional variable $P_k^- a_j a_i$ if $R = P_k$ and $P_k a_j a_i$ if $R = P_k^-$. Note that the first conjunct of (6) is the only part of the translation that relies on the UNA.

Finally, for the $DL-Lite_{bool}^N$ knowledge base $\mathcal{K} = (\mathcal{T}, \mathcal{A})$, we set

$$\mathcal{K}^\dagger = \forall x \left[\mathcal{T}^*(x) \quad \wedge \quad \bigwedge_{R \in \text{role}^\pm(\mathcal{K})} (\varepsilon_R(x) \wedge \delta_R(x)) \right] \quad \wedge \quad \left[\mathcal{A}^{\dagger 1} \wedge \mathcal{A}^{\dagger 2} \quad \wedge \quad \bigwedge_{R \in \text{role}^\pm(\mathcal{K})} R^\dagger \right].$$

Thus, \mathcal{K}^\dagger is a universal sentence of \mathcal{QL}^1 .

Example 5.1 Consider, for example, the KB $\mathcal{K} = (\mathcal{T}, \mathcal{A})$ with

$$\mathcal{T} = \{A \sqsubseteq \exists P^-, \exists P^- \sqsubseteq A, A \sqsubseteq \geq 2P, \top \sqsubseteq \leq 1P^-, \exists P \sqsubseteq A\}$$

and $\mathcal{A} = \{A(a), P(a, a')\}$. Then we obtain the following first-order translation:

$$\begin{aligned} \mathcal{K}^\dagger = & \forall x \chi(x) \wedge A(a) \wedge Paa' \wedge \\ & (Paa' \rightarrow E_1P(a)) \wedge (Paa \rightarrow E_1P(a)) \wedge \\ & (Pa'a \rightarrow E_1P(a')) \wedge (Pa'a' \rightarrow E_1P(a')) \wedge \\ & (P^-aa' \rightarrow E_1P^-(a)) \wedge (P^-aa \rightarrow E_1P^-(a)) \wedge \\ & (P^-a'a \rightarrow E_1P^-(a')) \wedge (P^-a'a' \rightarrow E_1P^-(a')) \wedge \\ & (Paa' \wedge Paa \rightarrow E_2P(a)) \wedge (Pa'a \wedge Pa'a' \rightarrow E_2P(a')) \wedge \\ & (P^-aa' \wedge P^-aa \rightarrow E_2P^-(a)) \wedge (P^-a'a \wedge P^-a'a' \rightarrow E_2P^-(a')) \wedge \\ & (Paa' \leftrightarrow P^-a'a) \wedge (Pa'a \leftrightarrow P^-aa') \wedge (Paa \leftrightarrow P^-aa) \wedge (Pa'a' \leftrightarrow P^-a'a'). \end{aligned}$$

where

$$\begin{aligned} \chi(x) = & (A(x) \rightarrow E_1P^-(x)) \wedge (E_1P^-(x) \rightarrow A(x)) \wedge (A(x) \rightarrow E_2P(x)) \wedge \\ & (\top \rightarrow \neg E_2P^-(x)) \wedge (E_1P(x) \rightarrow A(x)) \wedge \\ & (E_1P(x) \rightarrow E_1P^-(dp^-)) \wedge (E_1P^-(x) \rightarrow E_1P(dp)) \wedge \\ & (E_2P(x) \rightarrow E_1P(x)) \wedge (E_2P^-(x) \rightarrow E_1P^-(x)). \quad (7) \end{aligned}$$

Theorem 5.2 *A DL-Lite_{bool}^N knowledge base $\mathcal{K} = (\mathcal{T}, \mathcal{A})$ is satisfiable iff the \mathcal{QL}^1 -sentence \mathcal{K}^\dagger is satisfiable.*

Proof (\Leftarrow) If \mathcal{K}^\dagger is satisfiable then there is a model \mathfrak{M} of \mathcal{K}^\dagger whose domain consists of all the constants occurring in \mathcal{K}^\dagger —i.e., $ob(\mathcal{A}) \cup dr(\mathcal{K})$ (say, an Herbrand model of \mathcal{K}^\dagger). We denote this domain by D and the interpretations of the (unary) predicates P , propositional variables p and constants a of \mathcal{QL}^1 in \mathfrak{M} by $P^{\mathfrak{M}}$, $p^{\mathfrak{M}}$ and $a^{\mathfrak{M}}$, respectively. Thus, for every constant a , we have $a^{\mathfrak{M}} = a$. Let D_0 be the set of all constants a , $a \in ob(\mathcal{A})$. Without loss of generality we may assume that $D_0 \neq \emptyset$.

We construct an interpretation \mathcal{I} for $DL-Lite_{bool}^N$ based on some domain $\Delta^{\mathcal{I}} \supseteq D_0$ that will be inductively defined as the union

$$\Delta^{\mathcal{I}} = \bigcup_{m=0}^{\infty} W_m, \quad \text{where } W_0 = D_0.$$

The interpretations of the object names a_i in \mathcal{I} are given by their interpretations in \mathfrak{M} , namely, $a_i^{\mathcal{I}} = a_i^{\mathfrak{M}} \in W_0$. Each set W_{m+1} , for $m \geq 0$, is constructed by adding to W_m some new elements that are fresh *copies* of certain elements from $D \setminus D_0$. If such a new element w' is a copy of $w \in D \setminus D_0$ then we write $cp(w') = w$, while for $w \in D_0$ we let $cp(w) = w$. The set $W_m \setminus W_{m-1}$, for $m \geq 0$, will be denoted by V_m (for convenience, let $W_{-1} = \emptyset$, so that $V_0 = D_0$).

The interpretations $A_k^{\mathcal{I}}$ of concept names A_k in \mathcal{I} are defined by taking

$$A_k^{\mathcal{I}} = \{w \in \Delta^{\mathcal{I}} \mid \mathfrak{M} \models A_k^*[cp(w)]\}. \quad (8)$$

The interpretation $P_k^{\mathcal{I}}$ of a role name P_k in \mathcal{I} will be defined inductively as the union

$$P_k^{\mathcal{I}} = \bigcup_{m=0}^{\infty} P_k^m, \quad \text{where } P_k^m \subseteq W_m \times W_m,$$

along with the construction of $\Delta^{\mathcal{I}}$. First, for a role $R \in \text{role}^{\pm}(\mathcal{K})$, we define the *required R -rank* $r(R, d)$ of a point $d \in D$ by taking

$$r(R, d) = \max(\{0\} \cup \{q \in Q_{\mathcal{I}}^R \mid \mathfrak{M} \models E_q R[d]\}).$$

It follows from (5) that if $r(R, d) = q$ then, for every $q' \in Q_{\mathcal{I}}^R$, we have $\mathfrak{M} \models E_{q'} R[d]$ whenever $q' \leq q$, and $\mathfrak{M} \models \neg E_{q'} R[d]$ whenever $q < q'$. We also define the *actual R -rank* $r_m(R, w)$ of a point $w \in \Delta^{\mathcal{I}}$ at step m by taking

$$r_m(R, w) = \begin{cases} \#\{w' \in W_m \mid (w, w') \in P_k^m\}, & \text{if } R = P_k, \\ \#\{w' \in W_m \mid (w', w) \in P_k^m\}, & \text{if } R = P_k^-. \end{cases}$$

For the basis of induction we set, for each role name $P_k \in \text{role}(\mathcal{K})$,

$$P_k^0 = \{(a_i^{\mathfrak{M}}, a_j^{\mathfrak{M}}) \in W_0 \times W_0 \mid \mathfrak{M} \models P_k a_i a_j\}. \quad (9)$$

Observe that, by (6), for all $R \in \text{role}^{\pm}(\mathcal{K})$ and $w \in W_0$,

$$r_0(R, w) \leq r(R, cp(w)). \quad (10)$$


Suppose now that W_m and the P_k^m , for $m \geq 0$, have already been defined. If we had $r_m(R, w) = r(R, cp(w))$, for all roles $R \in \text{role}^{\pm}(\mathcal{K})$ and points $w \in W_m$, then the interpretation \mathcal{I} we need would be constructed. However, in general this is not the case because there may be some ‘defects’ in the sense that the actual rank of some points is smaller than the required rank.

For a role name $P_k \in \text{role}(\mathcal{K})$, consider the following two sets of defects in P_k^m :

$$\begin{aligned} \Lambda_k^m &= \{w \in V_m \mid r_m(P_k, w) < r(P_k, cp(w))\}, \\ \Lambda_k^{m-} &= \{w \in V_m \mid r_m(P_k^-, w) < r(P_k^-, cp(w))\}. \end{aligned}$$

The purpose of, say, Λ_k^m is to identify those ‘defective’ points $w \in V_m$ from which precisely $r(P_k, cp(w))$ distinct P_k -arrows should start (according to \mathfrak{M}), but some arrows are still missing (only $r_m(P_k, w)$ many arrows exist). To ‘cure’ these defects, we extend W_m and P_k^m respectively to W_{m+1} and P_k^{m+1} according to the following rules:

- (Λ_k^m) Let $w \in \Lambda_k^m$, $q = r(P_k, cp(w)) - r_m(P_k, w)$ and $d = cp(w)$. We have $\mathfrak{M} \models E_{q'} P_k[d]$ for some $q' \in Q_{\mathcal{I}}^R$ with $q' \geq q > 0$. Then, by (5), $\mathfrak{M} \models E_1 P_k[d]$ and, by (4), $\mathfrak{M} \models E_1 P_k^-[dp_k^-]$. In this case we take q fresh copies w'_1, \dots, w'_q of dp_k^- (and set $cp(w'_i) = dp_k^-$, for $1 \leq i \leq q$), add them to W_{m+1} and add the pairs (w, w'_i) , $1 \leq i \leq q$, to P_k^{m+1} .
- (Λ_k^{m-}) Let $w \in \Lambda_k^{m-}$, $q = r(P_k^-, cp(w)) - r_m(P_k^-, w)$ and $d = cp(w)$. Then $\mathfrak{M} \models E_{q'} P_k^-[d]$ for some $q' \in Q_{\mathcal{I}}^R$ with $q' \geq q > 0$. So, by (5), we have $\mathfrak{M} \models E_1 P_k^-[d]$ and, by (4), $\mathfrak{M} \models E_1 P_k[dp_k]$. Take q fresh copies w'_1, \dots, w'_q of dp_k (and set $cp(w'_i) = dp_k$, for $1 \leq i \leq q$), add them to W_{m+1} and add the pairs (w'_i, w) , $1 \leq i \leq q$, to P_k^{m+1} .


 Figure 3: Unraveling model \mathfrak{M} (first three steps).

Example 5.3 Consider again the KB \mathcal{K} and its first-order translation \mathcal{K}^\dagger from Example 5.1. Consider also a model \mathfrak{M} of \mathcal{K}^\dagger with the domain $D = \{a, a', dp, dp^-\}$, where

$$\begin{aligned} A^{\mathfrak{M}} = (E_1P)^{\mathfrak{M}} = (E_1P^-)^{\mathfrak{M}} = (E_2P)^{\mathfrak{M}} = D, & \quad (E_2P^-)^{\mathfrak{M}} = \emptyset, \\ (Paa')^{\mathfrak{M}} = (P^-a'a)^{\mathfrak{M}} = \mathbf{t}. & \end{aligned}$$

We begin the construction of the interpretation \mathcal{I} of \mathcal{K} by setting $W_0 = V_0 = D_0 = \{a, a'\}$ and $P^0 = \{(a, a')\}$. Then we compute the required and actual ranks $r(R, w)$ and $r_0(R, w)$, for $R \in \{P, P^-\}$ and $w \in V_0$:

- (i) $r(P, a) = 2$ and $r_0(P, a) = 1$,
- (ii) $r(P, a') = 2$ and $r_0(P, a') = 0$,
- (iii) $r(P^-, a) = 1$ and $r_0(P^-, a) = 0$,
- (iv) $r(P^-, a') = 1$ and $r_0(P^-, a') = 1$.

At the next step, we draw a P -arrow from a to a fresh copy of dp^- to cure defect (i), draw two P -arrows from a' to two more fresh copies of dp^- in order to cure defects (ii), and finally we take a fresh copy of dp and connect it to a by a P -arrow, thereby curing defect (iii).

One more step of this ‘unraveling’ construction is shown in Figure 3.

Observe the following important property of the construction: for all $m, m_0 \geq 0$, $w \in V_{m_0}$ and $R \in \text{role}^\pm(\mathcal{K})$,

$$r_m(R, w) = \begin{cases} 0, & \text{if } m < m_0, \\ q, & \text{if } m = m_0, \text{ for some } q \leq r(R, cp(w)), \\ r(R, cp(w)), & \text{if } m > m_0. \end{cases} \quad (11)$$

To prove this property, consider all possible cases:

- If $m < m_0$ then the point w has not been added to W_m yet, i.e., $w \notin W_m$, and so we have $r_m(R, w) = 0$.

- If $m = m_0$ and $m_0 = 0$ then $r_m(R, w) \leq r(R, cp(w))$ follows from (10).
- If $m = m_0$ and $m_0 > 0$ then w was added at step m_0 to cure a defect of some point $w' \in W_{m_0-1}$. This means that there is $P_k \in \text{role}(\mathcal{K})$ such that either $(w', w) \in P_k^{m_0}$ and $w' \in \Lambda_k^{m_0-1}$ or $(w, w') \in P_k^{m_0}$ and $w' \in \Lambda_k^{(m_0-1)-}$. Consider the former case. We have $cp(w) = dp_k^-$. Since *fresh* witnesses are picked up every time the rule $(\Lambda_k^{m_0-1})$ is applied, $r_{m_0}(P_k^-, w) = 1$, $r_{m_0}(P_k, w) = 0$ and $r_{m_0}(R, w) = 0$, for every $R \neq P_k, P_k^-$. So it suffices to show that $r(P_k^-, dp_k^-) \geq 1$. Indeed, as $\mathfrak{M} \models E_q P_k[cp(w')]$ for some $q \in Q_{\mathcal{I}}^R$, we have, by (5), $\mathfrak{M} \models E_1 P_k[cp(w')]$, and so, by (4), $\mathfrak{M} \models E_1 P_k^-[dp_k^-]$. By the definition of r , we have $r(P_k^-, dp_k^-) \geq 1$. The latter case is considered analogously.
- If $m = m_0 + 1$ then, for each role name P_k , all defects of w are cured at step $m_0 + 1$ by applying the rules $(\Lambda_k^{m_0})$ and $(\Lambda_k^{m_0-})$. Therefore, $r_{m_0+1}(R, w) = r(R, cp(w))$.
- If $m > m_0 + 1$ then (11) follows from the observation that new arrows involving w can only be added at step $m_0 + 1$, that is, for all $m \geq 0$ and each *role name* $P_k \in \text{role}(\mathcal{K})$,

$$P_k^{m+1} \setminus P_k^m \subseteq V_m \times V_{m+1} \cup V_{m+1} \times V_m. \quad (12)$$

It follows that, for all $R \in \text{role}^\pm(\mathcal{K})$, $q \in Q_{\mathcal{I}}^R$ and $w \in \Delta^{\mathcal{I}}$, we have:

$$\mathfrak{M} \models E_q R[cp(w)] \quad \text{iff} \quad w \in (\geq q R)^{\mathcal{I}}. \quad (13)$$

Indeed, if $\mathfrak{M} \models E_q R[cp(w)]$ then, by definition, $r(R, cp(w)) \geq q$. Let $w \in V_{m_0}$. Then, by (11), $r_m(R, w) = r(R, cp(w)) \geq q$, for all $m > m_0$. It follows from the definition of $r_m(R, w)$ and $R^{\mathcal{I}}$ that $w \in (\geq q R)^{\mathcal{I}}$. Conversely, let $w \in (\geq q R)^{\mathcal{I}}$ and $w \in V_{m_0}$. Then, by (11), $q \leq r_m(R, w) = r(R, cp(w))$, for all $m > m_0$. So, by the definition of $r(R, cp(w))$ and (5), $\mathfrak{M} \models E_q R[cp(w)]$.

By induction on the construction of concepts C in \mathcal{K} one can readily see that, for every $w \in \Delta^{\mathcal{I}}$, we have

$$\mathfrak{M} \models C^*[cp(w)] \quad \text{iff} \quad w \in C^{\mathcal{I}}. \quad (14)$$

Indeed, the basis is trivial for $B = \perp$ and follows from (8) for $B = A_i$ and from (13) for $B = \geq q R$, while the induction step for the Booleans ($C = \neg C_1$ and $C = C_1 \sqcap C_2$) immediately follows from the induction hypothesis.

Finally, we show that for each $\psi \in \mathcal{T} \cup \mathcal{A}$,

$$\mathfrak{M} \models \psi^\dagger \quad \text{iff} \quad \mathcal{I} \models \psi.$$

The case $\psi = C_1 \sqsubseteq C_2$ follows from (14); for $\psi = A_k(a_i)$ and $\psi = \neg A_k(a_i)$ from the definition of $A_k^{\mathcal{I}}$. For $\psi = P_k(a_i, a_j)$ and $\psi = \neg P_k(a_i, a_j)$, we have $(a_i^{\mathcal{I}}, a_j^{\mathcal{I}}) \in P_k^{\mathcal{I}}$ iff, by (12), $(a_i^{\mathcal{I}}, a_j^{\mathcal{I}}) \in P_k^0$ iff, by (9), $\mathfrak{M} \models P_k a_i a_j$.

Thus, we have established that $\mathcal{I} \models \mathcal{K}$.

(\Rightarrow) Conversely, suppose that $\mathcal{I} \models \mathcal{K}$ is an interpretation with domain $\Delta^{\mathcal{I}}$. We construct a model \mathfrak{M} of \mathcal{K}^\dagger based on the same $\Delta^{\mathcal{I}}$. For every $a_i \in \text{ob}(\mathcal{A})$, we let $a_i^{\mathfrak{M}} = a_i^{\mathcal{I}}$ and, for every $R \in \text{role}^\pm(\mathcal{K})$, we take some $d \in (\geq 1 R)^{\mathcal{I}}$ if $(\geq 1 R)^{\mathcal{I}} \neq \emptyset$ and an arbitrary element $d \in \Delta^{\mathcal{I}}$ otherwise, and let $dr^{\mathfrak{M}} = d$. Next, for every concept name A_k , we let $A_k^{\mathfrak{M}} = A_k^{\mathcal{I}}$

and, for every role $R \in \text{role}^\pm(\mathcal{K})$ and $q \in Q_T^R$, we set $E_q R^{\mathfrak{M}} = (\geq q R)^{\mathcal{I}}$. Finally, for every role $R \in \text{role}^\pm(\mathcal{K})$ and every pair of objects $a_i, a_j \in \text{ob}(\mathcal{A})$, we define $(Ra_i a_j)^{\mathfrak{M}}$ to be true iff $\mathcal{I} \models R(a_i, a_j)$. One can readily check that $\mathfrak{M} \models \mathcal{K}^\dagger$. Details are left to the reader. \square

The first-order translation \mathcal{K}^\dagger of \mathcal{K} is obviously too lengthy to provide us with reasonably low complexity results: $|\mathcal{K}^\dagger| \leq |\mathcal{K}| + (2 + q_T^2) \cdot |\text{role}(\mathcal{K})| + 2 \cdot |\text{role}(\mathcal{K})| \cdot |\text{ob}(\mathcal{A})|^{q_T}$. However, it follows from the proof above that a lot of information in this translation is redundant and can be safely omitted.

Now we define a more concise translation \mathcal{K}^\ddagger of $\mathcal{K} = (\mathcal{T}, \mathcal{A})$ into \mathcal{QL}^1 by taking:

$$\mathcal{K}^\ddagger = \forall x \left[\mathcal{T}^*(x) \wedge \bigwedge_{R \in \text{role}^\pm(\mathcal{K})} (\varepsilon_R(x) \wedge \delta_R(x)) \right] \wedge \mathcal{A}^{\ddagger 1} \wedge \mathcal{A}^{\ddagger 2},$$

where $\mathcal{T}^*(x)$, $\varepsilon_R(x)$, $\delta_R(x)$ and $\mathcal{A}^{\ddagger 1}$ are defined as before by means of (1), (4), (5) and (2), respectively, and

$$\mathcal{A}^{\ddagger 2} = \bigwedge_{a \in \text{ob}(\mathcal{A})} \bigwedge_{\substack{R \in \text{role}^\pm(\mathcal{K}) \\ \exists a' \in \text{ob}(\mathcal{A}) R(a, a') \in \mathcal{A}}} E_{q_{R,a}} R(a) \wedge \bigwedge_{\neg P_k(a_i, a_j) \in \mathcal{A}} (\neg P_k(a_i, a_j))^\perp, \quad (15)$$

where $q_{R,a}$ is the maximum number in Q_T^R such that there are $q_{R,a}$ many distinct a_i with $R(a, a_i) \in \mathcal{A}$ (here we use the UNA) and $(\neg P_k(a_i, a_j))^\perp = \perp$ if $P_k(a_i, a_j) \in \mathcal{A}$ and \top otherwise. Now both the size of $\mathcal{A}^{\ddagger 2}$ and the size of \mathcal{K}^\ddagger are linear in the size of \mathcal{A} and \mathcal{K} , respectively, *no matter whether the numerical parameters are coded in unary or in binary*.

More importantly, the translation \cdot^\ddagger can actually be done in LOGSPACE. Indeed, this is trivially the case for $\mathcal{T}^*(x)$, $\varepsilon_R(x)$, $\delta_R(x)$, $\mathcal{A}^{\ddagger 1}$ and the last conjunct of $\mathcal{A}^{\ddagger 2}$. As for the first conjunct of $\mathcal{A}^{\ddagger 2}$ then, for $R \in \text{role}^\pm(\mathcal{K})$ and $a \in \text{ob}(\mathcal{A})$, the maximum $q_{R,a}$ in Q_T^R such that there are $q_{R,a}$ many distinct a_i with $R(a, a_i) \in \mathcal{A}$, can be computed using $\log \min(\max Q_T^R, |\text{ob}(\mathcal{A})|) + \log |\text{ob}(\mathcal{A})|$ cells. Initially we set $q = 0$, and then enumerate all object names a_i in \mathcal{A} incrementing the current q each time we find $R(a, a_i) \in \mathcal{A}$. We stop if $q = \max Q_T^R$ or we reach the end of the object name list. The resulting $q_{R,a}$ is the maximum number in Q_T^R not exceeding q . Note that $\log |\text{role}^\pm(\mathcal{K})| + 2 \log |\text{ob}(\mathcal{A})|$ cells are required to enumerate all those pairs (a, R) for which there is $a' \in \text{ob}(\mathcal{A})$ with $R(a, a') \in \mathcal{A}$.

Example 5.4 The translation \mathcal{K}^\ddagger of the KB \mathcal{K} from Example 5.1 looks as follows:

$$\mathcal{K}^\ddagger = \forall x \chi(x) \wedge A(a) \wedge E_1 P(a) \wedge E_1 P^-(a'),$$

where $\chi(x)$ is defined by (7).

Corollary 5.5 *A DL-Lite_{bool}^N KB \mathcal{K} is satisfiable iff the \mathcal{QL}^1 -sentence \mathcal{K}^\ddagger is satisfiable.*

Proof The claim follows from the fact that \mathcal{K}^\dagger is satisfiable iff \mathcal{K}^\ddagger is satisfiable. Indeed, if $\mathfrak{M} \models \mathcal{K}^\dagger$ then clearly $\mathfrak{M} \models \mathcal{K}^\ddagger$. Conversely, if $\mathfrak{M} \models \mathcal{K}^\ddagger$ then one can construct a new model \mathfrak{M}' based on the same domain D as \mathfrak{M} by taking:

- $A_k^{\mathfrak{M}'} = A_k^{\mathfrak{M}}$, for all concept names A_k ;

- $E_q R^{\mathfrak{M}'} = E_q R^{\mathfrak{M}}$, for all $R \in \text{role}^\pm(\mathcal{K})$ and $q \in Q_{\mathcal{T}}^R$;
- $(R a_i a_j)^{\mathfrak{M}'} = \mathbf{t}$ iff $R(a_i, a_j) \in \mathcal{A}$;
- $a_i^{\mathfrak{M}'} = a_i^{\mathfrak{M}}$, for all $a_i \in \text{ob}(\mathcal{A})$;
- $dr^{\mathfrak{M}'} = dr^{\mathfrak{M}}$, for all $R \in \text{role}^\pm(\mathcal{K})$.

We claim that $\mathfrak{M}' \models \mathcal{K}^\ddagger$. Indeed, $E_q R^{\mathfrak{M}'} = E_q R^{\mathfrak{M}}$, for every $R \in \text{role}^\pm(\mathcal{K})$ and $q \in Q_{\mathcal{T}}^R$. It follows then that $\mathfrak{M}' \models \forall x \mathcal{T}^*(x)$ and $\mathfrak{M}' \models \forall x \varepsilon_R(x)$. By definition, $\mathfrak{M}' \models \mathcal{A}^{\dagger 1}$, $\mathfrak{M}' \models \mathcal{A}^{\dagger 2}$ and $\mathfrak{M}' \models \forall x \delta_R(x)$. It remains to show that $\mathfrak{M}' \models R^\dagger$. Suppose $\mathfrak{M}' \models \bigwedge_{i=1}^q R a a_{j_i}$, that is $R(a, a_{j_i}) \in \mathcal{A}$, for distinct a_{j_1}, \dots, a_{j_q} , and $q \in Q_{\mathcal{T}}^R$. Clearly, we have $q \leq q_{R,a}$ and $\mathfrak{M} \models E_q R(a)$ and thus $\mathfrak{M}' \models E_q R(a)$. \square

As an immediate consequence of Corollary 5.5, the facts that the translation \cdot^\ddagger can be done in LOGSPACE, that the satisfiability problem for \mathcal{QL}^1 -formulas is NP-complete and that *DL-Lite_{bool}* contains all the Booleans—and so can encode full propositional logic—we obtain the following result:

Theorem 5.6 *The satisfiability problem for $DL\text{-Lite}_{bool}^{\mathcal{N}}$, $DL\text{-Lite}_{bool}^{\mathcal{F}}$ and $DL\text{-Lite}_{bool}$ knowledge bases is NP-complete.*

Observe now that if \mathcal{K} is a Krom KB then \mathcal{K}^\ddagger belongs to the Krom fragment of \mathcal{QL}^1 .

Theorem 5.7 *The satisfiability problem for $DL\text{-Lite}_{krom}^{\mathcal{N}}$, $DL\text{-Lite}_{krom}^{\mathcal{F}}$, $DL\text{-Lite}_{krom}$, as well as for $DL\text{-Lite}_{core}^{\mathcal{N}}$, $DL\text{-Lite}_{core}^{\mathcal{F}}$ and $DL\text{-Lite}_{core}$ knowledge bases, is NLOGSPACE-complete.*

Proof As the satisfiability problem for Krom formulas with the prefix of the form $\forall x$ (as in \mathcal{K}^\ddagger) is NLOGSPACE-complete (see, e.g., Börger et al., 1997, Exercise 8.3.7) and \cdot^\ddagger is a LOGSPACE reduction, we obtain the NLOGSPACE-completeness result for $DL\text{-Lite}_{krom}^{\mathcal{N}}$. As for $DL\text{-Lite}_{core}$, it suffices to recall that the lower bound for satisfiability of propositional Krom formulas is proved in (Börger et al., 1997) by reduction of the directed graph reachability problem using only ‘core’ propositional formulas. \square

If \mathcal{K} is a Horn KB then \mathcal{K}^\ddagger belongs to the universal Horn fragment of \mathcal{QL}^1 .

Theorem 5.8 *The satisfiability problem for $DL\text{-Lite}_{horn}^{\mathcal{N}}$, $DL\text{-Lite}_{horn}^{\mathcal{F}}$ and $DL\text{-Lite}_{horn}$ KBs is P-complete.*

Proof As \mathcal{QL}^1 contains no function symbols and \mathcal{K}^\ddagger is universal, satisfiability of \mathcal{K}^\ddagger is LOGSPACE-reducible to satisfiability of a set of propositional Horn formulas, namely, the formulas that are obtained from \mathcal{K}^\ddagger by replacing x with each of the constants occurring in \mathcal{K}^\ddagger . It remains to recall that the satisfiability problem for propositional Horn formulas is P-complete; see, e.g., (Papadimitriou, 1994). \square

5.2 $DL\text{-Lite}_{core}^{\mathcal{R},\mathcal{F}}$ is ExpTime-hard

Unfortunately, the translation \cdot^\dagger constructed in the previous section cannot be extended to logics of the form $DL\text{-Lite}_\alpha^{\mathcal{R},\mathcal{N}}$ with *both* number restrictions *and* role inclusions. In this section we show that the satisfiability problem for $DL\text{-Lite}_{core}^{\mathcal{R},\mathcal{F}}$ KBs is EXPTime-hard, which matches the upper bound for satisfiability of $DL\text{-Lite}_{bool}^{\mathcal{R},\mathcal{N}}$ KBs even under binary coding of the numerical parameters (Tobies, 2001).

Note first that, although intersection is not allowed on the left-hand side of $DL\text{-Lite}_{core}^{\mathcal{R},\mathcal{F}}$ concept inclusions, in certain cases we can ‘simulate’ it by using role inclusions and functionality constraints. Suppose that a knowledge base \mathcal{K} contains a concept inclusion of the form $A_1 \sqcap A_2 \sqsubseteq C$. Define a new KB \mathcal{K}' by replacing this axiom in \mathcal{K} with the following set of new axioms, where $R_1, R_2, R_3, R_{12}, R_{23}$ are fresh role names:

$$A_1 \sqsubseteq \exists R_1 \qquad A_2 \sqsubseteq \exists R_2, \qquad (16)$$

$$R_1 \sqsubseteq R_{12}, \qquad R_2 \sqsubseteq R_{12}, \qquad (17)$$

$$\geq 2 R_{12} \sqsubseteq \perp, \qquad (18)$$

$$\exists R_1^- \sqsubseteq \exists R_3^-, \qquad (19)$$

$$\exists R_3 \sqsubseteq C, \qquad (20)$$

$$R_3 \sqsubseteq R_{23}, \qquad R_2 \sqsubseteq R_{23}, \qquad (21)$$

$$\geq 2 R_{23} \sqsubseteq \perp. \qquad (22)$$

Lemma 5.9 (i) *If $\mathcal{I} \models \mathcal{K}'$ then $\mathcal{I} \models \mathcal{K}$, for every interpretation \mathcal{I} .*

(ii) *If $\mathcal{I} \models \mathcal{K}$ and $C^\mathcal{I} \neq \emptyset$ then there is a model \mathcal{I}' of \mathcal{K}' which has the same domain as \mathcal{I} and agrees with it on every symbol from \mathcal{K} .*

Proof (i) Suppose that $\mathcal{I} \models \mathcal{K}'$ and $x \in A_1^\mathcal{I} \cap A_2^\mathcal{I}$. By (16), there is y with $(x, y) \in R_1^\mathcal{I}$, and so $y \in (\exists R_1^-)^\mathcal{I}$, and there is z with $(x, z) \in R_2^\mathcal{I}$. By (17), $\{(x, y), (x, z)\} \subseteq R_{12}^\mathcal{I}$, whence $y = z$ in view of (18). By (19), $y \in (\exists R_3^-)^\mathcal{I}$ and hence there is u with $(u, y) \in R_3^\mathcal{I}$ and $u \in (\exists R_3)^\mathcal{I}$. By (20), $u \in C^\mathcal{I}$. By (21), $(u, y) \in R_{23}^\mathcal{I}$ and $(x, y) \in R_{23}^\mathcal{I}$. Finally, it follows from (22) that $u = x$, and so $x \in C^\mathcal{I}$. Thus, $\mathcal{I} \models \mathcal{K}$.

(ii) Take some point $c \in C^\mathcal{I}$ and define an extension \mathcal{I}' of \mathcal{I} to the new role names by setting:

- $R_1^{\mathcal{I}'} = \{(x, x) \mid x \in A_1^\mathcal{I}\}$,
- $R_2^{\mathcal{I}'} = \{(x, x) \mid x \in A_2^\mathcal{I}\}$,
- $R_3^{\mathcal{I}'} = \{(x, x) \mid x \in (A_1 \sqcap A_2)^\mathcal{I}\} \cup \{(c, x) \mid x \in (A_1 \sqcap \neg A_2)^\mathcal{I}\}$,
- $R_{12}^{\mathcal{I}'} = R_1^{\mathcal{I}'} \cup R_2^{\mathcal{I}'}$ and $R_{23}^{\mathcal{I}'} = R_2^{\mathcal{I}'} \cup R_3^{\mathcal{I}'}$.

It is readily seen that \mathcal{I}' satisfies all the axioms (16)–(22), and so $\mathcal{I}' \models \mathcal{K}'$. \square

We are now in a position to prove the following:

Theorem 5.10 *The satisfiability problem for $DL\text{-Lite}_{core}^{\mathcal{R},\mathcal{F}}$ KBs is ExpTime-hard.*

Proof We will prove this theorem in two steps. First we consider the logic $DL-Lite_{horn}^{\mathcal{R}, \mathcal{F}}$ and show how to encode the behavior of polynomial-space-bounded *alternating Turing machines* (ATMs, for short) by means of $DL-Lite_{horn}^{\mathcal{R}, \mathcal{F}}$ KBs. As $APSPACE = EXPTIME$, where $APSPACE$ is the class of problems recognized by polynomial-space-bounded ATMs (see, e.g., Kozen, 2006), this will establish $EXPTIME$ -hardness of satisfiability for $DL-Lite_{horn}^{\mathcal{R}, \mathcal{F}}$. Then we will show how, using Lemma 5.9, to get rid of conjunctions on the left-hand side of the concept inclusions involved in this encoding of ATMs and thus establish $EXPTIME$ -hardness of $DL-Lite_{core}^{\mathcal{R}, \mathcal{F}}$.

Without loss of generality, we can consider only ATMs \mathcal{M} with *binary* computational trees. This means that, for every non-halting state q and every symbol a from the tape alphabet, \mathcal{M} has precisely two instructions of the form

$$(q, a) \rightsquigarrow_{\mathcal{M}}^0 (q', a', d') \quad \text{and} \quad (q, a) \rightsquigarrow_{\mathcal{M}}^1 (q'', a'', d''), \quad (23)$$

where $d', d'' \in \{\rightarrow, \leftarrow\}$ and \rightarrow (resp., \leftarrow) means ‘move the head right (resp., left) one cell’. We remind the reader that each non-halting state of \mathcal{M} is either an *and-state* or an *or-state*.

Given such an ATM \mathcal{M} , a polynomial function $p(n)$ such that every run of \mathcal{M} on every input of length n does not use more than $p(n)$ tape cells, and an input word $\vec{a} = a_1, \dots, a_n$, we construct a $DL-Lite_{horn}^{\mathcal{R}, \mathcal{F}}$ knowledge base $\mathcal{K}_{\mathcal{M}, \vec{a}}$ with the following properties: (i) the size of $\mathcal{K}_{\mathcal{M}, \vec{a}}$ is polynomial in the size of \mathcal{M} , \vec{a} , and (ii) \mathcal{M} accepts \vec{a} iff $\mathcal{K}_{\mathcal{M}, \vec{a}}$ is not satisfiable. Denote by Q the set of states and by Σ the tape alphabet of \mathcal{M} .

To encode the instructions of \mathcal{M} , we need the following roles:

- S_q, S_q^0, S_q^1 , for each $q \in Q$: informally, $x \in (\exists S_q^-)^{\mathcal{I}}$, for some interpretation \mathcal{I} , means that x represents a configuration of \mathcal{M} with the state q , and $x \in (\exists S_q^k)^{\mathcal{I}}$ means that the next state, according to the transition $\rightsquigarrow_{\mathcal{M}}^k$, is q , where $k \in \{0, 1\}$;
- H_i, H_i^0, H_i^1 , for each $i \leq p(n)$: $x \in (\exists H_i^-)^{\mathcal{I}}$ means that x represents a configuration of \mathcal{M} where the head scans the i th cell, and $x \in (\exists H_i^k)^{\mathcal{I}}$ that, according to the transition $\rightsquigarrow_{\mathcal{M}}^k$, $k \in \{0, 1\}$, in the next configuration the head scans the i th cell;
- $C_{ia}, C_{ia}^0, C_{ia}^1$, for each $i \leq p(n)$ and each $a \in \Sigma$: $x \in (\exists C_{ia}^-)^{\mathcal{I}}$ means that x represents a configuration of \mathcal{M} where the i th cell contains a , and $x \in (\exists C_{ia}^k)^{\mathcal{I}}$ that, according to $\rightsquigarrow_{\mathcal{M}}^k$, $k \in \{0, 1\}$, in the next configuration the i th cell contains a .

This intended meaning can be encoded using the following concept inclusions: for every instruction $(q, a) \rightsquigarrow_{\mathcal{M}}^k (q', a', \rightarrow)$ of \mathcal{M} and every $i < p(n)$,

$$\exists S_q^- \sqcap \exists H_i^- \sqcap \exists C_{ia}^- \sqsubseteq \exists H_{i+1}^k \sqcap \exists S_{q'}^k \sqcap \exists C_{ia'}^k, \quad (24)$$

and for every instruction $(q, a) \rightsquigarrow_{\mathcal{M}}^k (q', a', \leftarrow)$ of \mathcal{M} and every $i, 1 < i \leq p(n)$,

$$\exists S_q^- \sqcap \exists H_i^- \sqcap \exists C_{ia}^- \sqsubseteq \exists H_{i-1}^k \sqcap \exists S_{q'}^k \sqcap \exists C_{ia'}^k. \quad (25)$$

To preserve the symbols on the tape that are not in the active cell, we use the following concept inclusions, for $k \in \{0, 1\}$, $i, j \leq p(n)$ with $j \neq i$, and $a \in \Sigma$:

$$\exists H_j^- \sqcap \exists C_{ia}^- \sqsubseteq \exists C_{ia}^k. \quad (26)$$

To ‘synchronize’ our roles, we need two more (functional) roles T_k and a number of role inclusions to be added to the TBox: for all $k \in \{0, 1\}$, $i \leq p(n)$, $q \in Q$, and $a \in \Sigma$,

$$C_{ia}^k \sqsubseteq C_{ia}, \quad H_i^k \sqsubseteq H_i, \quad S_q^k \sqsubseteq S_q, \quad (27)$$

$$C_{ia}^k \sqsubseteq T_k, \quad H_i^k \sqsubseteq T_k, \quad S_q^k \sqsubseteq T_k, \quad (28)$$

$$\geq 2T_k \sqsubseteq \perp. \quad (29)$$

It remains to encode the acceptance conditions for \mathcal{M} on \vec{a} . This can be done with the help of the role names Y_k , for $k \in \{0, 1\}$, and the concept name A :

$$\exists S_q^- \sqsubseteq A, \quad q \text{ an accepting state}, \quad (30)$$

$$Y_k \sqsubseteq T_k, \quad (31)$$

$$\geq 2T_k^- \sqsubseteq \perp, \quad (32)$$

$$\exists T_k^- \sqcap A \sqsubseteq \exists Y_k^-, \quad (33)$$

$$\exists S_q^- \sqcap \exists Y_k \sqsubseteq A, \quad q \text{ an or-state}, \quad (34)$$

$$\exists S_q^- \sqcap \exists Y_0 \sqcap \exists Y_1 \sqsubseteq A, \quad q \text{ an and-state}. \quad (35)$$

The TBox \mathcal{T} of the $DL\text{-Lite}_{horn}^{\mathcal{R}, \mathcal{F}}$ knowledge base $\mathcal{K}_{\mathcal{M}, \vec{a}}$ we are constructing consists of the axioms (24)–(35) together with the auxiliary axiom

$$A \sqcap D \sqsubseteq \perp, \quad (36)$$

where D is a fresh concept name. The ABox \mathcal{A} of $\mathcal{K}_{\mathcal{M}, \vec{a}}$ is comprised of the following assertions, for some object names s and u :

$$S_{q_0}(u, s), \quad q_0 \text{ the initial state}, \quad (37)$$

$$H_1(u, s), \quad (38)$$

$$C_{ia_i}(u, s), \quad i \leq p(n), \quad a_i \text{ the } i\text{th symbol on the input tape}, \quad (39)$$

$$D(s). \quad (40)$$

Clearly, $\mathcal{K}_{\mathcal{M}, \vec{a}} = (\mathcal{T}, \mathcal{A})$ is a $DL\text{-Lite}_{horn}^{\mathcal{R}, \mathcal{F}}$ KB and its size is polynomial in the size of \mathcal{M} , \vec{a} .

Lemma 5.11 *The ATM \mathcal{M} accepts \vec{a} iff the KB $\mathcal{K}_{\mathcal{M}, \vec{a}}$ is not satisfiable.*

Proof (\Rightarrow) Suppose that \mathcal{M} accepts \vec{a} but $\mathcal{I} \models \mathcal{K}_{\mathcal{M}, \vec{a}}$ for some interpretation \mathcal{I} . Then we can reconstruct the full computation tree for \mathcal{M} on \vec{a} by induction in the following way.

Let the root of the tree be the point $s^{\mathcal{I}}$. By (37)–(39), s represents the initial configuration of \mathcal{M} on \vec{a} in accordance with the intended meaning of the roles S_{q_0} , H_1 and C_{ia_i} explained above (it does not matter if, for instance, we also have $s^{\mathcal{I}} \in (\exists H_5^-)^{\mathcal{I}}$).

Assume now that we have already found a point $x \in \Delta^{\mathcal{I}}$ representing some configuration

$$\mathbf{c} = b_1, \dots, b_{i-1}, (q, b_i), b_{i+1}, \dots, b_{p(n)}, \quad (41)$$

where q is the current non-halting state and the head scans the i th cell containing b_i . This means that we have

$$x \in (\exists S_q^-)^{\mathcal{I}} \cap (\exists H_i^-)^{\mathcal{I}} \quad \text{and} \quad x \in (\exists C_{jb_j}^-)^{\mathcal{I}}, \quad \text{for all } j \leq p(n).$$

Assume also that \mathcal{M} contains two instructions of the form (23) for (q, b_i) , that is q is non-halting. If we have $(q, b_i) \rightsquigarrow_{\mathcal{M}}^k (q', b', \rightarrow)$, for $k = 0$ or 1 , then, by (24) and (26), there are points y_s, y_h and y_j , for $j \leq p(n)$, in $\Delta^{\mathcal{I}}$ such that

$$(x, y_s) \in (S_{q'}^k)^{\mathcal{I}}, \quad (x, y_h) \in (H_{i+1}^k)^{\mathcal{I}}, \quad (x, y_i) \in (C_{ib'}^k)^{\mathcal{I}}, \quad (x, y_j) \in (C_{jb_j}^k)^{\mathcal{I}}, \quad \text{for } j \neq i.$$

By (28)–(29), $S_{q'}^0, H_{i+1}^0, C_{ib'}^0$ and the $C_{jb_j}^0, j \neq i$, are all sub-roles of the functional role T_k , and so all the points y_s, y_h and y_j coincide; we denote this point by x_k . By (27), we then have:

$$(x, x_k) \in T_k^{\mathcal{I}}, \quad x_k \in (\exists S_{q'}^-)^{\mathcal{I}} \cap (\exists H_{i+1}^-)^{\mathcal{I}} \cap (\exists C_{ib'}^-)^{\mathcal{I}} \quad \text{and} \quad x_k \in (\exists C_{jb_j}^-)^{\mathcal{I}}, \quad \text{for } j \neq i.$$

Similarly, if we have $(q, b_i) \rightsquigarrow_{\mathcal{M}}^k (q'', b'', \leftarrow)$, for $k = 0$ or 1 , then, by (25) and (26), there is a point $x_k \in \Delta^{\mathcal{I}}$ such that

$$(x, x_k) \in T_k^{\mathcal{I}}, \quad x_k \in (\exists S_{q''}^-)^{\mathcal{I}} \cap (\exists H_{i-1}^-)^{\mathcal{I}} \cap (\exists C_{ib''}^-)^{\mathcal{I}} \quad \text{and} \quad x_k \in (\exists C_{jb_j}^-)^{\mathcal{I}}, \quad \text{for } j \neq i.$$

Thus, for $k = 0, 1$, x_k is a T_k -successor of x representing the configuration \mathbf{c}_k of \mathcal{M} after it has executed $(q, b_i) \rightsquigarrow_{\mathcal{M}}^k (q'', b'', d)$ in \mathbf{c} ; in this case \mathbf{c}_k is called the k -successor of \mathbf{c} .

According to (30), every point in the constructed computation tree for \mathcal{M} on \vec{a} representing a configuration with an accepting state is in $A^{\mathcal{I}}$. Suppose now, inductively, that x represents some configuration \mathbf{c} of the form (41), q is an or-state, x_k represents the k -successor of \mathbf{c} and $(x, x_k) \in T_k^{\mathcal{I}}$, for $k = 0, 1$, and one of the x_k , say x_0 , is in $A^{\mathcal{I}}$. In view of (33), we have $x_0 \in (\exists Y_0^-)^{\mathcal{I}}$. As T_0^- is functional by (32) and Y_0 is a sub-role of T_0 by (31), $(x, x_0) \in Y_0^{\mathcal{I}}$, and so, by (34), $x \in A^{\mathcal{I}}$. The case of x being an and-state is considered analogously with the help of (35).

Since \mathcal{M} accepts \vec{a} , we then conclude that $s^{\mathcal{I}} \in A^{\mathcal{I}}$, contrary to (36) and (40).

(\Leftarrow) Conversely, suppose now that \mathcal{M} does not accept \vec{a} . Consider the full computation tree $(\Delta, <_0 \cup <_1)$ with nodes labeled with configurations of \mathcal{M} in such a way that the root is labeled with the initial configuration

$$(q_0, a_1), a_2, \dots, a_n, a_{n+1}, \dots, a_{p(n)},$$

(where the a_i , for $n+1 \leq i \leq p(n)$, are all ‘blank’), and if some node x in the tree is labeled with a non-halting \mathbf{c} of the form (41) and \mathcal{M} contains two instructions of the form (23), then x has one $<_0$ -successor labeled with the 0-successor of \mathbf{c} and one $<_1$ -successor labeled with the 1-successor of \mathbf{c} . (It should be emphasized that $(\Delta, <_0 \cup <_1)$ is a *tree*, where different nodes may be labeled with the same configuration.)

We use this tree to construct an interpretation $\mathcal{I} = (\Delta^{\mathcal{I}}, \cdot^{\mathcal{I}})$ as follows:

- $\Delta^{\mathcal{I}} = \Delta \cup \{u\}$, for some $u \notin \Delta$;
- $s^{\mathcal{I}}$ is the root of Δ and $u^{\mathcal{I}} = u$;
- $D^{\mathcal{I}} = \{s^{\mathcal{I}}\}$;
- $(x, x_k) \in (S_{q'}^k)^{\mathcal{I}}, (x, x_k) \in (H_{i+1}^k)^{\mathcal{I}}, (x, x_k) \in (C_{ib'}^k)^{\mathcal{I}}$, and $(x, x_k) \in (C_{jb_j}^k)^{\mathcal{I}}$, for $j \neq i$, iff x is labeled with \mathbf{c} of the form (41), $(q, b_i) \rightsquigarrow_{\mathcal{M}}^k (q', b', \rightarrow)$ and $x <_k x_k$, for $k = 0, 1$;

- $(x, x_k) \in (S_{q'}^k)^{\mathcal{I}}$, $(x, x_k) \in (H_{i-1}^k)^{\mathcal{I}}$, $(x, x_k) \in (C_{ib'}^k)^{\mathcal{I}}$, and $(x, x_k) \in (C_{jb_j}^k)^{\mathcal{I}}$, for $j \neq i$, iff x is labeled with \mathbf{c} of the form (41), $(q, b_i) \rightsquigarrow_{\mathcal{M}}^k (q', b', \leftarrow)$ and $x <_k x_k$, for $k = 0, 1$;
- $(u, s^{\mathcal{I}}) \in (S_{q_0})^{\mathcal{I}}$, $(u, s^{\mathcal{I}}) \in (H_1)^{\mathcal{I}}$, $(u, s^{\mathcal{I}}) \in (C_{ia_i})^{\mathcal{I}}$, $i \leq p(n)$ and over Δ the extensions for the roles S_q , H_i and C_{ia} are defined according to (27);
- $T_k^{\mathcal{I}} = <_k$, for $k = 0, 1$;
- $Y_0^{\mathcal{I}}$, $Y_1^{\mathcal{I}}$ and $A^{\mathcal{I}}$ are defined inductively:
 - *Induction basis*: if $x \in \Delta$ is labeled with an accepting configuration, then $x \in A^{\mathcal{I}}$.
 - *Induction step*: (i) if $x <_k x_k$, for $k = 0, 1$, and $x_k \in A^{\mathcal{I}}$, then $(x, x_k) \in Y_k^{\mathcal{I}}$;
 - (ii) if x is an or-state (resp., and-state) and $(x, x_k) \in Y_k^{\mathcal{I}}$ for some (resp., all) $k \in \{0, 1\}$, then $x \in A^{\mathcal{I}}$.

It follows from the given definition that $\mathcal{I} \models \mathcal{K}_{\mathcal{M}, \bar{a}}$. Details are left to the reader. \square

The lemma we have just proved establishes that satisfiability of $DL\text{-Lite}_{horn}^{\mathcal{R}, \mathcal{F}}$ KBs is EXPTIME-hard. Our next aim is to show how one can eliminate the conjunctions in the left-hand side of the TBox axioms (24)–(26), (33)–(35). We will do this with the help of Lemma 5.9. Before applying it, we check first that if $\mathcal{K}_{\mathcal{M}, \bar{a}}$ is satisfiable then it is satisfiable in an interpretation \mathcal{I} such that $\mathcal{I} \models \mathcal{K}_{\mathcal{M}, \bar{a}}$ and $C^{\mathcal{I}} \neq \emptyset$, for every C occurring in an axiom of the form $A_1 \sqcap A_2 \sqsubseteq C$ in \mathcal{K} . Consider, for instance, axiom (24) and assume that $\mathcal{I} \models \mathcal{K}_{\mathcal{M}, \bar{a}}$, but $(\exists S_{q'}^k)^{\mathcal{I}} = \emptyset$. Then, we can construct a new interpretation \mathcal{I}' by adding two new points, say x and y , to the domain of \mathcal{I} , and setting $(x, y) \in (S_{q'}^k)^{\mathcal{I}'}$, $(x, y) \in (S_{q'}^{\mathcal{I}'})$, $(x, y) \in (T_k)^{\mathcal{I}'}$. Furthermore, if q' is an accepting state, we also set $y \in A^{\mathcal{I}'}$ and $(x, y) \in Y_k^{\mathcal{I}'}$. One can readily check that \mathcal{I}' is still a model for $\mathcal{K}_{\mathcal{M}, \bar{a}}$. The other conjuncts of (24) and the remaining axioms are considered analogously.

After an application of Lemma 5.9 to an axiom of the form $A_1 \sqcap (A_2 \sqcap A_3) \sqsubseteq C$ we obtain, by (16)–(22), a new KB \mathcal{K}' with the concept inclusion of the form $A_2 \sqcap A_3 \sqsubseteq \exists R_1$, which also requires treatment by means of the same lemma. To be able to do this, we again have to check that \mathcal{K}' is satisfiable in some interpretation \mathcal{I}'' with $(\exists R_1)^{\mathcal{I}''} \neq \emptyset$. Suppose that $\mathcal{I}' \models \mathcal{K}'$ and $(\exists R_1)^{\mathcal{I}'} = \emptyset$. Then we can construct \mathcal{I}'' by adding two new points, say x and y , to the domain of \mathcal{I}' , adding x to $C^{\mathcal{I}'}$ and (x, y) to each of $R_1^{\mathcal{I}'}$, $R_{12}^{\mathcal{I}'}$, $R_{23}^{\mathcal{I}'}$ and $R_3^{\mathcal{I}'}$. It is readily seen that $\mathcal{I}'' \models \mathcal{K}'$.

This completes the proof of Theorem 5.10. \square

It is to be noted that the proof of Theorem 5.10 does not depend on whether the unique name assumption (UNA) is adopted or not. As an immediate consequence we obtain:

Corollary 5.12 *The satisfiability problem is EXPTIME-complete for any logic of the form $DL\text{-Lite}_{\alpha}^{\mathcal{R}, \mathcal{F}}$ or $DL\text{-Lite}_{\alpha}^{\mathcal{R}, \mathcal{N}}$ with or without the UNA, where $\alpha \in \{\text{core, krom, horn, bool}\}$.*

5.3 Reconciling Number Restrictions and Role Inclusions

As we have seen in the previous section, the unrestricted interaction between number restrictions and role inclusions allowed in the logics of the form $DL-Lite_{\alpha}^{\mathcal{RN}}$ results in high combined complexity of satisfiability. In Section 6.2, we shall see that the data complexity of instance checking and query answering also becomes unacceptably high for these logics. A quick look at the proof of Theorem 5.10 reveals the ‘culprit:’ the interplay between role inclusions $R_1 \sqsubseteq R$, $R_2 \sqsubseteq R$ and functionality constraints $\geq 2 R \sqsubseteq \perp$, which effectively mean that if $R_1(x, y)$ and $R_2(x, z)$ then $y = z$. In this section we study the case when such an interplay is not allowed.

Recall that the logic $DL-Lite_{bool}^{(\mathcal{RN})}$ is obtained from $DL-Lite_{bool}^{\mathcal{RN}}$ by imposing the following syntactic restrictions on $DL-Lite_{bool}^{\mathcal{RN}}$ KBs $\mathcal{K} = (\mathcal{T}, \mathcal{A})$:

(inter) if R has a proper sub-role in \mathcal{T} , then \mathcal{T} contains no negative occurrences of number restrictions $\geq q R$ or $\geq q \text{inv}(R)$ with $q \geq 2$.

Additionally, the TBox \mathcal{T} may contain positive occurrences of qualified number restrictions $\geq q R.C$ provided that the following condition is satisfied:

(exists) if $\geq q R.C$ occurs in \mathcal{T} , then \mathcal{T} does not contain negative occurrences of $\geq q' R$ or $\geq q' \text{inv}(R)$, for $q' \geq 2$,

as well as role constraints of the form $\text{Dis}(R_1, R_2)$, $\text{Asym}(P_k)$, $\text{Sym}(P_k)$, $\text{lrr}(P_k)$, and $\text{Ref}(P_k)$. The languages $DL-Lite_{horn}^{(\mathcal{RN})}$, $DL-Lite_{krom}^{(\mathcal{RN})}$ and $DL-Lite_{core}^{(\mathcal{RN})}$ are defined as the corresponding fragments of $DL-Lite_{bool}^{(\mathcal{RN})}$.

Conditions **(inter)** and **(exists)** are generalizations of the restrictions imposed on the logic $DL-Lite_{\mathcal{A}}$ in (Poggi et al., 2008a); in fact, $DL-Lite_{\mathcal{A}}$ can be regarded as a fragment of $DL-Lite_{core}^{(\mathcal{RN})}$.

Our main aim in this section is to prove the following theorem and develop the technical tools we need to investigate the data complexity of reasoning with $DL-Lite_{bool}^{(\mathcal{RN})}$ and its sublogics later on in the paper.

Theorem 5.13 (i) *Satisfiability of $DL-Lite_{bool}^{(\mathcal{RN})}$ KBs is NP-complete;* (ii) *satisfiability of $DL-Lite_{horn}^{(\mathcal{RN})}$ KBs is P-complete;* and (iii) *satisfiability of $DL-Lite_{krom}^{(\mathcal{RN})}$ and $DL-Lite_{core}^{(\mathcal{RN})}$ KBs is NLOGSPACE-complete.*

Let us consider first the sub-language of $DL-Lite_{bool}^{(\mathcal{RN})}$ without qualified number restrictions and the role constraints mentioned above; we denote it by $DL-Lite_{bool}^{(\mathcal{RN})-}$. This sub-language is required only for purely technical reasons. In Section 7, we will also use $DL-Lite_{horn}^{(\mathcal{RN})-}$, but we do *not* need the *core* or *Krom* fragments.

Suppose we are given a $DL-Lite_{bool}^{(\mathcal{RN})-}$ KB $\mathcal{K} = (\mathcal{T}, \mathcal{A})$. Let Id be a distinguished role name. We will use it to simulate the *identity relation* required for encoding the role constraints. We assume that either \mathcal{K} does not contain Id at all or satisfies the following conditions:

(Id₁) $Id(a_i, a_j) \in \mathcal{A}$ iff $i = j$, for all $a_i, a_j \in ob(\mathcal{A})$,

(Id₂) $\{\top \sqsubseteq \exists Id, Id^- \sqsubseteq Id\} \subseteq \mathcal{T}$, and $Q_T^{Id} = Q_T^{Id^-} = \{1\}$,

(Id₃) Id is only allowed in role inclusions of the form $Id^- \sqsubseteq Id$ and $Id \sqsubseteq R$.

In what follows, without loss of generality, we will assume that

(Q) $Q_T^R \subseteq Q_T^{R'}$ whenever $R \sqsubseteq_T^* R'$

(for if this is not the case we can always add the missing numbers to $Q_T^{R'}$, e.g., by introducing fictitious concept inclusions of the form $\perp \sqsubseteq \geq q R'$).

Now, in the same way as in Section 5.1 we define two translations $\cdot^{\dagger e}$ and $\cdot^{\ddagger e}$ of \mathcal{K} into the one-variable fragment \mathcal{QL}^1 of first-order logic. The former translation, $\cdot^{\dagger e}$, retains the information about the relationships between ABox objects, and we show that every model of $\mathcal{K}^{\dagger e}$ can again be ‘unraveled’ into a model of \mathcal{K} . We define $\cdot^{\dagger e}$ by taking:

$$\begin{aligned} \mathcal{K}^{\dagger e} = \forall x \left[\mathcal{T}^*(x) \wedge \mathcal{T}^{\mathcal{R}}(x) \wedge \bigwedge_{R \in \text{role}^\pm(\mathcal{K})} (\varepsilon_R(x) \wedge \delta_R(x)) \right] \wedge \\ \left[\mathcal{A}^{\dagger 1} \wedge \mathcal{A}^{\dagger 2} \wedge \bigwedge_{R \in \text{role}^\pm(\mathcal{K})} R^\dagger \wedge \bigwedge_{\substack{R \sqsubseteq R' \in \mathcal{T} \\ a_i, a_j \in \text{ob}(\mathcal{A})}} (Ra_i a_j \rightarrow R' a_i a_j) \right], \end{aligned}$$

where $\mathcal{T}^*(x)$, $\mathcal{A}^{\dagger 1}$, $\mathcal{A}^{\dagger 2}$, $\varepsilon_R(x)$, $\delta_R(x)$ and R^\dagger are as in (1)–(6) and

$$\mathcal{T}^{\mathcal{R}}(x) = \bigwedge_{\substack{R \sqsubseteq R' \in \mathcal{T} \text{ or} \\ \text{inv}(R) \sqsubseteq \text{inv}(R') \in \mathcal{T}}} \bigwedge_{q \in Q_T^R} (E_q R(x) \rightarrow E_q R'(x)) \quad (42)$$

(by (Q), if $R \sqsubseteq R' \in \mathcal{T}$ or $\text{inv}(R) \sqsubseteq \text{inv}(R') \in \mathcal{T}$ then $Q_T^R \subseteq Q_T^{R'}$).

The following lemma is an analogue of Theorem 5.2:

Lemma 5.14 *A DL-Lite $_{bool}^{(\mathcal{RN})^-}$ KB \mathcal{K} is satisfiable iff the \mathcal{QL}^1 -sentence $\mathcal{K}^{\dagger e}$ is satisfiable.*

Proof The proof basically follows the lines of the proof of Theorem 5.2 with some modifications. We present a modified unraveling construction here; the converse direction is exactly the same as in Theorem 5.2.

In each equivalence class $[R_i] = \{R_j \mid R_i \equiv_T^* R_j\}$ we select a single role (a representative of that class) and denote it by $\text{rep}_T^*(R_i)$. When extending P_k^m to P_k^{m+1} , we use the following modified ‘curing’ rules:

(Λ_k^m) If $P_k \neq \text{rep}_T^*(P_k)$ do nothing: the defects are cured for $\text{rep}_T^*(P_k)$. Otherwise, let $w \in \Lambda_k^m$, $q = r(P_k, cp(w)) - r_m(P_k, w)$ and $d = cp(w)$. We have $\mathfrak{M} \models E_{q'} P_k[d]$ for some $q' \geq q > 0$. Then, by (5), $\mathfrak{M} \models E_1 P_k[d]$ and, by (4), $\mathfrak{M} \models E_1 P_k^- [dp_k^-]$. In this case we take q fresh copies w'_1, \dots, w'_q of dp_k^- (and set $cp(w'_i) = dp_k^-$, for $1 \leq i \leq q$), add them to W_{m+1} and

- add the pairs (w, w'_i) , $1 \leq i \leq q$, to each P_j^{m+1} with $P_k \sqsubseteq_T^* P_j$ (including $P_j = P_k$);
- add the pairs (w'_i, w) , $1 \leq i \leq q$, to each P_j^{m+1} with $P_k^- \sqsubseteq_T^* P_j$;

- if Id occurs in \mathcal{K} , add the pairs (w'_i, w'_i) , $1 \leq i \leq q$, to each P_j^{m+1} with $Id \sqsubseteq_{\mathcal{T}}^* P_j$.

(Λ_k^{m-}) This rule is the mirror image of (Λ_k^m) : P_k and dp_k^- are replaced everywhere with P_k^- and dp_k , respectively; see the proof of Theorem 5.2.

It follows from this definition that Id never has any defects and is interpreted in the resulting interpretation \mathcal{I} by the identity relation $Id^{\mathcal{I}} = \{(w, w) \mid w \in \Delta^{\mathcal{I}}\}$; the interpretations of roles respect all the role inclusions, i.e., $R_1^{\mathcal{I}} \subseteq R_2^{\mathcal{I}}$ whenever $R_1 \sqsubseteq_{\mathcal{T}}^* R_2$.

It remains to show that the constructed interpretation \mathcal{I} is indeed a model of \mathcal{K} . First, (11) trivially holds for Id as both the required and actual ranks are equal to 1. Second, (11) holds for R such that $R \neq Id$ and R has no proper sub-roles: the proof is exactly the same as in Theorem 5.2, taking into account that we cure defects only for a single role in each equivalence class and that, by (42), for all $R' \in [R]$, we have $r(R', cp(w)) = r(R, cp(w))$ and $r(inv(R), cp(w)) = r(inv(R'), cp(w))$. It follows that (13) holds for Id and any role R without proper sub-roles. However, (13) does not necessarily hold for roles R with proper sub-roles: as follows from the construction, the actual rank may be greater than the required rank, in which case we only have the following:

$$\text{if } \mathfrak{M} \models E_q R[cp(w)] \quad \text{then} \quad w \in (\geq q R)^{\mathcal{I}}.$$

However, this is enough for our purposes. By induction on the structure of concepts and using **(inter)**, one can show that $\mathcal{I} \models C_1 \sqsubseteq C_2$ whenever $\mathfrak{M} \models \forall x (C_1^*(x) \rightarrow C_2^*(x))$, for each concept inclusion $C_1 \sqsubseteq C_2 \in \mathcal{T}$, and therefore, $\mathcal{I} \models \mathcal{T}$. We also have $\mathcal{I} \models \mathcal{A}$ (see the proof of Theorem 5.2) and thus $\mathcal{I} \models \mathcal{K}$. \square

Remark 5.15 It follows from the proofs of Theorem 5.2 and Lemma 5.14 that, for the $DL\text{-Lite}_{bool}^{(\mathcal{RN})^-}$ KB $\mathcal{K} = (\mathcal{T}, \mathcal{A})$, every model \mathfrak{M} of $\mathcal{K}^{\ddagger e}$ induces a model $\mathcal{I}_{\mathfrak{M}}$ of \mathcal{K} with the following properties:

(ABox) For all $a_i, a_j \in ob(\mathcal{A})$, we have $(a_i^{\mathcal{I}_{\mathfrak{M}}}, a_j^{\mathcal{I}_{\mathfrak{M}}}) \in R^{\mathcal{I}_{\mathfrak{M}}}$ iff $R(a_i, a_j) \in Cl_{\mathcal{T}}^e(\mathcal{A})$, where

$$Cl_{\mathcal{T}}^e(\mathcal{A}) = \{R_2(a_i, a_j) \mid R_1(a_i, a_j) \in \mathcal{A}, R_1 \sqsubseteq_{\mathcal{T}}^* R_2\}.$$

(forest) The object names $a \in ob(\mathcal{A})$ induce a partitioning of $\Delta^{\mathcal{I}_{\mathfrak{M}}}$ into disjoint labeled trees $\mathfrak{T}_a = (T_a, E_a, \ell_a)$ with nodes T_a , edges E_a , root $a^{\mathcal{I}_{\mathfrak{M}}}$, and a labeling function $\ell_a: E_a \rightarrow role^{\pm}(\mathcal{K}) \setminus \{Id, Id^-\}$.

(copy) There is a function $cp: \Delta^{\mathcal{I}_{\mathfrak{M}}} \rightarrow ob(\mathcal{A}) \cup dr(\mathcal{K})$ such that

- $cp(a^{\mathcal{I}_{\mathfrak{M}}}) = a$ for $a \in ob(\mathcal{A})$, and
- $cp(w) = dr$ if, for some a and $w' \in T_a$, $(w', w) \in E_a$ and $\ell_a(w', w) = inv(R)$.

(iso) All labeled subtrees generated by elements $w \in \Delta^{\mathcal{I}_{\mathfrak{M}}}$ with $cp(w) = dr$, $R \in role^{\pm}(\mathcal{K})$, are isomorphic.

(concept) $w \in B^{\mathcal{I}_{\mathfrak{M}}}$ iff $\mathfrak{M} \models B^*[cp(w)]$, for each basic concept B in \mathcal{K} and each $w \in \Delta^{\mathcal{I}_{\mathfrak{M}}}$.

(role) $Id^{\mathcal{I}\mathfrak{M}} = \{(w, w) \mid w \in \Delta^{\mathcal{I}\mathfrak{M}}\}$ and, for every other role name P_k ,

$$P_k^{\mathcal{I}\mathfrak{M}} = \{(a_i^{\mathcal{I}\mathfrak{M}}, a_j^{\mathcal{I}\mathfrak{M}}) \mid R(a_i, a_j) \in \mathcal{A}, R \sqsubseteq_{\mathcal{T}}^* P_k\} \cup \{(w, w) \mid Id \sqsubseteq_{\mathcal{T}}^* P_k\} \cup \bigcup_{a \in ob(\mathcal{A})} \{(w, w') \in E_a \mid \ell_a(w, w') = R, R \sqsubseteq_{\mathcal{T}}^* P_k\}.$$

Such a model will be called an *untangled model of \mathcal{K}* (the *untangled model of \mathcal{K} induced by \mathfrak{M}* , to me more precise).

The translation $\cdot^{\ddagger e}$ generalizes \cdot^{\ddagger} and thus suffers from the same exponential blowup. So we define an optimized translation, $\cdot^{\ddagger e}$, which is linear in the size of \mathcal{K} , by taking:

$$\mathcal{K}^{\ddagger e} = \forall x \left[\mathcal{T}^*(x) \wedge \mathcal{T}^{\mathcal{R}}(x) \wedge \bigwedge_{R \in role^{\pm}(\mathcal{K})} (\varepsilon_R(x) \wedge \delta_R(x)) \right] \wedge \mathcal{A}^{\ddagger 1} \wedge \mathcal{A}^{\ddagger e 2},$$

where $\mathcal{T}^*(x)$, $\mathcal{T}^{\mathcal{R}}(x)$, $\varepsilon_R(x)$, $\delta_R(x)$ and $\mathcal{A}^{\ddagger 1}$ are defined by (1), (42), (4), (5) and (2), respectively, and

$$\mathcal{A}^{\ddagger e 2} = \bigwedge_{a \in ob(\mathcal{A})} \bigwedge_{\substack{R \in role^{\pm}(\mathcal{K}) \\ \exists a' \in ob(\mathcal{A}) R(a, a') \in Cl_{\mathcal{T}}^e(\mathcal{A})}} E_{q_{R,a}^e} R(a) \wedge \bigwedge_{\neg P_k(a_i, a_j) \in \mathcal{A}} (\neg P_k(a_i, a_j))^{\perp e}, \quad (43)$$

where $q_{R,a}^e$ is the maximum number in $Q_{\mathcal{T}}^R$ such that there are $q_{R,a}^e$ many distinct a_i with $R(a, a_i) \in Cl_{\mathcal{T}}^e(\mathcal{A})$ (here we use the UNA) and $(\neg P_k(a_i, a_j))^{\perp e} = \perp$ if $P_k(a_i, a_j) \in Cl_{\mathcal{T}}^e(\mathcal{A})$ and \top otherwise; cf. (15). We note again that if $Q_{\mathcal{T}}^R = \{1\}$, for all roles $R \in role^{\pm}(\mathcal{K})$, then the translation does not depend on whether the UNA is adopted or not.

The following corollary is proved similarly to Corollary 5.5:

Corollary 5.16 *A DL-Lite $_{bool}^{(\mathcal{RN})^-}$ KB \mathcal{K} is satisfiable iff the \mathcal{QL}^1 -sentence $\mathcal{K}^{\ddagger e}$ is satisfiable.*

It should be clear that the translation $\cdot^{\ddagger e}$ can be computed in NLOGSPACE (for combined complexity): this is trivial for $\mathcal{T}^*(x)$, $\mathcal{T}^{\mathcal{R}}(x)$, $\varepsilon_R(x)$, $\delta_R(x)$ and $\mathcal{A}^{\ddagger 1}$. In order to compute $\mathcal{A}^{\ddagger e 2}$, we need to be able to check whether $R(a_i, a_j) \in Cl_{\mathcal{T}}^e(\mathcal{A})$: this test can be performed by a *non-deterministic* algorithm using *logarithmic* space in $|role^{\pm}(\mathcal{K})|$ (it is basically the same as the standard directed graph reachability problem, which is NLOGSPACE-complete; see, e.g., Kozen, 2006); it can be done using $N \cdot \log |role^{\pm}(\mathcal{K})| + 2 \log |ob(\mathcal{A})|$ cells on the work tape, where N is a constant (in fact, $N = 3$ is enough: one has to store R , the current role R' and the path length for the graph reachability subroutine, which is also bounded by $\log |role^{\pm}(\mathcal{K})|$). Therefore, the translation $\cdot^{\ddagger e}$ can be computed by an NLOGSPACE transducer.

Now we show how satisfiability of DL-Lite $_{bool}^{(\mathcal{RN})}$ KBs can be easily reduced to satisfiability of DL-Lite $_{bool}^{(\mathcal{RN})^-}$ KBs. First, we assume that DL-Lite $_{bool}^{(\mathcal{RN})}$ KBs contain no role symmetry and asymmetry constraints because $\mathbf{Asym}(P_k)$ can be equivalently replaced with $\mathbf{Dis}(P_k, P_k^-)$ and $\mathbf{Sym}(P_k)$ with $P_k^- \sqsubseteq P_k$ (it should be noted that the introduction of $P_k^- \sqsubseteq P_k$ in the TBox does not violate (**inter**)). The following lemma allows us to get rid of qualified number restrictions as well as role disjointness, reflexivity and irreflexivity constraints:

Lemma 5.17 For every DL-Lite $_{bool}^{(\mathcal{RN})}$ KB $\mathcal{K}' = (\mathcal{T}', \mathcal{A}')$, one can construct a DL-Lite $_{bool}^{(\mathcal{RN})^-}$ KB $\mathcal{K} = (\mathcal{T}, \mathcal{A})$ such that

- every untangled model $\mathcal{I}_{\mathfrak{M}}$ of \mathcal{K} is a model of \mathcal{K}' , provided that

$$\begin{aligned} & \text{there are no } R_1(a_i, a_j), R_2(a_i, a_j) \in \text{Cl}_{\mathcal{T}'}^e(\mathcal{A}) \text{ with } \text{Dis}(R_1, R_2) \in \mathcal{T}', \\ & \text{there is no } R(a_i, a_i) \in \text{Cl}_{\mathcal{T}'}^e(\mathcal{A}) \text{ with } \text{lrr}(R) \in \mathcal{T}'; \end{aligned} \quad (44)$$

- every model \mathcal{I}' of \mathcal{K}' gives rise to a model \mathcal{I} of \mathcal{K} based on the same domain as \mathcal{I}' and such that \mathcal{I} agrees with \mathcal{I}' on all symbols from \mathcal{K}' .

If \mathcal{K}' is a DL-Lite $_{horn}^{(\mathcal{RN})}$ KB then \mathcal{K} is a DL-Lite $_{horn}^{(\mathcal{RN})^-}$ KB.

Proof First, for every pair R, C such that $\geq q R.C$ occurs in \mathcal{T}' , we introduce a fresh role name R_C . Then we replace each (positive) occurrence of $\geq q R.C$ in \mathcal{T}' with $\geq q R_C$ and add the following concept and role inclusions to the TBox:

$$\exists R_C^- \sqsubseteq C \quad \text{and} \quad R_C \sqsubseteq R.$$

We repeat this procedure until all the occurrences of qualified number restrictions are eliminated. Denote by \mathcal{T}'' the resulting TBox. Observe that **(exists)** ensures that \mathcal{T}'' satisfies **(inter)**. We also notice that C occurs only on the right-hand side of those extra axioms and thus \mathcal{T}'' belongs to the same fragment as \mathcal{T}' . It should be clear that, since the $\geq q R.C$ occur only positively, every model of \mathcal{T}'' is a model of \mathcal{T}' . Conversely, for every model \mathcal{I}' of \mathcal{T}' , there is a model \mathcal{I}'' of \mathcal{T}'' based on the same domain such that \mathcal{I}'' coincides with \mathcal{I}' on all symbols in \mathcal{T}' and $R_C^{\mathcal{I}''} = \{(w, u) \in R^{\mathcal{I}'} \mid u \in C^{\mathcal{I}'}\}$, for each new role R_C . So, without loss of generality we may assume that $\mathcal{T}' = \mathcal{T}''$.

Let

$$\mathcal{T}' = \mathcal{T}'_0 \cup \mathcal{T}'_{ref} \cup \mathcal{T}'_{irref} \cup \mathcal{T}'_{disj},$$

where \mathcal{T}'_{ref} , \mathcal{T}'_{irref} and \mathcal{T}'_{disj} are the sets of role reflexivity, irreflexivity and disjointness constraints in \mathcal{T}' and \mathcal{T}'_0 is the remaining DL-Lite $_{bool}^{(\mathcal{RN})^-}$ TBox. Let

$$\begin{aligned} \mathcal{T}'_1 &= \{ \top \sqsubseteq \exists Id, Id^- \sqsubseteq Id \} \cup \{ Id \sqsubseteq P \mid \text{Ref}(P) \in \mathcal{T}' \}, \\ \mathcal{A}'_1 &= \{ Id(a_i, a_i) \mid a_i \in \text{ob}(\mathcal{A}') \}. \end{aligned}$$

We construct \mathcal{K} by modifying the DL-Lite $_{bool}^{(\mathcal{RN})^-}$ KB $\mathcal{K}_0 = (\mathcal{T}'_0 \cup \mathcal{T}'_1, \mathcal{A}' \cup \mathcal{A}'_1)$ in two steps:

Step 1. For every reflexivity constraint $\text{Ref}(P) \in \mathcal{T}'$, take a fresh role name S_P and

- add a new role inclusions $S_P \sqsubseteq P$ to the TBox;
- replace every basic concept B in \mathcal{T}'_0 with B^{S_P} , which is defined inductively as follows:
 - $A^{S_P} = A$, for each concept name A ,
 - $(\geq q R)^{S_P} = \geq q R$, for each role R , $R \neq P, P^-$,
 - $(\geq q P)^{S_P} = \geq (q-1) S_P$ and $(\geq q P^-)^{S_P} = \geq (q-1) S_P^-$, for $q \geq 2$,
 - $(\exists P)^{S_P} = \top$ and $(\exists P^-)^{S_P} = \top$;

- replace $R(a_i, a_j) \in \mathcal{A}'$ such that $R \equiv_{\mathcal{T}'}^* P$ with $S_P(a_i, a_j)$ whenever $i \neq j$.

Let $(\mathcal{T}_1, \mathcal{A})$ be the resulting $DL\text{-Lite}_{bool}^{(\mathcal{R}, \mathcal{N})^-}$ KB. Clearly, $(\mathcal{T}_1, \mathcal{A})$ satisfies **(Id₁)**–**(Id₃)**. Observe that

$$\text{Cl}_{\mathcal{T}_1}^e(\mathcal{A}) \upharpoonright_{\text{role}(\mathcal{K}')} = \text{Cl}_{\mathcal{T}'_0 \cup \mathcal{T}'_1}^e(\mathcal{A}'), \quad (45)$$

where $\upharpoonright_{\text{role}(\mathcal{K}'')}$ means the restriction to the role names in \mathcal{K}' .

Let $\mathcal{I}_{\mathfrak{M}}$ be an untangled model of $(\mathcal{T}_1, \mathcal{A})$. We show that $\mathcal{I}_{\mathfrak{M}} \models \mathcal{T}'_0$. Consider a role P with $\text{Ref}(P) \in \mathcal{T}'$. Notice that S_P has no proper sub-roles in \mathcal{T}_1 and $Id^{\mathcal{I}_{\mathfrak{M}}}$ is disjoint with $S_P^{\mathcal{I}_{\mathfrak{M}}}$. Thus, $S_P^{\mathcal{I}_{\mathfrak{M}}} \cup Id^{\mathcal{I}_{\mathfrak{M}}} \subseteq P^{\mathcal{I}_{\mathfrak{M}}}$ and

- (*) $(B^{S_P})^{\mathcal{I}_{\mathfrak{M}}} \subseteq B^{\mathcal{I}_{\mathfrak{M}}}$, for $B = \geq q R$ with $q \geq 2$, whenever $\text{Ref}(P) \in \mathcal{T}'$, $R \in \{P, P^-\}$ and P has a proper sub-role in \mathcal{T}'_0 .

If P has no proper sub-roles in \mathcal{T}' (i.e., no proper sub-roles in \mathcal{T}_1 different from S_P and Id) then we have $S_P^{\mathcal{I}_{\mathfrak{M}}} \cup Id^{\mathcal{I}_{\mathfrak{M}}} = P^{\mathcal{I}_{\mathfrak{M}}}$. So, for all basic concepts B in \mathcal{T}'_0 not covered by (*), we have $B^{\mathcal{I}_{\mathfrak{M}}} = (B^{S_P})^{\mathcal{I}_{\mathfrak{M}}}$. It follows from **(inter)** that $\mathcal{I}_{\mathfrak{M}} \models \mathcal{T}'_0$.

Step 2. Next we take into account the set $\mathcal{D} = \mathcal{T}'_{disj} \cup \{\text{Dis}(P_k, Id) \mid \text{lrr}(P_k) \in \mathcal{T}'\}$ of *disjointness constraints* by modifying the KB $(\mathcal{T}_1, \mathcal{A})$ constructed at the previous step. Observe that $\exists R_1 \sqsubseteq \perp$ is a logical consequence of any $\mathcal{T} \cup \{\text{Dis}(R_1, R_2)\}$ whenever $R_1 \sqsubseteq_{\mathcal{T}}^* R_2$. Let $\mathcal{T} = \mathcal{T}_1 \cup \mathcal{T}_2$, where \mathcal{T}_2 is defined by taking

$$\mathcal{T}_2 = \{\exists R_1 \sqsubseteq \perp \mid R_1 \sqsubseteq_{\mathcal{T}_1}^* R_2 \text{ and either } \text{Dis}(R_1, R_2) \in \mathcal{D} \text{ or } \text{Dis}(R_2, R_1) \in \mathcal{D}\}.$$

By **(role)**, for any untangled model $\mathcal{I}_{\mathfrak{M}}$ of $(\mathcal{T}, \mathcal{A})$ and $R_1, R_2 \in \text{role}^{\pm}(\mathcal{K})$, $\mathcal{I}_{\mathfrak{M}} \models \text{Dis}(R_1, R_2)$ if there are no $R_1(a_i, a_j), R_2(a_i, a_j) \in \text{Cl}_{\mathcal{T}_1}^e(\mathcal{A})$, which, by (45), means that there are no $R_1(a_i, a_j), R_2(a_i, a_j) \in \text{Cl}_{\mathcal{T}'_0 \cup \mathcal{T}'_1}^e(\mathcal{A}')$. So, if (44) holds then every untangled model $\mathcal{I}_{\mathfrak{M}}$ of $(\mathcal{T}, \mathcal{A})$ is also a model of $\mathcal{T}_1 \cup \mathcal{D}$ and thus, $\mathcal{I}_{\mathfrak{M}} \models \mathcal{T}'_{disj}$. As $Id^{\mathcal{I}_{\mathfrak{M}}}$ is the identity relation, we have $\mathcal{I}_{\mathfrak{M}} \models \mathcal{T}'_{ref} \cup \mathcal{T}'_{irref}$. By (45), $\mathcal{I}_{\mathfrak{M}} \models \mathcal{A}'$ and as we have shown above, $\mathcal{I}_{\mathfrak{M}} \models \mathcal{T}'_0$. Therefore, $\mathcal{I}_{\mathfrak{M}} \models \mathcal{K}'$.

Conversely, suppose \mathcal{I}' is a model of \mathcal{K}' . Let \mathcal{I} be an interpretation such that $Id^{\mathcal{I}}$ is the identity relation, $S_P^{\mathcal{I}} = P^{\mathcal{I}'} \setminus Id^{\mathcal{I}'}$, for all P with $\text{Ref}(P) \in \mathcal{T}'$, and $A^{\mathcal{I}} = A^{\mathcal{I}'}$, $P^{\mathcal{I}} = P^{\mathcal{I}'}$ and $a^{\mathcal{I}} = a^{\mathcal{I}'}$, for all concept, role and object names A, P and a in \mathcal{K}' . Clearly, $\mathcal{I} \models (\mathcal{T}'_0 \cup \mathcal{T}'_1, \mathcal{A}' \cup \mathcal{A}'_1)$. By the definition of the S_P , $\mathcal{I} \models \mathcal{T}_1$ and, since $\mathcal{I} \models \mathcal{D}$, we obtain $\mathcal{I} \models \mathcal{T}_2$ and thus $\mathcal{I} \models \mathcal{T}$. By (45), $\mathcal{I} \models \mathcal{A}$, whence $\mathcal{I} \models \mathcal{K}$. \square

Now, as follows from Lemma 5.17, given a $DL\text{-Lite}_{\alpha}^{(\mathcal{R}, \mathcal{N})}$ KB \mathcal{K}' , for $\alpha \in \{krom, horn, bool\}$, we can compute the $DL\text{-Lite}_{bool}^{(\mathcal{R}, \mathcal{N})^-}$ KB \mathcal{K} using a LOGSPACE transducer (which is essentially required for checking whether $R \equiv_{\mathcal{T}'}^* P$). We immediately obtain Theorem 5.13 from Lemma 5.14 by observing that, for each $\alpha \in \{krom, horn, bool\}$, $\mathcal{K}^{\ddagger e}$ belongs to the respective first-order fragment and that condition (44) can be checked in NLOGSPACE (computing $\text{Cl}_{\mathcal{T}}^e(\mathcal{A})$ requires directed graph accessibility checks). The result for $DL\text{-Lite}_{core}^{(\mathcal{R}, \mathcal{N})}$ follows from the corresponding result for $DL\text{-Lite}_{krom}^{(\mathcal{R}, \mathcal{N})}$.

5.4 Role Transitivity Constraints

Let us now extend the language $DL\text{-Lite}_{bool}^{(\mathcal{RN})}$ with *role transitivity constraints* of the form $\text{Tra}(P_k)$ to ensure that the role P_k is interpreted by a transitive relation. Denote the resulting language by $DL\text{-Lite}_{bool}^{(\mathcal{RN})+}$. We remind the reader that a role is called *simple* (see, e.g., Horrocks et al., 2000) if it has no transitive sub-roles (including itself) and that only simple roles R are allowed in concepts of the form $\geq q R$, for $q \geq 2$. In particular, if \mathcal{T} contains $\text{Tra}(P)$ then P and P^- are not simple, and so \mathcal{T} cannot contain occurrences of concepts of the form $\geq q P$ and $\geq q P^-$, for $q \geq 2$.

For a $DL\text{-Lite}_{bool}^{(\mathcal{RN})+}$ KB $\mathcal{K} = (\mathcal{T}, \mathcal{A})$, define the *transitive closure* $\text{Tra}_{\mathcal{T}}(\mathcal{A})$ of \mathcal{A} by taking

$$\text{Tra}_{\mathcal{T}}(\mathcal{A}) = \mathcal{A} \cup \{P(a_{i_1}, a_{i_n}) \mid \exists a_{i_2} \dots a_{i_{n-1}} P(a_{i_1}, a_{i_{j+1}}) \in \mathcal{A}, 1 \leq j < n, \text{Tra}(P) \in \mathcal{T}\}.$$

Clearly, $\text{Tra}_{\mathcal{T}}(\mathcal{A})$ can be computed in NLOGSPACE: for each pair (a_i, a_j) of objects in $ob(\mathcal{A})$, we add $P(a_i, a_j)$ to $\text{Tra}_{\mathcal{T}}(\mathcal{A})$ iff there is a P -path of length $< |ob(\mathcal{A})|$ between a_i and a_j in \mathcal{A} (recall that the directed graph reachability problem is NLOGSPACE-complete).

Lemma 5.18 *A $DL\text{-Lite}_{bool}^{(\mathcal{RN})+}$ KB $(\mathcal{T}, \mathcal{A})$ is satisfiable iff the $DL\text{-Lite}_{bool}^{(\mathcal{RN})}$ KB $(\mathcal{T}', \mathcal{A}')$ is satisfiable, where \mathcal{T}' results from \mathcal{T} by removing all the transitivity axioms and*

$$\mathcal{A}' = \text{Cl}_{\mathcal{T}}^{\circ}(\text{Tra}_{\mathcal{T}}(\text{Cl}_{\mathcal{T}}^{\circ}(\mathcal{A}))).$$

Proof Indeed, if the KB $(\mathcal{T}', \mathcal{A}')$ is satisfiable then we construct a model \mathcal{I} for it as described in the proofs of Lemmas 5.14 and 5.17 and then take the transitive closure of $P^{\mathcal{I}}$ for every P with $\text{Tra}(P) \in \mathcal{T}$ (and update each $R^{\mathcal{I}}$ with $P \sqsubseteq_{\mathcal{T}}^* R$). As P and P^- are simple, \mathcal{T} contains no axioms imposing upper bounds on the number of P -successors and predecessors, and so the resulting interpretation must be a model of $(\mathcal{T}, \mathcal{A})$. The converse direction is trivial. \square

We note that an analogue of Remark 5.15 also holds in this case: just replace $\text{Cl}_{\mathcal{T}}^{\circ}(\mathcal{A})$ with $\text{Cl}_{\mathcal{T}}^{\circ}(\text{Tra}_{\mathcal{T}}(\text{Cl}_{\mathcal{T}}^{\circ}(\mathcal{A})))$ in **(ABox)** and take the transitive closure for each transitive sub-role in **(role)**.

Remark 5.19 It should be noted that there are two different reasons for the reduction in Lemma 5.18 to be in NLOGSPACE rather than in LOGSPACE (as the reduction \cdot^{\ddagger} is). First, in order to compute $\text{Cl}_{\mathcal{T}}^{\circ}(\mathcal{A})$, for each pair of a_i, a_j , one has to find a path in the directed graph induced by the role inclusion axioms. Second, in order to compute $\text{Tra}_{\mathcal{T}}(\text{Cl}_{\mathcal{T}}^{\circ}(\mathcal{A}))$, one has to find a path in the graph induced by the ABox \mathcal{A} itself. So, if we are concerned with the data complexity, $\text{Cl}_{\mathcal{T}}^{\circ}(\mathcal{A})$ can be computed in LOGSPACE (in fact, in AC^0 , as we shall see in Section 6.1) because the role inclusion graph (and hence its size) does not depend on \mathcal{A} . The second reason, however, is more ‘dangerous’ for data complexity as we shall see in Section 6.1.

As a consequence of Lemma 5.18 and Theorem 5.13 we obtain the following:

Corollary 5.20 (i) *Satisfiability of $DL\text{-Lite}_{bool}^{(\mathcal{RN})+}$ KBs is NP-complete;* (ii) *satisfiability of $DL\text{-Lite}_{horn}^{(\mathcal{RN})+}$ KBs is P-complete;* and (iii) *satisfiability of $DL\text{-Lite}_{krom}^{(\mathcal{RN})+}$ and $DL\text{-Lite}_{core}^{(\mathcal{RN})+}$ KBs is NLOGSPACE-complete.*

Note again that if the KBs do not contain number restrictions of the form $\geq qR$, for $q \geq 2$, (as in the extensions of the $DL-Lite_{\alpha}^{\mathcal{R}}$ languages) then the result does not depend on the UNA.

Remark 5.21 It should be noted that role disjointness, symmetry, asymmetry and transitivity role constraints can be added to any of the logics $DL-Lite_{\alpha}^{\mathcal{R},\mathcal{F}}$ and $DL-Lite_{\alpha}^{\mathcal{R},\mathcal{N}}$, for $\alpha \in \{core, krom, horn, bool\}$, without changing their complexity (by Corollary 5.12, the satisfiability problem for each of them is EXPTIME-complete). As follows from (Glimm et al., 2007, Theorem 10), KB satisfiability in the extension of \mathcal{SHIQ} with role conjunction is in EXPTIME if the length of role conjunctions is bounded by some constant (in our case, this constant is 2 because $\text{Dis}(R_1, R_2)$ can be encoded by $\exists(R_1 \sqcap R_2). \top \sqsubseteq \perp$; $\text{Asym}(R)$ is dealt with similarly). We conjecture that role reflexivity and irreflexivity constraints do not change complexity either.

6. Instance Checking: Data Complexity

So far we have assumed the whole KB $\mathcal{K} = (\mathcal{T}, \mathcal{A})$ to be the input for the satisfiability problem. According to the classification suggested by Vardi (1982), we have been considering its *combined complexity*. Two other types of complexity for knowledge bases are:

- the *schema* (or *TBox*) *complexity*, where only the TBox \mathcal{T} is regarded to be the input, while the ABox \mathcal{A} is assumed to be fixed; and
- the *data* (or *ABox*) *complexity*, where only the ABox \mathcal{A} is regarded to be the input.

It is easy to see that the schema complexity of the satisfiability problem for $DL-Lite_{bool}^{\mathcal{R},\mathcal{N}}$ and its fragments considered above coincides with the corresponding combined complexity. In this section, we analyze the data complexity of satisfiability and instance checking.

6.1 $DL-Lite_{bool}^{\mathcal{N}}$, $DL-Lite_{bool}^{\mathcal{R}}$ and $DL-Lite_{bool}^{(\mathcal{R},\mathcal{N})}$ are in AC^0

In what follows, without loss of generality we assume that all role and concept names of a given knowledge base $\mathcal{K} = (\mathcal{T}, \mathcal{A})$ occur in its TBox and write $role^{\pm}(\mathcal{T})$ instead of $role^{\pm}(\mathcal{K})$ and $dr(\mathcal{T})$ instead of $dr(\mathcal{K})$; the set of concept names in \mathcal{T} is denoted by $con(\mathcal{T})$. In this section we reduce satisfiability of $DL-Lite_{bool}^{(\mathcal{R},\mathcal{N})}$ KBs to model checking in first-order logic. To this end, we fix a signature containing two unary predicates A and \bar{A} , for each concept name A , and two binary predicates P and \bar{P} , for each role name P .

Consider first the case of a $DL-Lite_{bool}^{(\mathcal{R},\mathcal{N})}$ KB \mathcal{K} . We represent the ABox \mathcal{A} of \mathcal{K} as a first-order model $\mathfrak{A}_{\mathcal{A}}$ of the above signature. The domain of $\mathfrak{A}_{\mathcal{A}}$ is $ob(\mathcal{A})$ and, for all $a_i, a_j \in ob(\mathcal{A})$ and all predicates A, \bar{A}, P and \bar{P} in the signature,

$$\begin{aligned} \mathfrak{A}_{\mathcal{A}} \models A[a_i] &\text{ iff } A(a_i) \in \mathcal{A}, & \mathfrak{A}_{\mathcal{A}} \models \bar{A}[a_i] &\text{ iff } \neg A(a_i) \in \mathcal{A}, \\ \mathfrak{A}_{\mathcal{A}} \models \bar{P}[a_i, a_j] &\text{ iff } P(a_i, a_j) \in \mathcal{A}, & \mathfrak{A}_{\mathcal{A}} \models P[a_i, a_j] &\text{ iff } \neg P(a_i, a_j) \in \mathcal{A}. \end{aligned}$$

Now we construct a first-order sentence $\varphi_{\mathcal{T}}$ in the same signature such that (i) $\varphi_{\mathcal{T}}$ depends on \mathcal{T} but does not depend on \mathcal{A} , and (ii) $\mathfrak{A}_{\mathcal{A}} \models \varphi_{\mathcal{T}}$ iff $\mathcal{K}^{\pm e}$ is satisfiable.

To simplify presentation, we denote by $\text{ext}(\mathcal{T})$ the extension of \mathcal{T} with the following concept inclusions:

- $\geq q' R \sqsubseteq \geq q R$, for all $q, q' \in Q_{\mathcal{T}}^R$ such that $q' > q$ and $q' > q'' > q$ for no $q'' \in Q_{\mathcal{T}}^R$ and $R \in \text{role}^{\pm}(\mathcal{T})$, and
- $\geq q R \sqsubseteq \geq q R'$, for all $q \in Q_{\mathcal{T}}^R$ and $R \sqsubseteq R' \in \mathcal{T}$ or $\text{inv}(R) \sqsubseteq \text{inv}(R') \in \mathcal{T}$.

Clearly, $(\text{ext}(\mathcal{T}))^*(x)$ is equivalent (in first-order logic) to $\mathcal{T}^*(x) \wedge \mathcal{T}^{\mathcal{R}}(x) \wedge \bigwedge_{R \in \text{role}^{\pm}(\mathcal{T})} \delta_R(x)$; see (1), (5) and (42).

Let $B\text{con}(\mathcal{T})$ be the set of basic concepts occurring in \mathcal{T} (i.e., concepts of the form A and $\geq q R$, for $A \in \text{con}(\mathcal{T})$, $R \in \text{role}^{\pm}(\mathcal{T})$ and $q \in Q_{\mathcal{T}}^R$). To indicate which basic concepts hold or do not hold on a domain element of a first-order model of $\mathcal{K}^{\ddagger e}$, we use functions $\xi: B\text{con}(\mathcal{T}) \rightarrow \{\top, \perp\}$, which will be called *types*. Denote by \mathbf{Tp} the set of all such types (there are $2^{|B\text{con}(\mathcal{T})|}$ of them). For a complex concept C , we define $\xi(C)$ by induction: $\xi(\neg C) = \neg \xi(C)$ and $\xi(C_1 \sqcap C_2) = \xi(C_1) \wedge \xi(C_2)$. The propositional variable-free formula

$$\xi^{\mathcal{T}} = \bigwedge_{C_1 \sqsubseteq C_2 \in \text{ext}(\mathcal{T})} (\xi(C_1) \rightarrow \xi(C_2))$$

ensures that the type ξ is consistent with concept and role inclusions in \mathcal{T} . The following formula is true if a given element of $\mathfrak{A}_{\mathcal{A}}$ is of type ξ (see $\mathcal{A}^{\ddagger 1}$ and $\mathcal{A}^{\ddagger 2}$; (2) and (43), respectively):

$$\begin{aligned} \xi^*(x) = & \bigwedge_{A \in \text{con}(\mathcal{T})} ((A(x) \rightarrow \xi(A)) \wedge (\bar{A}(x) \rightarrow \neg \xi(A))) \quad \wedge \\ & \bigwedge_{R \in \text{role}^{\pm}(\mathcal{T})} \bigwedge_{q \in Q_{\mathcal{T}}^R} (E_q R^{\mathcal{T}}(x) \rightarrow \xi(\geq q R)) \quad \wedge \quad \bigwedge_{P \in \text{role}(\mathcal{T})} \forall x \forall y (P^{\mathcal{T}}(x, y) \wedge \bar{P}(x, y) \rightarrow \perp), \end{aligned}$$

where $E_q R^{\mathcal{T}}(x)$ and $R^{\mathcal{T}}(x, y)$ are abbreviations defined by

$$E_q R^{\mathcal{T}}(x) = \exists y_1 \dots \exists y_q \left(\bigwedge_{1 \leq i < j \leq q} (y_i \neq y_j) \wedge \bigwedge_{1 \leq i \leq q} R^{\mathcal{T}}(x, y_i) \right), \quad (46)$$

$$R^{\mathcal{T}}(x, y) = \bigvee_{P_k \sqsubseteq_{\mathcal{T}}^* R} P_k(x, y) \quad \vee \quad \bigvee_{P_k^- \sqsubseteq_{\mathcal{T}}^* R} P_k(y, x). \quad (47)$$

Clearly, we have $R(a_i, a_j) \in \text{Cl}_{\mathcal{T}}^e(\mathcal{A})$ iff $\mathfrak{A}_{\mathcal{A}} \models R^{\mathcal{T}}[a_i, a_j]$ and $\mathfrak{A}_{\mathcal{A}} \models E_q R^{\mathcal{T}}[a]$ iff a has at least q distinct R -successors in $\text{Cl}_{\mathcal{T}}^e(\mathcal{A})$ (and thus in every model of \mathcal{K}).

Without loss of generality we may assume that $\text{role}^{\pm}(\mathcal{T}) = \{R_1, \dots, R_k\} \neq \emptyset$. We then set

$$\varphi_{\mathcal{T}} = \bigvee_{\substack{\vec{\xi} = (\xi_{dr_1}, \dots, \xi_{dr_k}) \\ \xi_{dr_i} \in \mathbf{Tp}, 1 \leq i \leq k}} \forall x \vartheta_{\mathcal{T}}^{\vec{\xi}}(x),$$

where

$$\begin{aligned} \vartheta_{\mathcal{T}}^{\vec{\xi}}(x) = & \bigvee_{\xi \in \mathbf{Tp}} \left(\xi^*(x) \wedge \xi^{\mathcal{T}} \wedge \bigwedge_{S \in \text{role}^{\pm}(\mathcal{T})} \xi_{ds}^{\mathcal{T}} \wedge \right. \\ & \left. \bigwedge_{R \in \text{role}^{\pm}(\mathcal{T})} \left((\xi(\exists R) \vee \bigvee_{S \in \text{role}^{\pm}(\mathcal{T})} \xi_{ds}(\exists R)) \rightarrow \xi_{\text{inv}(dr)}(\exists \text{inv}(R)) \right) \right). \end{aligned}$$

To explain the meaning of the subformulas of $\varphi_{\mathcal{T}}$, assume that $(\mathcal{T}, \mathcal{A})$ is satisfiable. In order to construct a model \mathfrak{M} for $\mathcal{K}^{\dagger e}$ from the first-order model $\mathfrak{A}_{\mathcal{A}}$, we have to specify the basic concepts that contain a given constant of $\mathcal{K}^{\dagger e}$. In other words, we have to select a type for each $dr_i \in dr(\mathcal{T})$ and each $a \in ob(\mathcal{A})$. The formula $\varphi_{\mathcal{T}}$ says that one can select a k -tuple of types $(\xi_{dr_1}, \dots, \xi_{dr_k})$ such that one of its disjuncts is true in $\mathfrak{A}_{\mathcal{A}}$. Such a k -tuple fixes the ‘witness’ part of the model \mathfrak{M} , consisting of the dr_i , and determines the basic concepts these dr_i belong to. Then each disjunct of $\varphi_{\mathcal{T}}$ says that (having fixed the ‘witness’ part of the model), for every $a \in ob(\mathcal{A})$, there is a type ξ (determining the basic concepts a belongs to) such that

- ξ is consistent with the information about a in \mathcal{A} (cf. $\xi^*(x)$);
- ξ is also consistent with the concept and role inclusions of \mathcal{T} (cf. $\xi^{\mathcal{T}}$);
- each of the $\xi_{dr_1}, \dots, \xi_{dr_k}$ is consistent with the concept and role inclusions of \mathcal{T} (cf. $\xi_{ds}^{\mathcal{T}}$);
- each role R with a nonempty domain (i.e., either ξ or any of ξ_{ds} is \top on $\exists R$) has a nonempty range, in particular, $\xi_{inv(dr)}(\exists inv(R)) = \top$; see also $\varepsilon_R(x)$ as defined by (4).

Lemma 6.1 $\mathfrak{A}_{\mathcal{A}} \models \varphi_{\mathcal{T}}$ iff $\mathcal{K}^{\dagger e}$ is satisfiable.

Proof (\Rightarrow) Fix some $\vec{\xi} = (\xi_{dr_1}, \dots, \xi_{dr_k})$, $\xi_{dr_i} \in \mathbf{Tp}$, such that $\mathfrak{A}_{\mathcal{A}} \models \forall x \vartheta_{\mathcal{T}}^{\vec{\xi}}(x)$. Then, for each $a \in ob(\mathcal{A})$, fix some type such that the respective disjunct of $\vartheta_{\mathcal{T}}^{\vec{\xi}}(x)$ holds on a in $\mathfrak{A}_{\mathcal{A}}$ and denote it by ξ_a . Define a first-order model \mathfrak{M} over the domain $ob(\mathcal{A}) \cup dr(\mathcal{T})$ by taking:

- $\mathfrak{M} \models B^*[dr_i]$ iff $\xi_{dr_i}(B) = \top$, for all $dr_i \in dr(\mathcal{T})$ and $B \in Bcon(\mathcal{T})$,
- $\mathfrak{M} \models B^*[a]$ iff $\xi_a(B) = \top$, for all $a \in ob(\mathcal{A})$ and $B \in Bcon(\mathcal{T})$

(B^* is the unary predicate for B as defined on p. 23). It is easy to check that $\mathfrak{M} \models \mathcal{K}^{\dagger e}$.

(\Leftarrow) Suppose now that $\mathcal{K}^{\dagger e}$ is satisfiable. Then there is a model \mathfrak{M} of $\mathcal{K}^{\dagger e}$ with domain $ob(\mathcal{A}) \cup dr(\mathcal{T})$. To see that $\mathfrak{A}_{\mathcal{A}} \models \varphi_{\mathcal{T}}$, it suffices to take the functions ξ_{dr_i} and ξ_a defined by:

- $\xi_{dr_i}(B) = \top$ iff $\mathfrak{M} \models B^*[dr_i]$, for $dr_i \in dr(\mathcal{T})$ and $B \in Bcon(\mathcal{T})$,
- $\xi_a(B) = \top$ iff $\mathfrak{M} \models B^*[a]$, for $a \in ob(\mathcal{A})$ and $B \in Bcon(\mathcal{T})$.

Details are left to the reader. □

It follows from Lemmas 6.1 and 5.17 and Corollary 5.16 that we have:

Corollary 6.2 *The satisfiability and instance checking problems for $DL\text{-Lite}_{bool}^{\mathcal{N}}$, $DL\text{-Lite}_{bool}^{\mathcal{R}}$ and $DL\text{-Lite}_{bool}^{(\mathcal{RN})}$ KBs are in AC^0 for data complexity.*

Proof $DL\text{-Lite}_{bool}^{\mathcal{N}}$ and $DL\text{-Lite}_{bool}^{\mathcal{R}}$ are sub-languages of $DL\text{-Lite}_{bool}^{(\mathcal{RN})^-}$, and for them the result immediately follows from Lemma 6.1 and Corollary 5.16. For a $DL\text{-Lite}_{bool}^{(\mathcal{RN})}$ KB $\mathcal{K}' = (\mathcal{T}', \mathcal{A}')$, by Lemma 5.17, we construct a $DL\text{-Lite}_{bool}^{(\mathcal{RN})^-}$ KB $\mathcal{K} = (\mathcal{T}, \mathcal{A})$ such that

\mathcal{K}' is satisfiable iff \mathcal{K} is satisfiable and (44) holds. The latter condition corresponds to the following first-order sentence

$$\gamma_{\mathcal{T}'} = \bigwedge_{\text{Dis}(R_1, R_2) \in \mathcal{T}'} \forall x \forall y (R_1^{\mathcal{T}}(x, y) \wedge R_2^{\mathcal{T}}(x, y) \rightarrow \perp) \quad \wedge \quad \bigwedge_{\text{Irr}(P_k) \in \mathcal{T}'} \forall x (P_k^{\mathcal{T}}(x, x) \rightarrow \perp),$$

evaluated in $\mathfrak{A}_{\mathcal{A}}$. Therefore, \mathcal{K}' is satisfiable iff $\mathfrak{A}_{\mathcal{A}} \models \varphi_{\mathcal{T}} \wedge \gamma_{\mathcal{T}'}$. Let $\psi = \varphi_{\mathcal{T}} \wedge \gamma_{\mathcal{T}'}$ and ψ' be the result of replacing each $S_P(t_1, t_2)$, for $\text{Ref}(P) \in \mathcal{T}'$, with $P(t_1, t_2) \wedge (t_1 \neq t_2)$; see the proof of Lemma 5.17. It remains to observe that $\mathfrak{A}_{\mathcal{A}} \models \psi$ iff $\mathfrak{A}_{\mathcal{A}'} \models \psi'$. \square

As before, this result does not depend on the UNA for any member of the *DL-Lite* family that has no number restrictions of the form $\geq q R$, for $q \geq 2$ (in particular, for $DL-Lite_{bool}^{\mathcal{R}}$ and its fragments).

We also note that transitive roles cannot be included in our languages for free if we are concerned with the data complexity:

Lemma 6.3 *Satisfiability and instance checking of $DL-Lite_{core}$ KBs extended with role transitivity constraints are NLOGSPACE-hard for data complexity.*

Proof Suppose we are given a directed graph. Define an ABox \mathcal{A} by taking $P(a_i, a_j) \in \mathcal{A}$ iff there is an edge (a_i, a_j) in the graph. Then a node a_n is reachable from a node a_0 iff the $DL-Lite_{core}$ ABox $\mathcal{A} \cup \{\neg P(a_0, a_n)\}$ is not satisfiable in models with transitive P . This encoding immediately gives the claim of the lemma because the directed graph reachability problem is NLOGSPACE-complete, NLOGSPACE is closed under the complement (see, e.g., Kozen, 2006) and the TBox does not depend on the input. \square

On the other hand, as the reduction of Lemma 5.18 is computable in NLOGSPACE, we obtain the following:

Corollary 6.4 *Satisfiability and instance checking of $DL-Lite_{bool}^{(\mathcal{RN})^+}$ KBs are NLOGSPACE-complete for data complexity.*

Proof The upper bound is obtained by applying the NLOGSPACE reduction of Lemma 5.18 and using Corollary 6.2. The lower bound follows from Lemma 6.3. \square

6.2 P- and coNP-hardness for Data Complexity

Let us now turn to the data complexity of instance checking for the *DL-Lite* logics with arbitrary number restrictions and role inclusions. As follows from (Ortiz et al., 2006), instance checking (and in fact query answering) for $DL-Lite_{bool}^{\mathcal{R}, \mathcal{N}}$ is in CONP for data complexity, while (Hustadt et al., 2005; Eiter et al., 2008) imply a polynomial-time upper bound for $DL-Lite_{horn}^{\mathcal{R}, \mathcal{F}}$.

Here we show that these upper bounds are optimal in the following sense: on the one hand, instance checking in $DL-Lite_{core}^{\mathcal{R}, \mathcal{F}}$ is P-hard for data complexity; on the other hand, it becomes CONP-hard for $DL-Lite_{core}^{\mathcal{R}, \mathcal{N}}$ (that is, if we allow arbitrary number restrictions—in fact, $\geq 2 R$ is enough). Note that the results of this section do not depend on whether we adopt the UNA or not.

Theorem 6.5 *The instance checking (and query answering) problem for $DL\text{-Lite}_{krom}^{\mathcal{R},\mathcal{F}}$ KBs is data hard for coNP.*

Proof The proof is by reduction of the non-satisfiability problem for 2+2CNF, which is known to be coNP-complete (Schaerf, 1993). Given a 2+2CNF formula

$$\varphi = \bigwedge_{k=1}^n (a_{k,1} \vee a_{k,2} \vee \neg a_{k,3} \vee \neg a_{k,4}),$$

where each $a_{k,j}$ is one of the propositional variables a_1, \dots, a_m , we construct a KB $(\mathcal{T}, \mathcal{A}_\varphi)$ whose TBox \mathcal{T} does not depend on φ . We will use the object names f, c_k , for $1 \leq k \leq n$, and a_i , for $1 \leq i \leq m$, role names $S, S_{\mathbf{f}}$ and $P_j, P_{j,\mathbf{t}}, P_{j,\mathbf{f}}$, for $1 \leq j \leq 4$, and concept names A, D .

Define \mathcal{A}_φ to be the set of the following assertions, for $1 \leq k \leq n$:

$$S(f, c_k), \quad P_1(c_k, a_{k,1}), \quad P_2(c_k, a_{k,2}), \quad P_3(c_k, a_{k,3}), \quad P_4(c_k, a_{k,4}),$$

and let \mathcal{T} consist of the axioms

$$\geq 2 P_j \sqsubseteq \perp, \quad \text{for } 1 \leq j \leq 4, \quad (48)$$

$$P_{j,\mathbf{f}} \sqsubseteq P_j, \quad P_{j,\mathbf{t}} \sqsubseteq P_j, \quad \text{for } 1 \leq j \leq 4, \quad (49)$$

$$\neg \exists P_{j,\mathbf{t}} \sqsubseteq \exists P_{j,\mathbf{f}}, \quad \text{for } 1 \leq j \leq 4, \quad (50)$$

$$\exists P_{j,\mathbf{f}}^- \sqsubseteq \neg A, \quad \exists P_{j,\mathbf{t}}^- \sqsubseteq A, \quad \text{for } 1 \leq j \leq 4, \quad (51)$$

$$\exists P_{1,\mathbf{f}} \sqcap \exists P_{2,\mathbf{f}} \sqcap \exists P_{3,\mathbf{t}} \sqcap \exists P_{4,\mathbf{t}} \sqsubseteq \exists S_{\mathbf{f}}^-, \quad (52)$$

$$\geq 2 S^- \sqsubseteq \perp, \quad (53)$$

$$S_{\mathbf{f}} \sqsubseteq S, \quad (54)$$

$$\exists S_{\mathbf{f}} \sqsubseteq D. \quad (55)$$

Note that axiom (52) does not belong to $DL\text{-Lite}_{krom}^{\mathcal{R},\mathcal{F}}$ because of the conjunctions in its left-hand side. However, it can be eliminated with the help of Lemma 5.9. So let us prove that $(\mathcal{T}, \mathcal{A}_\varphi) \models D(f)$ iff φ is not satisfiable.

Suppose first that φ is satisfiable. Then there is an assignment \mathbf{a} of the truth-values \mathbf{t} and \mathbf{f} to propositional variables such that $\mathbf{a}(a_{k,1}) = \mathbf{t}$ or $\mathbf{a}(a_{k,2}) = \mathbf{t}$ or $\mathbf{a}(a_{k,3}) = \mathbf{f}$ or $\mathbf{a}(a_{k,4}) = \mathbf{f}$, for $1 \leq k \leq n$. Define \mathcal{I} by taking

- $\Delta^{\mathcal{I}} = \{x_i \mid 1 \leq i \leq m\} \cup \{y_k \mid 1 \leq k \leq n\} \cup \{z\}$,
- $a_i^{\mathcal{I}} = x_i$, for $1 \leq i \leq m$, $c_k^{\mathcal{I}} = y_k$, for $1 \leq k \leq n$, $f^{\mathcal{I}} = z$,
- $A^{\mathcal{I}} = \{x_i \mid \mathbf{a}(a_i) = \mathbf{t}\} \cup \{y_k \mid 1 \leq k \leq n\} \cup \{z\}$,
- $P_{j,\mathbf{t}}^{\mathcal{I}} = \{(y_k, a_{k,j}^{\mathcal{I}}) \mid 1 \leq k \leq n, \mathbf{a}(a_{k,j}) = \mathbf{t}\} \cup \{(x_i, x_i) \mid \mathbf{a}(a_i) = \mathbf{t}\} \cup \{(z, z)\}$,
- $P_{j,\mathbf{f}}^{\mathcal{I}} = \{(y_k, a_{k,j}^{\mathcal{I}}) \mid 1 \leq k \leq n, \mathbf{a}(a_{k,j}) = \mathbf{f}\} \cup \{(x_i, x_i) \mid \mathbf{a}(a_i) = \mathbf{f}\}$,
- $P_j^{\mathcal{I}} = P_{j,\mathbf{t}}^{\mathcal{I}} \cup P_{j,\mathbf{f}}^{\mathcal{I}}$, for $1 \leq j \leq 4$,

- $S_{\mathbf{f}}^{\mathcal{I}} = \{(z, y_k) \mid \mathbf{a}(a_{k,1} \vee a_{k,2} \vee \neg a_{k,3} \vee \neg a_{k,4}) = \mathbf{f}\} = \emptyset$,
- $S^{\mathcal{I}} = \{(z, y_k) \mid 1 \leq k \leq n\}$,
- $D^{\mathcal{I}} = \{z \mid \mathbf{a}(\varphi) = \mathbf{f}\} = \emptyset$.

It is not hard to check that $\mathcal{I} \models (\mathcal{T}, \mathcal{A}_\varphi)$, and clearly $\mathcal{I} \not\models D(f)$.

Assume now that φ is not satisfiable and $\mathcal{I} \models (\mathcal{T}, \mathcal{A}_\varphi)$. Define an assignment \mathbf{a} by taking $\mathbf{a}(a_i) = \mathbf{t}$ iff $a_i^{\mathcal{I}} \in A^{\mathcal{I}}$. As φ is not satisfiable, there is k , $1 \leq k \leq n$, such that $\mathbf{a}(a_{k,1}) = \mathbf{a}(a_{k,2}) = \mathbf{f}$, $\mathbf{a}(a_{k,3}) = \mathbf{a}(a_{k,4}) = \mathbf{t}$.

In view of (50), for each j , $1 \leq j \leq 4$, we have $c_k^{\mathcal{I}} \in (\exists P_{j,\mathbf{t}})^{\mathcal{I}} \cup (\exists P_{j,\mathbf{f}})^{\mathcal{I}}$, and by (49), $c_k^{\mathcal{I}} \in (\exists P_j)^{\mathcal{I}}$. Therefore, by (48) and (51), $c_k^{\mathcal{I}} \in (\exists P_{j,\mathbf{t}})^{\mathcal{I}}$ if $\mathbf{a}(a_{k,j}) = \mathbf{t}$ and $c_k^{\mathcal{I}} \in (\exists P_{j,\mathbf{f}})^{\mathcal{I}}$ if $\mathbf{a}(a_{k,j}) = \mathbf{f}$, and hence, by (52), $c_k^{\mathcal{I}} \in (\exists S_{\mathbf{f}}^-)^{\mathcal{I}}$. Then by (53) and (54), we have $f^{\mathcal{I}} \in (\exists S_{\mathbf{f}})^{\mathcal{I}}$, from which, by (55), $f^{\mathcal{I}} \in D^{\mathcal{I}}$. It follows that $(\mathcal{T}, \mathcal{A}_\varphi) \models D(f)$. \square

Theorem 6.6 *The instance checking (and the query answering) problem for DL-Lite $_{core}^{\mathcal{R},\mathcal{N}}$ KBs is data hard for coNP.*

Proof The proof is again by reduction of the non-satisfiability problem for 2+2CNF. The main difference from the previous one is that $DL-Lite_{core}^{\mathcal{R},\mathcal{N}}$, unlike $DL-Lite_{krom}^{\mathcal{R},\mathcal{F}}$, cannot express ‘covering conditions’ like (50). It turns out, however, that we can use number restrictions to represent constraints of this kind. Given a 2+2CNF formula φ , we take the same ABox \mathcal{A}_φ constructed in the proof of Theorem 6.5. The (φ independent) TBox \mathcal{T} , describing the meaning of any such representation of φ in terms of \mathcal{A}_φ , is also defined in the same way as in that proof, except that the axiom (50) is now replaced by the following set of axioms:

$$T_{j,1} \sqsubseteq T_j, \quad T_{j,2} \sqsubseteq T_j, \quad T_{j,3} \sqsubseteq T_j, \quad (56)$$

$$\geq 2 T_j^- \sqsubseteq \perp, \quad (57)$$

$$\exists P_j \sqsubseteq \exists T_{j,1}, \quad \exists P_j \sqsubseteq \exists T_{j,2}, \quad (58)$$

$$\exists T_{j,1}^- \sqcap \exists T_{j,2}^- \sqsubseteq \exists T_{j,3}^-, \quad (59)$$

$$\geq 2 T_j \sqsubseteq \exists P_{j,\mathbf{t}} \quad \exists T_{j,3} \sqsubseteq \exists P_{j,\mathbf{f}}, \quad (60)$$

where $T_j, T_{j,1}, T_{j,2}, T_{j,3}$ are fresh role names, for each j , $1 \leq j \leq 4$. Note that axioms (52) and (59) do not belong to $DL-Lite_{core}^{\mathcal{R},\mathcal{N}}$ because of the conjunctions in their left-hand side, but we can easily eliminate them using Lemma 5.9. So it remains to prove that $(\mathcal{T}, \mathcal{A}_\varphi) \models D(f)$ iff φ is not satisfiable.

Suppose first that φ is satisfiable. Then there is an assignment \mathbf{a} of the truth-values \mathbf{t} and \mathbf{f} to propositional variables such that $\mathbf{a}(a_{k,1}) = \mathbf{t}$ or $\mathbf{a}(a_{k,2}) = \mathbf{t}$ or $\mathbf{a}(a_{k,3}) = \mathbf{f}$ or $\mathbf{a}(a_{k,4}) = \mathbf{f}$, for all k , $1 \leq k \leq n$. Define \mathcal{I} by taking

- $A^{\mathcal{I}} = \{x_i \mid 1 \leq i \leq m\} \cup \{y_k \mid 1 \leq k \leq n\} \cup \{u_{k,j,1}, u_{k,j,2} \mid 1 \leq j \leq 4, 1 \leq k \leq n\} \cup \{z\}$,
- $a_i^{\mathcal{I}} = x_i$, for $1 \leq i \leq m$, $c_k^{\mathcal{I}} = y_k$, for $1 \leq k \leq n$, $f^{\mathcal{I}} = z$,
- $A^{\mathcal{I}} = \{x_i \mid \mathbf{a}(a_i) = \mathbf{t}\}$,

- $P_{j,\mathbf{t}}^{\mathcal{I}} = \{(y_k, a_{k,j}^{\mathcal{I}}) \mid 1 \leq k \leq n, \mathbf{a}(a_{k,j}) = \mathbf{t}\}$, for $1 \leq j \leq 4$,
- $P_{j,\mathbf{f}}^{\mathcal{I}} = \{(y_k, a_{k,j}^{\mathcal{I}}) \mid 1 \leq k \leq n, \mathbf{a}(a_{k,j}) = \mathbf{f}\}$, for $1 \leq j \leq 4$,
- $P_j^{\mathcal{I}} = P_{j,\mathbf{t}}^{\mathcal{I}} \cup P_{j,\mathbf{f}}^{\mathcal{I}}$, for $1 \leq j \leq 4$,
- $T_{j,1}^{\mathcal{I}} = \{(y_k, u_{k,j,1}) \mid 1 \leq k \leq n\}$, for $1 \leq j \leq 4$,
- $T_{j,2}^{\mathcal{I}} = \{(y_k, u_{k,j,2}) \mid 1 \leq k \leq n, \mathbf{a}(a_{k,j}) = \mathbf{t}\} \cup \{(y_k, u_{k,j,1}) \mid 1 \leq k \leq n, \mathbf{a}(a_{k,j}) = \mathbf{f}\}$, for $1 \leq j \leq 4$,
- $T_{j,3}^{\mathcal{I}} = \{(y_i, u_{k,j,1}) \mid 1 \leq k \leq n, \mathbf{a}(a_{k,j}) = \mathbf{f}\}$, for $1 \leq j \leq 4$,
- $T_j^{\mathcal{I}} = T_{j,1}^{\mathcal{I}} \cup T_{j,2}^{\mathcal{I}}$,
- $S_{\mathbf{f}}^{\mathcal{I}} = \{(z, y_k) \mid \mathbf{a}(a_{k,1} \vee a_{k,2} \vee \neg a_{k,3} \vee \neg a_{k,4}) = \mathbf{f}\} = \emptyset$,
- $S^{\mathcal{I}} = \{(z, y_k) \mid 1 \leq k \leq n\}$,
- $D^{\mathcal{I}} = \{z \mid \mathbf{a}(\varphi) = \mathbf{f}\} = \emptyset$.

It is not hard to check that $\mathcal{I} \models (\mathcal{T}, \mathcal{A}_\varphi)$, and clearly $\mathcal{I} \not\models D(f)$.

Assume now that φ is not satisfiable and $\mathcal{I} \models (\mathcal{T}, \mathcal{A}_\varphi)$. Define an assignment \mathbf{a} by taking $\mathbf{a}(a_i) = \mathbf{t}$ iff $a_i^{\mathcal{I}} \in A^{\mathcal{I}}$. As φ is not satisfiable, there is k , $1 \leq k \leq n$, such that $\mathbf{a}(a_{k,1}) = \mathbf{a}(a_{k,2}) = \mathbf{f}$, $\mathbf{a}(a_{k,3}) = \mathbf{a}(a_{k,4}) = \mathbf{t}$.

For each j , $1 \leq j \leq 4$, we have $c_k^{\mathcal{I}} \in (\exists P_j)^{\mathcal{I}}$; by (58), $c_k^{\mathcal{I}} \in (\exists T_{j,1})^{\mathcal{I}}, (\exists T_{j,2})^{\mathcal{I}}$. So there are v_1, v_2 such that $(c_k^{\mathcal{I}}, v_1) \in T_{j,1}^{\mathcal{I}}$ and $(c_k^{\mathcal{I}}, v_2) \in T_{j,2}^{\mathcal{I}}$. If $v_1 \neq v_2$ then $c_k^{\mathcal{I}} \in (\geq 2T_j)^{\mathcal{I}}$ and, by (60), $c_k^{\mathcal{I}} \in (P_{j,\mathbf{t}})^{\mathcal{I}}$. Otherwise, if $v_1 = v_2 = v$, we have $v \in (\exists T_{j,3})^{\mathcal{I}}$ by (59), and so by (56) and (57), $c_k^{\mathcal{I}} \in (\exists T_{j,3})^{\mathcal{I}}$, from which, by (60), $c_k^{\mathcal{I}} \in (P_{j,\mathbf{f}})^{\mathcal{I}}$. Therefore, $c_k^{\mathcal{I}} \in (\exists P_{j,\mathbf{t}})^{\mathcal{I}} \cup (\exists P_{j,\mathbf{f}})^{\mathcal{I}}$, and by (49), $c_k^{\mathcal{I}} \in (\exists P_j)^{\mathcal{I}}$. Thus, by (48) and (51), $c_k^{\mathcal{I}} \in (\exists P_{j,\mathbf{t}})^{\mathcal{I}}$ if $\mathbf{a}(a_{k,j}) = \mathbf{t}$ and $c_k^{\mathcal{I}} \in (\exists P_{j,\mathbf{f}})^{\mathcal{I}}$ if $\mathbf{a}(a_{k,j}) = \mathbf{f}$, and hence, by (52), $c_k^{\mathcal{I}} \in (\exists S_{\mathbf{f}}^-)^{\mathcal{I}}$. Then by (53) and (54), we have $f^{\mathcal{I}} \in (\exists S_{\mathbf{f}})^{\mathcal{I}}$, from which, by (55), $f^{\mathcal{I}} \in D^{\mathcal{I}}$. It follows that $(\mathcal{T}, \mathcal{A}_\varphi) \models D(f)$. \square

Our next lower bound would follow from (Calvanese et al., 2006, Theorem 6, item 2); unfortunately, the proof of that result is incorrect and cannot be repaired.

Theorem 6.7 *The instance checking (and query answering) problem for DL-Lite $_{\text{core}}^{\mathcal{R},\mathcal{F}}$ KBs is data hard for P.*

Proof The proof is by reduction of the entailment problem for Horn-CNF, which is known to be P-complete (see, e.g., Börger et al., 1997, Exercise 2.2.4). Given a Horn-CNF formula

$$\varphi = \bigwedge_{k=1}^n (\neg a_{k,1} \vee \neg a_{k,2} \vee a_{k,3}) \quad \wedge \quad \bigwedge_{l=1}^p a_{l,0},$$

where each $a_{k,j}$ and each $a_{l,0}$ is one of the propositional variables a_1, \dots, a_m , we construct a KB $(\mathcal{T}, \mathcal{A}_\varphi)$ whose TBox \mathcal{T} does not depend on φ . We will need the object names c_1, \dots, c_n

and $v_{k,j,i}$, for $1 \leq k \leq n$, $1 \leq j \leq 3$, $1 \leq i \leq m$ (for each variable, we take one object name for each possible occurrence of this variable in each non-unit clause), role names S , S_t and P_j , $P_{j,t}$, for $1 \leq j \leq 3$, and a concept name A .

Define \mathcal{A}_φ to be the set containing the assertions:

$$\begin{aligned} & S(v_{1,1,i}, v_{1,2,i}), S(v_{1,2,i}, v_{1,3,i}), S(v_{1,3,i}, v_{2,1,i}), S(v_{2,1,i}, v_{2,2,i}), S(v_{2,2,i}, v_{2,3,i}), \dots \\ & \dots, S(v_{n,2,i}, v_{n,3,i}), S(v_{n,3,i}, v_{1,1,i}), \quad \text{for } 1 \leq i \leq m, \\ & P_j(v_{k,j,i}, c_k) \quad \text{iff } a_{k,j} = a_i, \quad \text{for } 1 \leq i \leq m, \quad 1 \leq k \leq n, \quad 1 \leq j \leq 3, \\ & A(v_{1,1,i}) \quad \text{iff } a_{l,0} = a_i, \quad \text{for } 1 \leq i \leq m, \quad 1 \leq l \leq p \end{aligned}$$

(all objects for each variable are organized in an S -cycle and $P_j(v_{k,j,i}, c_k) \in \mathcal{A}_\varphi$ iff the variable a_i occurs in the k th non-unit clause of φ in the j th position). Let \mathcal{T} consist of the following concept and role inclusions:

$$S_t \sqsubseteq S, \tag{61}$$

$$\geq 2 S \sqsubseteq \perp, \tag{62}$$

$$A \sqsubseteq \exists S_t, \tag{63}$$

$$\exists S_t^- \sqsubseteq A, \tag{64}$$

$$\geq 2 P_1 \sqsubseteq \perp \qquad \qquad \geq 2 P_2 \sqsubseteq \perp, \tag{65}$$

$$P_{1,t} \sqsubseteq P_1, \qquad \qquad P_{2,t} \sqsubseteq P_2, \tag{66}$$

$$A \sqsubseteq \exists P_{1,t}, \qquad \qquad A \sqsubseteq \exists P_{2,t}, \tag{67}$$

$$\geq 2 P_3^- \sqsubseteq \perp, \tag{68}$$

$$P_{3,t} \sqsubseteq P_3, \tag{69}$$

$$\exists P_{1,t}^- \sqcap \exists P_{2,t}^- \sqsubseteq \exists P_{3,t}^-, \tag{70}$$

$$\exists P_{3,t} \sqsubseteq A. \tag{71}$$

As before, here we have an axiom, namely (70), that does not belong to $DL\text{-Lite}_{core}^{\mathcal{R}, \mathcal{F}}$ because of the conjunction in its left-hand side, but again it can be eliminated with the help of Lemma 5.9. Our aim is to show that $(\mathcal{T}, \mathcal{A}_\varphi) \models A(v_{1,1,i_0})$ iff $\varphi \models a_{i_0}$.

Suppose first that $\varphi \not\models a_{i_0}$. Then there is an assignment \mathbf{a} with $\mathbf{a}(\varphi) = \mathbf{t}$ and $\mathbf{a}(a_{i_0}) = \mathbf{f}$. We construct a model \mathcal{I} for $(\mathcal{T}, \mathcal{A}_\varphi)$ such that $\mathcal{I} \not\models A(v_{1,1,i_0})$. Define \mathcal{I} by taking

- $\Delta^{\mathcal{I}} = \{x_{k,j,i}, z_{k,j,i} \mid 1 \leq k \leq n, 1 \leq j \leq 3, 1 \leq i \leq m\} \cup \{y_k \mid 1 \leq k \leq n\}$,
- $c_k^{\mathcal{I}} = y_k$, for $1 \leq k \leq n$,
- $v_{k,j,i}^{\mathcal{I}} = x_{k,j,i}$, for $1 \leq k \leq n, 1 \leq j \leq 3, 1 \leq i \leq m$,
- $A^{\mathcal{I}} = \{x_{k,j,i} \mid 1 \leq k \leq n, 1 \leq j \leq 3, \mathbf{a}(a_i) = \mathbf{t}\}$,
- $S^{\mathcal{I}} = \bigcup_{1 \leq i \leq m} S_i$, where $S_i = \{(x_{k,1,i}, x_{k,2,i}), (x_{k,2,i}, x_{k,3,i}), (x_{k,3,i}, x_{k \oplus 1,1,i}) \mid 1 \leq k \leq n\}$
and $k \oplus 1 = k + 1$ if $k < n$, and $k \oplus 1 = 1$ if $k = n$,
- $S_t^{\mathcal{I}} = \bigcup_{\substack{1 \leq i \leq m \\ \mathbf{a}(a_i) = \mathbf{t}}} S_i$,




Figure 4: The model \mathcal{I} satisfying $(\mathcal{T}, \mathcal{A}_\varphi)$, for $\varphi = (\neg a_1 \vee \neg a_2 \vee a_3) \wedge (\neg a_2 \vee \neg a_4 \vee a_5)$.

- $P_j^{\mathcal{I}} = \{(x_{k,j,i}, y_k) \mid 1 \leq k \leq n, a_i = a_{k,j}\} \cup \{(x_{k,j,i}, z_{k,j,i}) \mid 1 \leq k \leq n, a_i \neq a_{k,j}\}$, for $1 \leq j \leq 2$,
- $P_3^{\mathcal{I}} = \{(x_{k,3,i}, y_k) \mid 1 \leq k \leq n, a_i = a_{k,3}\}$,
- $P_{j,\mathbf{t}}^{\mathcal{I}} = \{(x_{k,j,i}, y_k) \mid 1 \leq k \leq n, a_i = a_{k,j}, \mathbf{a}(a_i) = \mathbf{t}\} \cup \{(x_{k,j,i}, z_{k,j,i}) \mid 1 \leq k \leq n, a_i \neq a_{k,j}\}$, for $1 \leq j \leq 2$,
- $P_{3,\mathbf{t}}^{\mathcal{I}} = \{(x_{k,3,i}, y_k) \mid 1 \leq k \leq n, a_i = a_{k,3}, \mathbf{a}(a_i) = \mathbf{t}\}$.

It is routine to check that we indeed have $\mathcal{I} \models (\mathcal{T}, \mathcal{A}_\varphi)$ and $\mathcal{I} \not\models A(v_{1,1,i_0})$. (See Figure 4 for an example.)

Conversely, assume now that $\varphi \models a_{i_0}$. Consider an arbitrary interpretation $\mathcal{I} \models (\mathcal{T}, \mathcal{A}_\varphi)$ and define \mathbf{a} to be the assignment such that $\mathbf{a}(a_i) = \mathbf{t}$ iff $v_{1,1,i}^{\mathcal{I}} \in A^{\mathcal{I}}$, for $1 \leq i \leq m$. By (61)–(64), for each i , $1 \leq i \leq m$, we have either $v_{k,j,i}^{\mathcal{I}} \in A^{\mathcal{I}}$, for all k, j with $1 \leq k \leq n$, $1 \leq j \leq 3$, or $v_{k,j,i}^{\mathcal{I}} \notin A^{\mathcal{I}}$, for all k, j with $1 \leq k \leq n$, $1 \leq j \leq 3$.

Now, if we have $\mathbf{a}(a_{k,1}) = \mathbf{t}$ and $\mathbf{a}(a_{k,2}) = \mathbf{t}$, for $1 \leq k \leq n$ then, by (65)–(67), $c_k^{\mathcal{I}} \in (\exists P_{1,\mathbf{t}}^-)^{\mathcal{I}}, (\exists P_{2,\mathbf{t}}^-)^{\mathcal{I}}$. By (70), $c_k^{\mathcal{I}} \in (\exists P_{3,\mathbf{t}}^-)^{\mathcal{I}}$ and hence, by (68) and (69), $v_{k,3,i}^{\mathcal{I}} \in (\exists P_{3,\mathbf{t}})^{\mathcal{I}}$, where $a_{k,3} = a_i$, which means, by (71), that $v_{k,3,i}^{\mathcal{I}} \in A^{\mathcal{I}}$, and so $v_{1,1,i}^{\mathcal{I}} \in A^{\mathcal{I}}$ and $\mathbf{a}(a_i) = \mathbf{t}$. It follows that $\mathbf{a}(\varphi) = \mathbf{t}$, and hence $\mathbf{a}(a_{i_0}) = \mathbf{t}$, which, by definition, means that $v_{1,1,i_0}^{\mathcal{I}} \in A^{\mathcal{I}}$. As \mathcal{I} was an arbitrary model of $(\mathcal{T}, \mathcal{A}_\varphi)$, we can conclude that $(\mathcal{T}, \mathcal{A}_\varphi) \models A(v_{1,1,i_0})$. \square

7. Query Answering: Data Complexity

The positive existential query answering problem is known to be data complete for CONP in the case of $DL\text{-Lite}_{bool}^{\mathcal{R},\mathcal{N}}$: the upper bound follows from (Ortiz et al., 2006) and the lower one was established in (Calvanese et al., 2006; Schaerf, 1993) for $DL\text{-Lite}_{krom}$. In the case of $DL\text{-Lite}_{horn}^{\mathcal{R},\mathcal{F}}$, query answering is data complete for P, as follows from (Hustadt et al., 2005; Eiter et al., 2008), while for $DL\text{-Lite}_{horn}^{\mathcal{R}}$ it is in AC^0 (Calvanese et al., 2006).

In fact, the CONP upper bound holds for the extension of $DL\text{-Lite}_{bool}^{\mathcal{R},\mathcal{N}}$ with role disjointness and (a)symmetry constraints (this follows from (Glimm et al., 2007, Theorem 10);

cf. Remark 5.21). We conjecture that the same result holds for role (ir)reflexivity constraints.

Our main result in this section is the following:

Theorem 7.1 *The positive existential query answering problem for the logics $DL-Lite_{horn}^{\mathcal{N}}$, $DL-Lite_{horn}^{\mathcal{R}}$ and $DL-Lite_{horn}^{(\mathcal{R}\mathcal{N})}$ KBs is in AC^0 for data complexity.*

Proof Suppose that we are given a *consistent* $DL-Lite_{horn}^{(\mathcal{R}\mathcal{N})}$ KB $\mathcal{K}' = (\mathcal{T}', \mathcal{A}')$ (with all its concept and role names occurring in the TBox \mathcal{T}') and a positive existential query in prenex form $q(\vec{x}) = \exists \vec{y} \varphi(\vec{x}, \vec{y})$ in the signature of \mathcal{K}' . Consider the $DL-Lite_{horn}^{(\mathcal{R}\mathcal{N})^-}$ KB $\mathcal{K} = (\mathcal{T}, \mathcal{A})$ provided by Lemma 5.17.

Lemma 7.2 *For every tuple \vec{a} of object names in \mathcal{K}' , we have $\mathcal{K}' \models q(\vec{a})$ iff $\mathcal{I} \models q(\vec{a})$ for all untangled models \mathcal{I} of \mathcal{K} .*

Proof (\Rightarrow) Suppose that $\mathcal{K}' \models q(\vec{a})$ and \mathcal{I} is an untangled model \mathcal{I} of \mathcal{K} . By Lemma 5.17 and in view of consistency of \mathcal{K}' , which ensures that (44) holds, we then have $\mathcal{I} \models \mathcal{K}'$ and therefore, $\mathcal{I} \models q(\vec{a})$.

(\Leftarrow) Suppose $\mathcal{I}' \models \mathcal{K}'$. By Lemma 5.17, there is a model \mathcal{I} of \mathcal{K} with the same domain as \mathcal{I}' that coincides with \mathcal{I}' on all symbols in \mathcal{K}' . As $\mathcal{I}' \models q(\vec{a})$, we must then have $\mathcal{I} \models q(\vec{a})$, and so $\mathcal{K}' \models q(\vec{a})$ as required. \square

Next we show that, as $\mathcal{K}^{\ddagger e}$ is a Horn sentence, it is enough to consider just one special model \mathcal{I}_0 of \mathcal{K} in the formulation of Lemma 7.2. Let \mathfrak{M}_0 be the *minimal Herbrand model* of (the universal Horn sentence) $\mathcal{K}^{\ddagger e}$. We remind the reader (for details consult, e.g., Apt, 1990; Rautenberg, 2006) that \mathfrak{M}_0 can be constructed by taking the intersection of all Herbrand models for $\mathcal{K}^{\ddagger e}$, that is, of all models based on the domain that consists of constant symbols from $\mathcal{K}^{\ddagger e}$ —i.e., $\Lambda = ob(\mathcal{A}) \cup dr(\mathcal{T})$; cf. Remark 5.15. For all $c \in \Lambda$ and $B \in Bcon(\mathcal{T})$, we then have the following:

$$\mathfrak{M}_0 \models B^*[c] \quad \text{iff} \quad \mathcal{K}^{\ddagger e} \models B^*(c).$$

Let \mathcal{I}_0 be the untangled model of \mathcal{K} induced by \mathfrak{M}_0 . Denote the domain of \mathcal{I}_0 by $\Delta^{\mathcal{I}_0}$. Property (**copy**) of Remark 5.15 provides us with a function $cp: \Delta^{\mathcal{I}_0} \rightarrow \Lambda$.

There are two consequences of Lemma 5.14. First, for all $a_i \in ob(\mathcal{A})$, we have

$$a_i^{\mathcal{I}_0} \in B^{\mathcal{I}_0} \quad \text{iff} \quad \mathcal{K} \models B(a_i). \quad (72)$$

Second, for every $R \in role^\pm(\mathcal{T})$, if $R^{\mathcal{I}_0} \neq \emptyset$ then $R^{\mathcal{I}} \neq \emptyset$, for all models \mathcal{I} of \mathcal{K} . Indeed, if $R^{\mathcal{I}_0} \neq \emptyset$ then $\mathfrak{M}_0 \models (\exists R)^*[dr]$. Therefore, $(\mathcal{T} \cup \{\exists R \sqsubseteq \perp\}, \mathcal{A})$ is not satisfiable, and thus $R^{\mathcal{I}} \neq \emptyset$, for all \mathcal{I} with $\mathcal{I} \models \mathcal{K}$. Moreover, if $R^{\mathcal{I}_0} \neq \emptyset$ then, for every $w \in \Delta^{\mathcal{I}_0}$ with $cp(w) = dr$, we have

$$w \in B^{\mathcal{I}_0} \quad \text{iff} \quad \mathcal{K} \models \exists R \sqsubseteq B. \quad (73)$$

Lemma 7.3 *If $\mathcal{I}_0 \models q(\vec{a})$ then $\mathcal{I} \models q(\vec{a})$ for all untangled models \mathcal{I} of \mathcal{K} .*

Proof Suppose $\mathcal{I} \models \mathcal{K}$. As $q(\vec{a})$ is a positive existential sentence, it is enough to construct a homomorphism $h: \mathcal{I}_0 \rightarrow \mathcal{I}$. We remind the reader that, by **(forest)**, the domain $\Delta^{\mathcal{I}_0}$ of \mathcal{I}_0 is partitioned into disjoint trees \mathfrak{T}_a , for $a \in \text{ob}(\mathcal{A})$. Define the *depth* of a point $w \in \Delta^{\mathcal{I}_0}$ to be the length of the shortest path in the respective tree to its root. Denote by W_m the set of points of depth $\leq m$; in particular, $W_0 = \{a^{\mathcal{I}_0} \mid a \in \text{ob}(\mathcal{A})\}$. We construct h as the union of maps h_m , $m \geq 0$, where each h_m is defined on W_m and has the following properties: $h_{m+1}(w) = h_m(w)$, for all $w \in W_m$, and

(a_m) for every $w \in W_m$, if $w \in B^{\mathcal{I}_0}$ then $h_m(w) \in B^{\mathcal{I}}$, for each $B \in \text{Bcon}(\mathcal{T})$;

(b_m) for all $u, v \in W_m$, if $(u, v) \in R^{\mathcal{I}_0}$ then $(h_m(u), h_m(v)) \in R^{\mathcal{I}}$, for each $R \in \text{role}^\pm(\mathcal{T})$.

For the basis of induction, we set $h_0(a_i^{\mathcal{I}_0}) = a_i^{\mathcal{I}}$, for $a_i \in \text{ob}(\mathcal{A})$. Property (a₀) follows then from (72) and (b₀) from **(ABox)** of Remark 5.15.

For the induction step, suppose that h_m has already been defined for W_m , $m \geq 0$. Set $h_{m+1}(w) = h_m(w)$ for all $w \in W_m$. Consider an arbitrary $v \in W_{m+1} \setminus W_m$. By **(forest)**, there is a unique $u \in W_m$ such that $(u, v) \in E_a$, for some \mathfrak{T}_a . Let $\ell_a(u, v) = S$. Then, by **(copy)**, $cp(v) = \text{inv}(ds)$. By **(role)**, $u \in (\exists S)^{\mathcal{I}_0}$ and, by (a_m), $h_m(u) \in (\exists S)^{\mathcal{I}}$, which means that there is $w \in \Delta^{\mathcal{I}}$ with $(h_m(u), w) \in S^{\mathcal{I}}$. Set $h_{m+1}(v) = w$. As $cp(v) = \text{inv}(ds)$ and $(\exists \text{inv}(S))^{\mathcal{I}_0} \neq \emptyset$, it follows from (73) that if $v \in B^{\mathcal{I}_0}$ then $w' \in B^{\mathcal{I}}$ whenever we have $w' \in (\exists \text{inv}(S))^{\mathcal{I}}$. As $w \in (\exists \text{inv}(S))^{\mathcal{I}}$, we obtain (a_{m+1}) for v . To show (b_{m+1}), we notice that, by **(role)**, we have $(w, v) \in R^{\mathcal{I}_0}$, for some $w \in W_{m+1}$, just in two cases: either $w \in W_{m+1} \setminus W_m$, and then $w = v$ and $\text{Id} \sqsubseteq_{\mathcal{T}}^* R$, or $w \in W_m$, and then $w = u$ and $S \sqsubseteq_{\mathcal{T}}^* R$. In the former case, $(h_{m+1}(v), h_{m+1}(v)) \in R^{\mathcal{I}}$ because $\text{Id}^{\mathcal{I}}$ is the identity relation by **(role)**. In the latter case, we have $(u, v) \in S^{\mathcal{I}_0}$; hence $(h_{m+1}(u), h_{m+1}(v)) \in S^{\mathcal{I}}$ and, as $S \sqsubseteq_{\mathcal{T}}^* R$, $(h_{m+1}(u), h_{m+1}(v)) \in R^{\mathcal{I}}$. \square

Assume now that, in the query $q(\vec{x}) = \exists \vec{y} \varphi(\vec{x}, \vec{y})$, we have $\vec{y} = y_1, \dots, y_k$. Our next lemma shows that in this case to check whether $\mathcal{I}_0 \models q(\vec{a})$ it suffices to consider only the points of depth $\leq m_0$ in $\Delta^{\mathcal{I}_0}$, for $m_0 = k + |\text{role}^\pm(\mathcal{T})|$ (m_0 does not depend on \mathcal{A}).

Lemma 7.4 *If $\mathcal{I}_0 \models \exists \vec{y} \varphi(\vec{a}, \vec{y})$ then there is an assignment \mathbf{a}_0 in W_{m_0} (i.e., $\mathbf{a}_0(y_i) \in W_{m_0}$ for all i) such that $\mathcal{I}_0 \models^{\mathbf{a}_0} \varphi(\vec{a}, \vec{y})$.*

Proof Suppose that $\mathcal{I}_0 \models^{\mathbf{a}} \varphi(\vec{a}, \vec{y})$, for some assignment \mathbf{a} in $\Delta^{\mathcal{I}_0}$, and that there is y_i , $1 \leq i \leq k$, with $\mathbf{a}(y_i) \notin W_{m_0}$. Let Y be the minimal subset of \vec{y} that contains y_i and every y such that either $P(y', y)$ or $P(y, y')$ is a subformula of φ , for some $y' \in Y$ and some role name P . Let $y_j \in Y$ be such that there is $m > |\text{role}^\pm(\mathcal{T})|$ with $\mathbf{a}(y_j) \in W_m$ and $\mathbf{a}(y) \notin W_{m-1}$ for all $y \in Y$ (for convenience, $W_{-1} = \emptyset$ as before). Clearly, such an m exists: $\mathbf{a}(y_i) \notin W_{m_0}$, Y has at most k variables and, by **(forest)**, relations $P^{\mathcal{I}_0}$ can connect a point in $W_n \setminus W_{n-1}$ only with a point in $W_{n+1} \setminus W_{n-2}$, for $n \geq 1$. Let $w = \mathbf{a}(y_j)$ be a point in \mathfrak{T}_a . As $w \in W_m \setminus W_{m-1}$, we have $cp(w) = dr$, for some $R \in \text{role}^\pm(\mathcal{T})$. As there are at most $|\text{role}^\pm(\mathcal{T})|$ distinct labels in each labeled tree \mathfrak{T}_a and in view of **(copy)**, for each point u of depth $> |\text{role}^\pm(\mathcal{T})|$, there is a point u' of depth $\leq |\text{role}^\pm(\mathcal{T})|$ in the same \mathfrak{T}_a such that $cp(u) = cp(u')$; by **(iso)**, the trees generated by u and u' are isomorphic. So, there is an isomorphism g from the labeled tree generated by w (which contains all $\mathbf{a}(y)$, for $y \in Y$) onto the labeled tree generated by some point of depth $\leq |\text{role}^\pm(\mathcal{T})|$ in \mathfrak{T}_a . Define a new

assignment \mathbf{a}_Y by taking $\mathbf{a}_Y(y) = g(\mathbf{a}(y))$ if $y \in Y$ and $\mathbf{a}_Y(y) = \mathbf{a}(y)$ otherwise. By **(copy)**, **(concept)** and **(role)** we then have $\mathcal{I}_0 \models^{\mathbf{a}_Y} \varphi(\vec{a}, \vec{y})$ and $\mathbf{a}_Y(y) \in W_{m_0}$, for each $y \in Y$. If $\mathbf{a}_Y(y_j) \notin W_{m_0}$ for some j , we repeat the described construction. After at most k iterations we shall obtain an assignment \mathbf{a}_0 required by the lemma. \square

To complete the proof of Theorem 7.1, we encode the problem ‘ $\mathcal{K} \models q(\vec{a})?$ ’ as a model checking problem for first-order formulas. In precisely the same way as in Section 6.1, we fix a signature that contains unary predicates A, \bar{A} , for each concept name A , and binary predicates P, \bar{P} , for each role name P , and then represent the ABox \mathcal{A} of \mathcal{K} as a first-order model $\mathfrak{A}_{\mathcal{A}}$ with domain $ob(\mathcal{A})$. Now we define a first-order formula $\varphi_{\mathcal{T},q}(\vec{x})$ in the above signature such that (i) $\varphi_{\mathcal{T},q}(\vec{x})$ depends on \mathcal{T} and q but not on \mathcal{A} , and (ii) $\mathfrak{A}_{\mathcal{A}} \models \varphi_{\mathcal{T},q}(\vec{a})$ iff $\mathcal{I}_0 \models q(\vec{a})$.

We begin by defining formulas $\psi_B(x)$, B a basic concept in \mathcal{T} , that describe the types of the elements of $ob(\mathcal{A})$ in the model \mathcal{I}_0 in the following sense: for every $B \in Bcon(\mathcal{T})$ and every $a_i \in ob(\mathcal{A})$,

$$\mathfrak{A}_{\mathcal{A}} \models \psi_B[a_i] \quad \text{iff} \quad a_i^{\mathcal{I}_0} \in B^{\mathcal{I}_0}; \quad (74)$$

see also (72). These formulas are defined as the ‘fixed-points’ of sequences $\psi_B^0(x), \psi_B^1(x), \dots$ of formulas with one free variable, where $\psi_A^0(x) = A(x)$, for a concept name A , and $\psi_{\geq qR}^0(x) = E_q R^{\mathcal{T}}(x)$ with $E_q R^{\mathcal{T}}(x)$ given by (46), for $R \in role^{\pm}(\mathcal{T})$, $q \in Q_{\mathcal{T}}^R$, and, for $i \geq 1$,

$$\psi_B^i(x) = \psi_B^0(x) \vee \bigvee_{B_1 \sqcap \dots \sqcap B_k \sqsubseteq B \in \text{ext}(\mathcal{T})} (\psi_{B_1}^{i-1}(x) \wedge \dots \wedge \psi_{B_k}^{i-1}(x)).$$

(As in Section 6.1, to simplify the formulas, we use $\text{ext}(\mathcal{T})$ instead of \mathcal{T} .) It should be clear that if there is some i such that, for all $B \in Bcon(\mathcal{T})$, $\psi_B^i(x) \equiv \psi_B^{i+1}(x)$ (i.e., every $\psi_B^i(x)$ is equivalent to $\psi_B^{i+1}(x)$ in first-order logic), then $\psi_B^i(x) \equiv \psi_B^j(x)$ for every $B \in Bcon(\mathcal{T})$ and $j \geq i$. So the minimum such i does not exceed $N = |Bcon(\mathcal{T})|$, and we set $\psi_B(x) = \psi_B^N(x)$.

Next we introduce sentences $\theta_{B,dr}$, for $B \in Bcon(\mathcal{T})$ and $dr \in dr(\mathcal{T})$, that describe the types of elements in $dr(\mathcal{T})$ in the following sense (see also (73)):

$$\mathfrak{A}_{\mathcal{A}} \models \theta_{B,dr} \quad \text{iff} \quad w \in B^{\mathcal{I}_0}, \text{ for each (some) } w \in \Delta^{\mathcal{I}_0} \text{ with } cp(w) = dr. \quad (75)$$

(By **(concept)**, this definition is correct.) These sentences are defined similarly to $\psi_B(x)$. Namely, for each $B \in Bcon(\mathcal{T})$ and each $dr \in dr(\mathcal{T})$, we inductively define a sequence $\theta_{B,dr}^0, \theta_{B,dr}^1, \dots$ by taking $\theta_{B,dr}^0 = \rho_{B,dr}^0$ and, for $i \geq 1$,

$$\theta_{B,dr}^i = \rho_{B,dr}^i \vee \bigvee_{B_1 \sqcap \dots \sqcap B_k \sqsubseteq B \in \text{ext}(\mathcal{T})} (\theta_{B_1,dr}^{i-1} \wedge \dots \wedge \theta_{B_k,dr}^{i-1}),$$

where $\rho_{B,dr}^i = \perp$, for all $i \geq 0$, whenever $B \neq \exists R$ and

$$\begin{aligned} \rho_{\exists R,dr}^0 &= \exists x (\psi_{\exists R}(x) \vee \psi_{\exists inv(R)}(x)), \\ \rho_{\exists R,dr}^i &= \bigvee_{ds \in dr(\mathcal{T})} (\theta_{\exists R,ds}^{i-1} \vee \theta_{\exists inv(R),ds}^{i-1}), \quad \text{for } i \geq 1. \end{aligned}$$

It should be clear that $\theta_{B,dr}^i \equiv \theta_{B,dr}^{i+1}$ for some $i \leq M = |role^{\pm}(\mathcal{T})| \cdot N$. So we set $\theta_{B,dr} = \theta_{B,dr}^M$.

Now, for a TBox \mathcal{T} , we consider the directed graph $G_{\mathcal{T}} = (V_{\mathcal{T}}, E_{\mathcal{T}})$, where

$$V_{\mathcal{T}} = \{[R] \mid R \in \text{role}^{\pm}(\mathcal{T}), \exists R \text{ is satisfiable in a model of } \mathcal{T}\}$$

(as before, $[R] = \{R' \mid R \equiv_{\mathcal{T}}^* R'\}$) and $E_{\mathcal{T}}$ consists of all those pairs $([R_i], [R_j])$ for which one of the following conditions holds:

(path)₁ $\mathcal{T} \models \exists \text{inv}(R_i) \sqsubseteq \exists R_j$ and $\text{inv}(R_i) \not\sqsubseteq_{\mathcal{T}}^* R_j$,

(path)₂ $\mathcal{T} \models \exists \text{inv}(R_i) \sqsubseteq \geq q R_j$, for $q \geq 2$,

and R_j does not have a proper sub-role satisfying **(path)₁** or **(path)₂**. These two conditions are necessary and sufficient in the following sense: $([R_i], [R_j]) \in E_{\mathcal{T}}$ iff, for any ABox \mathcal{A} , whenever the minimal untangled model \mathcal{I}_0 of $(\mathcal{T}, \mathcal{A})$ contains a copy w of $\text{inv}(dr'_i)$, for $R'_i \in [R_i]$, then w is connected to a copy of $\text{inv}(dr'_j)$, for some $R'_j \in [R_j]$, by all relations S with $R_j \sqsubseteq_{\mathcal{T}}^* S$.

Recall now that we are given a query $q(\vec{x}) = \exists \vec{y} \varphi(\vec{x}, \vec{y})$, where φ is a quantifier-free positive formula and $\vec{y} = y_1, \dots, y_k$. Let $\Sigma_{\mathcal{T}, m_0}$ be the set of all paths in the graph $G_{\mathcal{T}}$ of length $\leq m_0$. More precisely,

$$\Sigma_{\mathcal{T}, m_0} = \{\varepsilon\} \cup \{([R_1], [R_2], \dots, [R_n]) \mid 1 \leq n \leq m_0, ([R_j], [R_{j+1}]) \in E_{\mathcal{T}}, \text{ for } 1 \leq j < n\}.$$

For $\sigma, \sigma' \in \Sigma_{\mathcal{T}, m_0}$ and a role $R \in \text{role}^{\pm}(\mathcal{T})$, we write $\sigma \xrightarrow{R} \sigma'$ if one of the following three conditions is satisfied: (i) $\sigma = \sigma'$ and $\text{Id} \sqsubseteq_{\mathcal{T}}^* R$, (ii) $\sigma.[S] = \sigma'$ or (iii) $\sigma = \sigma'.[\text{inv}(S)]$, for some role S with $S \sqsubseteq_{\mathcal{T}}^* R$.

Let $\Sigma_{\mathcal{T}, m_0}^k$ be the set of all k -tuples of the form $\vec{\sigma} = (\sigma_1, \dots, \sigma_k)$ with $\sigma_i \in \Sigma_{\mathcal{T}, m_0}$. Intuitively, when evaluating the query over \mathcal{I}_0 , each bound, or non-distinguished, variable y_i is mapped to a point w in W_{m_0} . However, the first-order model $\mathfrak{A}_{\mathcal{A}}$ does not contain the points from $W_{m_0} \setminus W_0$. To represent these points, we use the following ‘trick.’ By **(forest)**, every point w in W_{m_0} is uniquely determined by the pair (a, σ) , where $a^{\mathcal{I}_0}$ is the root of the tree \mathfrak{T}_a containing w , and σ is the sequence of labels $\ell_a(u, v)$ on the path from $a^{\mathcal{I}_0}$ to w . It follows from the unraveling procedure and **(path)₁**, **(path)₂** that $\sigma \in \Sigma_{\mathcal{T}, m_0}$. So, in the formula we are about to define, we assume that the y_i range over W_0 and represent the first component of the pairs (a, σ) , whereas the second one is encoded in the i -th component of $\vec{\sigma}$ (these y_i should not be confused with the y_i in the original query, which range over W_{m_0}). In order to treat arbitrary terms t occurring in q in a uniform way, we set:

$$t^{\vec{\sigma}} = \begin{cases} \varepsilon, & \text{if } t = a \in \text{ob}(\mathcal{A}), \\ \varepsilon, & \text{if } t = x_i, \\ \sigma_i, & \text{if } t = y_i \end{cases}$$

(the distinguished variables x_i and the object names a are mapped to W_0 and do not require the second component of the pairs).

Given an assignment \mathbf{a}_0 in W_{m_0} we denote by $\text{split}(\mathbf{a}_0)$ the pair $(\mathbf{a}, \vec{\sigma})$, where \mathbf{a} is an assignment in $\mathfrak{A}_{\mathcal{A}}$ and $\vec{\sigma} = (\sigma_1, \dots, \sigma_k) \in \Sigma_{\mathcal{T}, m_0}^k$ satisfying the following conditions:

- $\mathbf{a}(x_i) = a$ with $a^{\mathcal{I}_0} = \mathbf{a}_0(x_i)$, for each distinguished variable x_i , and

- $\mathbf{a}(y_i) = a$ where $a^{\mathcal{I}_0}$ is the root of the tree containing $\mathbf{a}_0(y_i)$ and $\sigma_i = ([R_1], \dots, [R_n])$ where R_1, \dots, R_n is the sequence of labels $\ell_a(u, v)$ on the path from $a^{\mathcal{I}_0}$ to $\mathbf{a}_0(y_i)$, for each bound variable y_i .

Not every pair $(\mathbf{a}, \vec{\sigma})$, however, corresponds to an assignment in W_{m_0} because some paths in $\vec{\sigma}$ may not exist in our \mathcal{I}_0 (the graph $G_{\mathcal{T}}$ represents possible paths in *all* models for the fixed \mathcal{T} and varying \mathcal{A}). It follows from the unraveling procedure that $a \in ob(\mathcal{A})$ and $\sigma \in \Sigma_{\mathcal{T}, m_0} \setminus \{\varepsilon\}$, $\sigma = ([R_1], \dots, [R_n])$, correspond to a point in $W_{m_0} \setminus W_0$ iff a does not have enough R_1 -witnesses in the ABox. The following formula $\eta^\sigma(y)$ selects precisely such pairs

$$\eta^\sigma(y) = \bigvee_{q \in Q_{\mathcal{T}}^{R_1}} (\neg E_q R_1^{\mathcal{T}}(y) \wedge \psi_{\geq q R_1}(y)).$$

Thus, for every pair $(\mathbf{a}, \vec{\sigma})$, there is an assignment \mathbf{a}_0 in W_{m_0} with $split(\mathbf{a}_0) = (\mathbf{a}, \vec{\sigma})$

$$\mathfrak{A}_{\mathcal{A}} \models^{\mathbf{a}} \eta^{\vec{\sigma}}(\vec{y}), \quad \text{where} \quad \eta^{\vec{\sigma}}(\vec{y}) = \bigwedge_{\substack{1 \leq i \leq k \\ \sigma_i \neq \varepsilon}} \eta^{\sigma_i}(y_i). \quad (76)$$

We define now, for a concept name A ,

$$A^{\vec{\sigma}}(t) = \begin{cases} \psi_A(t), & \text{if } t^{\vec{\sigma}} = \varepsilon, \\ \theta_{A, inv(ds)}, & \text{if } t^{\vec{\sigma}} = \sigma'.[S], \text{ for some } \sigma' \in \Sigma_{\mathcal{T}, m_0}. \end{cases}$$

It should be clear that, for each assignment \mathbf{a}_0 in W_{m_0} ,

$$\mathcal{I}_0 \models^{\mathbf{a}_0} A(t) \quad \text{iff} \quad \mathfrak{A}_{\mathcal{A}} \models^{\mathbf{a}} A^{\vec{\sigma}}(t), \quad \text{where } (\mathbf{a}, \sigma) = split(\mathbf{a}_0). \quad (77)$$

For $A(a)$, $A(x_i)$ or $A(y_i)$ with $\sigma_i = \varepsilon$ this follows from (74). For $A(y_i)$ with $\sigma_i = \sigma'.[S]$, by **(copy)**, we have $cp(\mathbf{a}(y_i)) = inv(dr)$, for some $R \in [S]$; the claim then follows from (75).

Next, for a role R , we set

$$R^{\vec{\sigma}}(t_1, t_2) = \begin{cases} R^{\mathcal{T}}(t_1, t_2), & \text{if } t_1^{\vec{\sigma}} = t_2^{\vec{\sigma}} = \varepsilon, \\ (t_1 = t_2), & \text{if } t_1^{\vec{\sigma}} \xrightarrow{R} t_2^{\vec{\sigma}} \text{ and either } t_1^{\vec{\sigma}} \neq \varepsilon \text{ or } t_2^{\vec{\sigma}} \neq \varepsilon, \\ \perp, & \text{otherwise,} \end{cases}$$

where $R^{\mathcal{T}}(t_1, t_2)$ is defined by (47). We claim that, for each assignment \mathbf{a}_0 in W_{m_0} ,

$$\mathcal{I}_0 \models^{\mathbf{a}_0} R(t_1, t_2) \quad \text{iff} \quad \mathfrak{A}_{\mathcal{A}} \models^{\mathbf{a}} R^{\vec{\sigma}}(t_1, t_2), \quad \text{where } (\mathbf{a}, \sigma) = split(\mathbf{a}_0). \quad (78)$$

For $R(y_{i_1}, y_{i_2})$ with $\sigma_{i_1} = \sigma_{i_2} = \varepsilon$, the claim follows from **(ABox)**. Let us consider the case of $R(y_{i_1}, y_{i_2})$ with $\sigma_{i_2} \neq \varepsilon$: we have $\mathbf{a}_0(y_{i_2}) \notin W_0$ and thus, by **(role)**, $\mathcal{I}_0 \models^{\mathbf{a}_0} R(y_{i_1}, y_{i_2})$ iff

- $\mathbf{a}_0(y_{i_1})$ and $\mathbf{a}_0(y_{i_2})$ are in the same tree \mathfrak{T}_a , for some $a \in ob(\mathcal{A})$, i.e., $\mathfrak{A}_{\mathcal{A}} \models^{\mathbf{a}} (y_{i_1} = y_{i_2})$, and
- either $(\mathbf{a}_0(y_{i_1}), \mathbf{a}_0(y_{i_2})) \in E_a$ and then $\ell_a(\mathbf{a}_0(y_{i_1}), \mathbf{a}_0(y_{i_2})) = S$ for some $S \sqsubseteq_{\mathcal{T}}^* R$, or $(\mathbf{a}_0(y_{i_2}), \mathbf{a}_0(y_{i_1})) \in E_a$ and then $\ell_a(\mathbf{a}_0(y_{i_2}), \mathbf{a}_0(y_{i_1})) = S$ for some $inv(S) \sqsubseteq_{\mathcal{T}}^* R$, or $\mathbf{a}_0(y_{i_1}) = \mathbf{a}_0(y_{i_2})$ and then $Id \sqsubseteq_{\mathcal{T}}^* R$, i.e., $\sigma_{i_1} \xrightarrow{R} \sigma_{i_2}$.

The case of $\sigma_{i_1} \neq \varepsilon$ is similar and left to the reader. The cases of object names and distinguished variables x_i are treated as y_i with $\sigma_i = \varepsilon$.

Finally, we set

$$\varphi_{\mathcal{T},q}(\vec{x}) = \exists \vec{y} \bigvee_{\vec{\sigma} \in \Sigma_{\mathcal{T},m_0}^k} \left(\varphi^{\vec{\sigma}}(\vec{x}, \vec{y}) \wedge \eta^{\vec{\sigma}}(\vec{y}) \right),$$

where $\varphi^{\vec{\sigma}}(\vec{x}, \vec{y})$ is the result of attaching the superscript $\vec{\sigma}$ to each atom of φ . As follows from (77)–(78), for every assignment \mathbf{a}_0 in W_{m_0} , we have $\mathcal{I}_0 \models^{\mathbf{a}_0} \varphi(\vec{x}, \vec{y})$ iff $\mathfrak{A}_{\mathcal{A}} \models^{\mathbf{a}} \varphi^{\vec{\sigma}}(\vec{x}, \vec{y})$, where $(\mathbf{a}, \sigma) = \text{split}(\mathbf{a}_0)$. On the other hand, if $\mathfrak{A}_{\mathcal{A}} \models^{\mathbf{a}} \eta^{\vec{\sigma}}(\vec{y})$ then there is an assignment \mathbf{a}_0 in W_{m_0} such that $\text{split}(\mathbf{a}_0) = (\mathbf{a}, \vec{\sigma})$.

It is then clearly the case that $\mathfrak{A}_{\mathcal{A}} \models \varphi_{\mathcal{T},q}(\vec{a})$ iff $\mathcal{I}_0 \models q(\vec{a})$, for every tuple \vec{a} . \square

8. DL-Lite without the Unique Name Assumption

As we have already seen, the logics of the form $DL\text{-Lite}_{\alpha}^{\mathcal{R}}$ do not ‘feel’ whether we adopt the UNA or not. On the other hand, our complexity results (Corollary 5.12, Theorems 6.5, 6.6 and 6.7) for the logics $DL\text{-Lite}_{\alpha}^{\mathcal{R},\mathcal{F}}$ and $DL\text{-Lite}_{\alpha}^{\mathcal{R},\mathcal{F}}$ do not depend on the UNA either. In this section, we analyze the combined and data complexity of reasoning in the logics of the form $DL\text{-Lite}_{\alpha}^{(\mathcal{R},\mathcal{F})}$ and $DL\text{-Lite}_{\alpha}^{(\mathcal{R},\mathcal{N})}$ (as well as their fragments) without the UNA. The obtained and known results are summarized in Table 2 on page 18.

Unless otherwise stated, in what follows we assume that the interpretations *do not* respect the UNA, that is, we may have $a_i^{\mathcal{I}} = a_j^{\mathcal{I}}$ for distinct object names a_i and a_j . The consequence relation \models^{noUNA} refers to the class of such interpretations.

Description logics without the UNA are usually extended with additional equality and inequality constraints of the form:

$$a_i \approx a_j \quad \text{and} \quad a_i \not\approx a_j,$$

where a_i, a_j are object names. Their semantics is quite obvious: we have $\mathcal{I} \models a_i \approx a_j$ iff $a_i^{\mathcal{I}} = a_j^{\mathcal{I}}$, and $\mathcal{I} \models a_i \not\approx a_j$ iff $a_i^{\mathcal{I}} \neq a_j^{\mathcal{I}}$. The equality and inequality constraints are supposed to belong to the ABox part of a knowledge base. It is to be noted, however, that reasoning with equalities is LOGSPACE-reducible to reasoning without them:

Lemma 8.1 *For every KB $\mathcal{K} = (\mathcal{T}, \mathcal{A})$, one can construct in LOGSPACE in the size of \mathcal{A} a KB $\mathcal{K}' = (\mathcal{T}, \mathcal{A}')$ without equality constraints such that $\mathcal{I} \models \mathcal{K}$ iff $\mathcal{I} \models \mathcal{K}'$, for every interpretation \mathcal{I} .*

Proof Let $G = (V, E)$ be the symmetric graph with

$$V = \text{ob}(\mathcal{A}), \quad E = \{(a_i, a_j) \mid a_i \approx a_j \in \mathcal{A} \text{ or } a_j \approx a_i \in \mathcal{A}\}$$

and $[a_i]$ the set of all vertices of G that are reachable from a_i . Define \mathcal{A}' by removing all the equality constraints from \mathcal{A} and replacing every a_i with $a_j \in [a_i]$ with minimal j . Note that this minimal j can be computed in LOGSPACE: just enumerate the object names a_k w.r.t. the order of their indexes k and check whether the current a_j is reachable from a_i in G . It remains to recall that reachability in undirected graphs is SLOGSPACE-complete and that SLOGSPACE = LOGSPACE (Reingold, 2008). \square

8.1 $DL\text{-Lite}_\alpha^{(RN)}$: Arbitrary Number Restrictions

The following theorem shows that the interaction between number restrictions and the possibility of identifying objects in the ABox results in a higher complexity.

Theorem 8.2 *Without the UNA, satisfiability of $DL\text{-Lite}_{core}^N$ KBs (even without inequality constraints) is NP-hard for both combined and data complexity.*

Proof The proof is by reduction of the following variant of the 3SAT problem—called *monotone one-in-three 3SAT*—which is known to be NP-complete (Garey & Johnson, 1979): given a *positive* 3CNF formula

$$\varphi = \bigwedge_{k=1}^n (a_{k,1} \vee a_{k,2} \vee a_{k,3}),$$

where each $a_{k,j}$ is one of the propositional variables a_1, \dots, a_m , decide whether there is an assignment for the variables a_j such that *exactly one variable* is true in each of the clauses in φ . To encode this problem in the language of $DL\text{-Lite}_{core}^N$, we need object names a_i^k , for $1 \leq k \leq n$, $1 \leq i \leq m$, and c_k and t^k , for $1 \leq k \leq n$, role names S and P , and concept names A_1, A_2, A_3 . Let \mathcal{A}_φ be the ABox containing the following assertions:

$$\begin{aligned} & S(a_i^1, a_i^2), \dots, S(a_i^{n-1}, a_i^n), S(a_i^n, a_i^1), & \text{for } 1 \leq i \leq m, \\ & S(t^1, t^2), \dots, S(t^{n-1}, t^n), S(t^n, t^1), \\ & P(c_k, t^k), & \text{for } 1 \leq k \leq n, \\ & P(c_k, a_{k,j}^k), A_j(a_{k,j}^k), & \text{for } 1 \leq k \leq n, 1 \leq j \leq 3, \end{aligned}$$

and let \mathcal{T} be the TBox with the axioms:

$$A_1 \sqsubseteq \neg A_2, \quad A_2 \sqsubseteq \neg A_3, \quad A_3 \sqsubseteq \neg A_1, \quad \geq 2 S \sqsubseteq \perp, \quad \geq 4 P \sqsubseteq \perp.$$

Clearly, $(\mathcal{T}, \mathcal{A}_\varphi)$ is a $DL\text{-Lite}_{core}^N$ KB and \mathcal{T} does not depend on φ (so that we cover both combined and data complexity). We claim that the answer to the monotone one-in-three 3SAT problem is positive iff $(\mathcal{T}, \mathcal{A}_\varphi)$ is satisfiable without the UNA.

(\Rightarrow) Let \mathbf{a} be an assignment satisfying the requirements of the problem. Take some a_{i_0} with $\mathbf{a}(a_{i_0}) = \mathbf{t}$ (clearly, such an i_0 exists, for otherwise $\mathbf{a}(\varphi) = \mathbf{f}$) and construct an interpretation $\mathcal{I} = (\Delta^{\mathcal{I}}, \cdot^{\mathcal{I}})$ by taking:

- $\Delta^{\mathcal{I}} = \{y_k, z^k \mid 1 \leq k \leq n\} \cup \{x_i^k \mid \mathbf{a}(a_i) = \mathbf{f}, 1 \leq i \leq m, 1 \leq k \leq n\}$,
- $c_k^{\mathcal{I}} = y_k$ and $(t^k)^{\mathcal{I}} = z^k$, for $1 \leq k \leq n$,
- $(a_i^k)^{\mathcal{I}} = \begin{cases} x_i^k, & \text{if } \mathbf{a}(a_i) = \mathbf{f}, \\ z^k, & \text{if } \mathbf{a}(a_i) = \mathbf{t}, \end{cases}$ for $1 \leq i \leq m, 1 \leq k \leq n$,
- $S^{\mathcal{I}} = \{((a_i^1)^{\mathcal{I}}, (a_i^2)^{\mathcal{I}}), \dots, ((a_i^{n-1})^{\mathcal{I}}, (a_i^n)^{\mathcal{I}}), ((a_i^n)^{\mathcal{I}}, (a_i^1)^{\mathcal{I}}) \mid 1 \leq i \leq m\}$,
- $P^{\mathcal{I}} = \{(c_k^{\mathcal{I}}, (t^k)^{\mathcal{I}}) \mid 1 \leq k \leq n\} \cup \{(c_k^{\mathcal{I}}, (a_{k,j}^k)^{\mathcal{I}}) \mid 1 \leq k \leq n, 1 \leq j \leq 3\}$.

It is readily checked that $\mathcal{I} \models (\mathcal{T}, \mathcal{A}_\varphi)$.

(\Leftarrow) Suppose $\mathcal{I} \models \mathcal{K}$. Define an assignment \mathbf{a} by taking $\mathbf{a}(a_i) = \mathbf{t}$ iff $(a_i^1)^\mathcal{I} = (t^1)^\mathcal{I}$. Our aim is to show that $\mathbf{a}(a_{k,j}) = \mathbf{t}$ for exactly one $j \in \{1, 2, 3\}$, for each k , $1 \leq k \leq n$. We have $P^\mathcal{I}(c_k^\mathcal{I}, (a_{k,j}^k)^\mathcal{I})$ for all $j = 1, 2, 3$. Moreover, $(a_{k,i}^k)^\mathcal{I} \neq (a_{k,j}^k)^\mathcal{I}$ for $i \neq j$. As $c_k^\mathcal{I} \in (\leq 3P)^\mathcal{I}$ and $P^\mathcal{I}(c_k^\mathcal{I}, (t^k)^\mathcal{I})$, we then must have $(a_{k,j}^k)^\mathcal{I} = (t^k)^\mathcal{I}$ for some unique $j \in \{1, 2, 3\}$. It follows from functionality of S that, for each $1 \leq k \leq n$, we have $(a_{k,j}^1)^\mathcal{I} = (t^1)^\mathcal{I}$ for exactly one $j \in \{1, 2, 3\}$. \square

In fact, the above lower bound matches the NP upper bound provided by the following reduction:

Theorem 8.3 *Without the UNA, satisfiability of $DL\text{-Lite}_\alpha^{\mathcal{N}}$, $DL\text{-Lite}_\alpha^{(\mathcal{RN})}$ and $DL\text{-Lite}_\alpha^{(\mathcal{RN})+}$ KBs with equality and inequality constraints is NP-complete for both combined and data complexity and any $\alpha \in \{\text{core}, \text{krom}, \text{horn}, \text{bool}\}$.*

Proof The upper bound can be proved by the following non-deterministic algorithm. Given a $DL\text{-Lite}_{\text{bool}}^{(\mathcal{RN})+}$ KB $\mathcal{K} = (\mathcal{T}, \mathcal{A})$, we

- guess an equivalence relation \sim over $ob(\mathcal{A})$;
- select in each equivalence class a_i/\sim a representative, say a_i , and replace every occurrence of $a_{i'}$ in \mathcal{A} with a_i ;
- fail if the equalities and inequalities are violated in the resulting ABox—i.e., if it contains $a_i \not\approx a_i$ or $a_i \approx a_j$, for $i \neq j$;
- otherwise, remove the equality and inequality constraints from the ABox and denote the result by \mathcal{A}' ;
- use the NP satisfiability checking algorithm for $DL\text{-Lite}_{\text{bool}}^{(\mathcal{RN})+}$ to decide whether the KB $\mathcal{K}' = (\mathcal{T}, \mathcal{A}')$ is consistent under the UNA.

Clearly, if the algorithm returns ‘yes,’ then $\mathcal{I}' \models \mathcal{K}'$, for some \mathcal{I}' respecting the UNA, and we can construct a model \mathcal{I} of \mathcal{K} (not necessarily respecting the UNA) by extending \mathcal{I}' with the following interpretation of object names: $a^\mathcal{I} = a_i^{\mathcal{I}'}$, whenever a_i is the representative of a/\sim (\mathcal{I} coincides with \mathcal{I}' on all other symbols). Conversely, if $\mathcal{I} \models \mathcal{K}$ then we take the equivalence relation \sim defined by $a_i \sim a_j$ iff $a_i^\mathcal{I} = a_j^\mathcal{I}$. Let \mathcal{I}' be constructed from \mathcal{I} by removing the interpretations of all object names that are not representatives of the equivalence classes for \sim . It follows that \mathcal{I}' respects the UNA and is a model of \mathcal{K}' , so the algorithm returns ‘yes.’ \square

8.2 $DL\text{-Lite}_\alpha^{(\mathcal{RF})}$: Functionality Constraints

Let us consider now $DL\text{-Lite}_{\text{bool}}^{(\mathcal{RF})+}$ and its fragments. The following lemma shows that for these logics reasoning without the UNA can be reduced in polynomial time in the size of the ABox to reasoning under the UNA.

Lemma 8.4 For every $DL\text{-Lite}_{bool}^{(\mathcal{R}\mathcal{F})^+}$ KB $\mathcal{K} = (\mathcal{T}, \mathcal{A})$ with equality and inequality constraints, one can construct in polynomial time in $|\mathcal{A}|$ a $DL\text{-Lite}_{bool}^{(\mathcal{R}\mathcal{F})^+}$ KB $\mathcal{K}' = (\mathcal{T}, \mathcal{A}')$ such that \mathcal{A}' contains no equalities and inequalities and \mathcal{K} is satisfiable without the UNA iff \mathcal{K}' is satisfiable under the UNA.

Proof In what follows by *identifying a_j with a_k in \mathcal{A}* we mean replacing each occurrence of a_k in \mathcal{A} with a_j . We construct \mathcal{A}' by first identifying a_j with a_k , for each $a_j \approx a_k \in \mathcal{A}$, and removing the equality from \mathcal{A} , and then exhaustively applying the following procedure to \mathcal{A} :

- if $\geq 2 R \sqsubseteq \perp \in \mathcal{T}$ and $R(a_i, a_j), R(a_i, a_k) \in \text{Cl}_{\mathcal{T}}^e(\mathcal{A})$, for distinct a_j and a_k , then identify a_j with a_k (recall that a functional R cannot have transitive sub-roles and thus $\text{Cl}_{\mathcal{T}}^e(\mathcal{A})$ is enough).

If the resulting ABox contains $a_i \not\approx a_i$, for some a_i , then, clearly, \mathcal{K} is not satisfiable, so we add $A(a_i)$ and $\neg A(a_i)$ to the ABox, for some concept name A . Finally, we remove all inequalities from the ABox and denote the result by \mathcal{A}' . It should be clear that \mathcal{A}' is computed from \mathcal{A} in polynomial time and that, without the UNA, \mathcal{K} is satisfiable iff \mathcal{K}' is satisfiable. So it suffices to show that \mathcal{K}' is satisfiable without the UNA iff it is satisfiable under the UNA. The implication (\Leftarrow) is trivial.

(\Rightarrow) Observe that the above procedure ensures that (see page 38 for definitions)

$$q_{R,a}^e \leq 1, \quad \text{for each } R \text{ with } \geq 2 R \sqsubseteq \perp \in \mathcal{T} \text{ and } a \in \text{ob}(\mathcal{A}').$$

Let \mathcal{K}'' be the $DL\text{-Lite}_{bool}^{(\mathcal{R}\mathcal{N})^-}$ KB provided by Lemma 5.17 for \mathcal{K}' . It follows from the above property and the proofs of Lemma 5.14 and Corollary 5.16 that if \mathcal{K}'' is satisfiable without the UNA then $(\mathcal{K}'')^{\ddagger e}$ is satisfied in a first-order model with some constants interpreted by the same domain element. As $(\mathcal{K}'')^{\ddagger e}$ is a universal first-order sentence containing no equality, it is satisfiable in a first-order model such that all constants are interpreted by distinct elements. It follows from the proofs of Lemma 5.14 and Corollary 5.16 that this first-order model can be unraveled into a model \mathcal{J} for \mathcal{K}'' respecting the UNA. By Lemma 5.17, \mathcal{J} is a model of \mathcal{K}' . \square

The reduction above cannot be done better than in P, as shown by the next theorem:

Theorem 8.5 Without the UNA, satisfiability of $DL\text{-Lite}_{core}^{\mathcal{F}}$ KBs (even without inequality constraints) is P-hard for both combined and data complexity.

Proof The proof is by reduction of the entailment problem for Horn-CNF (as in the proof of Theorem 6.7).

Let

$$\varphi = \bigwedge_{k=1}^n (a_{k,1} \wedge a_{k,2} \rightarrow a_{k,3}) \quad \wedge \quad \bigwedge_{l=1}^p a_{l,0}$$

be a Horn-CNF formula, where each $a_{k,j}$ and each $a_{l,0}$ is one of the propositional variables a_1, \dots, a_m and $a_{k,1}, a_{k,2}, a_{k,3}$ are all distinct, for each k , $1 \leq k \leq n$. To encode the P-complete problem ' $\varphi \models a_i?$ ' in the language of $DL\text{-Lite}_{core}^{\mathcal{F}}$ we need object names a_i^k , for

$1 \leq k \leq n$, $1 \leq i \leq m$, f_k and g_k , for $1 \leq k \leq n$ and t and role names P , Q , S and T . The ABox \mathcal{A} contains the following assertions

$$\begin{aligned} & S(a_i^1, a_i^2), \dots, S(a_i^{n-1}, a_i^n), S(a_i^n, a_i^1), & \text{for } 1 \leq i \leq m, \\ & P(a_{k,1}^k, f_k), P(a_{k,2}^k, g_k), Q(g_k, a_{k,3}^k), Q(f_k, a_{k,1}^k), & \text{for } 1 \leq k \leq n, \\ & T(t, a_{l,0}^1), & \text{for } 1 \leq l \leq p, \end{aligned}$$

and the TBox \mathcal{T} asserts that all of the roles are functional:

$$\geq 2P \sqsubseteq \perp, \quad \geq 2Q \sqsubseteq \perp, \quad \geq 2S \sqsubseteq \perp \quad \text{and} \quad \geq 2T \sqsubseteq \perp.$$

Clearly, $\mathcal{K} = (\mathcal{T}, \mathcal{A})$ is a *DL-Lite_{core}^F* KB and \mathcal{T} does not depend on φ . We claim that $\varphi \models a_j$ iff $\mathcal{K}' = (\mathcal{T}, \mathcal{A} \cup \{\neg T(t, a_j^1)\})$ is not satisfiable without the UNA. To show this, it suffices to prove that $\varphi \models a_j$ iff $\mathcal{K} \models^{\text{noUNA}} T(t, a_j^1)$.

(\Rightarrow) Suppose $\varphi \models a_j$. Then we can derive a_j from φ using the following inference rules:

- $\varphi \models a_{l,0}$ for each l , $1 \leq l \leq p$;
- if $\varphi \models a_{k,1}$ and $\varphi \models a_{k,2}$, for some k , $1 \leq k \leq n$, then $\varphi \models a_{k,3}$.

We show that $\mathcal{K} \models^{\text{noUNA}} T(t, a_j^1)$ by induction on the length of the derivation of a_j from φ . The basis of induction is trivial. So assume that $a_j = a_{k,3}$, $\varphi \models a_{k,1}$, $\varphi \models a_{k,2}$, for some k , $1 \leq k \leq n$, and that $\mathcal{K} \models^{\text{noUNA}} T(t, a_{k,1}^1) \wedge T(t, a_{k,2}^1)$. Suppose also that $\mathcal{I} \models \mathcal{K}$. Since T is functional, we have $(a_{k,1}^1)^{\mathcal{I}} = (a_{k,2}^1)^{\mathcal{I}}$. Since S is functional, $(a_{k',1}^{k'})^{\mathcal{I}} = (a_{k',2}^{k'})^{\mathcal{I}}$, for all k' , $1 \leq k' \leq n$, and in particular, for $k' = k$. Then, since P is functional, $f_k^{\mathcal{I}} = g_k^{\mathcal{I}}$, from which, by functionality of Q , $(a_{k,3}^k)^{\mathcal{I}} = (a_{k,1}^k)^{\mathcal{I}}$. Finally, since S is functional, $(a_{k',3}^{k'})^{\mathcal{I}} = (a_{k',1}^{k'})^{\mathcal{I}}$, for all k' , $1 \leq k' \leq n$, and in particular, for $k' = 1$. Thus, $\mathcal{I} \models T(t, a_j^1)$ and therefore $\mathcal{K} \models^{\text{noUNA}} T(t, a_j^1)$.

(\Leftarrow) Suppose that $\varphi \not\models a_j$. Then there is an assignment \mathbf{a} such that $\mathbf{a}(\varphi) = \mathbf{t}$ and $\mathbf{a}(a_j) = \mathbf{f}$. Construct an interpretation \mathcal{I} by taking

- $\Delta^{\mathcal{I}} = \{x_i^k \mid \mathbf{a}(a_i) = \mathbf{f}, 1 \leq k \leq n, 1 \leq i \leq m\} \cup \{z^k, u_k, v_k \mid 1 \leq k \leq n\} \cup \{w\}$,
- $(a_i^k)^{\mathcal{I}} = \begin{cases} x_i^k, & \text{if } \mathbf{a}(a_i) = \mathbf{f}, \\ z^k, & \text{if } \mathbf{a}(a_i) = \mathbf{t}, \end{cases} \quad \text{for } 1 \leq k \leq n \text{ and } 1 \leq i \leq m,$
- $t^{\mathcal{I}} = w, \quad T^{\mathcal{I}} = \{(w, z^1)\}$,
- $S^{\mathcal{I}} = \{((a_i^1)^{\mathcal{I}}, (a_i^2)^{\mathcal{I}}), \dots, ((a_i^{n-1})^{\mathcal{I}}, (a_i^n)^{\mathcal{I}}), ((a_i^n)^{\mathcal{I}}, (a_i^1)^{\mathcal{I}}) \mid 1 \leq i \leq m\}$,
- $f_k^{\mathcal{I}} = u_k \quad \text{and} \quad g_k^{\mathcal{I}} = \begin{cases} v_k, & \text{if } \mathbf{a}(a_{k,2}) = \mathbf{f}, \\ u_k, & \text{if } \mathbf{a}(a_{k,2}) = \mathbf{t}, \end{cases} \quad \text{for } 1 \leq k \leq n,$
- $P^{\mathcal{I}} = \{((a_{k,1}^k)^{\mathcal{I}}, f_k^{\mathcal{I}}), ((a_{k,2}^k)^{\mathcal{I}}, g_k^{\mathcal{I}}) \mid 1 \leq k \leq n\}$,
- $Q^{\mathcal{I}} = \{(g_k^{\mathcal{I}}, (a_{k,3}^k)^{\mathcal{I}}), (f_k^{\mathcal{I}}, (a_{k,1}^k)^{\mathcal{I}}) \mid 1 \leq k \leq n\}$.

It is readily checked that $\mathcal{I} \models \mathcal{K}$ and $\mathcal{I} \not\models T(t, a_j^1)$, and so $\mathcal{K} \not\models^{\text{noUNA}} T(t, a_j^1)$. \square

The above result strengthens the NLOGSPACE lower bound for instance checking in $DL\text{-Lite}_{core}^{\mathcal{F}}$ given in (Calvanese et al., 2008).

Corollary 8.6 *Without the UNA, the satisfiability problems for $DL\text{-Lite}_{\alpha}^{\mathcal{F}}$, $DL\text{-Lite}_{\alpha}^{(\mathcal{R}\mathcal{F})}$ and $DL\text{-Lite}_{\alpha}^{(\mathcal{R}\mathcal{F})^+}$ KBs, $\alpha \in \{core, krom, horn\}$, with equalities and inequalities are P-complete for both combined and data complexity.*

Without the UNA, satisfiability of $DL\text{-Lite}_{bool}^{\mathcal{F}}$, $DL\text{-Lite}_{bool}^{(\mathcal{R}\mathcal{F})}$ and $DL\text{-Lite}_{bool}^{(\mathcal{R}\mathcal{F})^+}$ KBs with equalities and inequalities is NP-complete for combined complexity and P-complete for data complexity.

Proof The upper bounds follow from Lemma 8.4 and the corresponding upper bounds for the UNA case. The NP lower bound for combined complexity is obvious and the polynomial lower bounds follow from Theorem 8.5. \square

8.3 Query Answering: Data Complexity

The P and coNP upper bounds for query answering without the UNA follow immediately from (Hustadt et al., 2005; Eiter et al., 2008) and (Ortiz et al., 2006, 2008; Glimm et al., 2007), respectively. We present here the following result:

Theorem 8.7 *Without the UNA, positive existential query answering for $DL\text{-Lite}_{horn}^{\mathcal{R}}$ KBs with disjoint, (a) symmetric, (ir) reflexive role constraints and inequalities is in AC^0 for data complexity.*

Proof The proof follows the lines of the proof of Theorem 7.1 and uses the observation that models without the UNA give fewer answers than their untangled counterparts. More precisely, let KB $\mathcal{K}' = (\mathcal{T}', \mathcal{A}')$ be as above. Suppose that it is *consistent*. Let $q(\vec{x})$ be a positive existential query in the signature of \mathcal{K}' . Given \mathcal{K}' , Lemma 5.17 provides us with a KB \mathcal{K} . It is easy to see that \mathcal{K} is a $DL\text{-Lite}_{horn}^{\mathcal{R}}$ KB extended with inequality constraints. The following is an analogue of Lemma 7.2, which also allows us to get rid of those inequalities:


Lemma 8.8 *For every tuple \vec{a} of object names in \mathcal{K}' , we have $\mathcal{K}' \models^{\text{noUNA}} q(\vec{a})$ iff $\mathcal{I} \models q(\vec{a})$ for all untangled models \mathcal{I} of \mathcal{K} (respecting the UNA).*

Proof (\Rightarrow) Suppose that $\mathcal{K}' \models q(\vec{a})$ and \mathcal{I} is an untangled model of \mathcal{K} . As \mathcal{I} respects the UNA, by Lemma 5.17 and in view of satisfiability of \mathcal{K}' , which ensures that (44) holds, we then have $\mathcal{I} \models \mathcal{K}'$ and therefore, $\mathcal{I} \models q(\vec{a})$.

(\Leftarrow) Suppose $\mathcal{I}' \models \mathcal{K}'$. We construct an interpretation \mathcal{J}' respecting the UNA as follows. Let $\Delta^{\mathcal{J}'}$ be the disjoint union of $\Delta^{\mathcal{I}'}$ and $ob(\mathcal{A})$. Define a function $h: \Delta^{\mathcal{J}'} \rightarrow \Delta^{\mathcal{I}'}$ by taking $h(a) = a^{\mathcal{I}'}$, for each $a \in ob(\mathcal{A})$, and $h(w) = w$, for each $w \in \Delta^{\mathcal{I}'}$, and let

$$a^{\mathcal{J}'} = a, \quad A^{\mathcal{J}'} = \{u \mid h(u) \in A^{\mathcal{I}'}\} \quad \text{and} \quad P^{\mathcal{J}'} = \{(u, v) \mid (h(u), h(v)) \in P^{\mathcal{I}'}\},$$

for each object, concept and role name a, A, P . Clearly, \mathcal{J}' respects the UNA and $\mathcal{J}' \models \mathcal{K}'$. It also follows that h is a homomorphism.


 Figure 5: Complexity of basic *DL-Lite* logics.

By Lemma 5.17, there is a model \mathcal{I} of \mathcal{K} with the same domain as \mathcal{J}' that coincides with \mathcal{J}' on all symbols in \mathcal{K}' . As $\mathcal{I} \models q(\vec{a})$, we must then have $\mathcal{J}' \models q(\vec{a})$, and since h is a homomorphism, $\mathcal{I}' \models^{\text{noUNA}} q(\vec{a})$. Therefore, $\mathcal{K}' \models^{\text{noUNA}} q(\vec{a})$ as required. \square

The remaining part of the proof is exactly as in the proof of Theorem 7.1 (as now we may assume that \mathcal{K} is a *DL-Lite*_{horn}^R KB containing no inequality constraints). \square

9. Conclusion

In this paper, we investigated the boundaries of the ‘extended *DL-Lite* family’ of description logics by providing a thorough and comprehensive understanding of the interaction between various *DL-Lite* constructs and their impact on the computational complexity of reasoning. We studied 40 different logics, classified according to five mutually orthogonal features: (1) the presence or absence of role inclusion assertions, (2) the form of the allowed concept inclusion assertions, distinguishing four main logical groups called *core*, *Krom*, *Horn*, and *Bool*, (3) the form of the allowed numeric constraints, ranging from none, to global functionality constraints only, and to arbitrary number restrictions, (4) the presence or absence of the unique name assumption (and equalities and inequalities between object names, if this assumption is dropped), and (5) the presence or absence of standard role constraints such as role disjointness, role symmetry, asymmetry, reflexivity, irreflexivity and transitivity. For all of the resulting logics, we studied the combined and data complexity of KB satisfiability and instance checking, as well as the data complexity of answering positive existential queries.

The obtained tight complexity results are illustrated in Figure 5, where the combined complexity of satisfiability is represented by vertical dashed lines, while the data complexity of instance checking by the size and color of the circle on top of these lines (recall that satisfiability and instance checking are reducible to the complement of each other). The data complexity of query answering for the *core* and *Horn* logics, shown on the left-hand side of the separating vertical plane, coincides with the data complexity of instance checking; for the *Krom* and *Bool* logics, shown on the right-hand side of the plane, query answering is always data-complete for coNP . The upper layer shows the complexity of logics with role inclusions, in which case it does not depend on whether we adopt the UNA or not. The middle and the lower layers deal with the logics without role inclusions when the UNA is dropped or adopted, respectively. In each of these layers, the twelve languages are arranged in the 4×3 grid: one axis shows the type of concepts inclusions allowed (*Horn*, *core*, *Krom*, *Bool*), while the other the type of number restrictions (none, global functionality \mathcal{F} or arbitrary \mathcal{N}). Some observations are in order:

- Under the UNA but without role inclusions, number restrictions do not increase the complexity of reasoning, which depends only on the form of concept inclusions allowed.
- On the other hand, without any form of number restrictions, the logics can have role inclusions and are insensitive to the UNA; again, the complexity is determined by the shape of concept inclusions only.
- In either of the above cases, instance checking is in AC^0 for data complexity, which means that the problems are first-order reducible.
- With the UNA dropped and without either disjunctions or role inclusions, functionality leads to P-complete instance checking for data complexity, which suggests reducibility to Datalog.
- For data complexity, there is no difference between the *core* and *Horn* logics, and between the *Krom* and *Bool* ones.

Finally, for the logics $DL\text{-Lite}_\alpha^{(\mathcal{R}\mathcal{F})}$ and $DL\text{-Lite}_\alpha^{(\mathcal{R}\mathcal{N})}$ with both (qualified) number restrictions and role inclusions, whose interaction is restricted by conditions **(inter)** and **(exists)**, the complexity of reasoning always coincides with the complexity of the fragments $DL\text{-Lite}_\alpha^{\mathcal{F}}$ and, respectively, $DL\text{-Lite}_\alpha^{\mathcal{N}}$ without role inclusions, no matter whether we adopt the UNA or not.

Role disjointness, symmetry and asymmetry constraints can be added to any of the languages without changing their complexity. In fact, the $DL\text{-Lite}_\alpha^{(\mathcal{R}\mathcal{N})}$ contain these types of constraints together with role reflexivity and irreflexivity. We conjecture that (ir)reflexivity constraints can be added to all other logics without affecting their complexity. However, if we extend any *DL-Lite* logics with role transitivity constraints, then the combined complexity of satisfiability remains the same, while instance checking and query answering become data-hard for NLOGSPACE . And the addition of equality between object names—which only makes sense if the UNA is dropped—increases AC^0 to LOGSPACE for data complexity; all other results remain unchanged.

The list of DL constructs considered in this paper is far from being complete. For example, it would be of interest to analyze the impact of nominals, role chains and Boolean

operators on roles on the computational behavior of the *DL-Lite* logics. Another interesting and practically important problem is to investigate in depth the interaction between various constructs with the aim of pushing restrictions like **(inter)** and **(exists)** as far as possible.

One of the main ideas behind the *DL-Lite* logics was to provide efficient access to large amounts of data through a high-level conceptual interface. This is supposed to be achieved by representing the high-level view of the information managed by the system as a *DL-Lite* TBox \mathcal{T} , the data stored in a relational database as an ABox \mathcal{A} , and then rewriting positive existential queries to the knowledge base $(\mathcal{T}, \mathcal{A})$ as standard first-order queries to the database represented by \mathcal{A} . Such an approach is believed to be viable because, for a number of *DL-Lite* logics, the query answering problem is in AC^0 for data complexity; cf. Theorems 7.1, 8.7 and Figure 5. The first-order rewriting technique has been implemented in various system, notably in QuOnto (Acciarri et al., 2005; Poggi et al., 2008b), which can query, relying on ontology-to-relational mappings, data stored in any standard relational database management system, and in Owlgres,¹¹ which can access an ABox stored in a Postgres database (though, to the best of our knowledge, the latter implementation is incomplete for conjunctive query answering). It is to be noted, however, that the size of the rewritten query can be substantially larger than the size of the original query, which can cause problems even for a very efficient database query engine.

For a DL query q and TBox \mathcal{T} , there are two major sources of high complexity of the first-order formula $\varphi_{\mathcal{T},q}$ in the proof of Theorem 7.1: (i) the formulas $\psi_B(x)$ computing whether an ABox object is an instance of a concept B (and the formulas $\theta_{R,dr}$ computing whether objects with outgoing R -arrows are instances of B), and (ii) the disjunction over the paths $\vec{\sigma}$ in the graph $G_{\mathcal{T}}$. In the case of $DL-Lite_{core}^{(\mathcal{RN})}$, the size of $\psi_B(x)$ is linear in $|\mathcal{T}|$, while for $DL-Lite_{horn}^{(\mathcal{RN})}$ it can become exponential (however, various optimizations are possible). The size of the disjunction in (ii) is exponential in the number of non-distinguished variables in q . One way of removing source (i) would be to extend the given database (ABox) \mathcal{A} by precomputing the Horn closure of the ABox w.r.t. the TBox and storing the resulting data in a supplementary database. This approach is advocated in (Lutz, Toman, & Wolter, 2008) for querying databases via the description logic \mathcal{EL} . It could also be promising for the Horn fragments of expressive description logics such as *SHIQ* (Hustadt et al., 2005; Hustadt, Motik, & Sattler, 2007)—containing $DL-Lite_{horn}^{\mathcal{R},\mathcal{F}}$ as a sub-language—for which the data complexity of instance checking (Hustadt et al., 2005, 2007) and conjunctive query answering is polynomial (Eiter et al., 2008). The disadvantage of using a supplementary database is the necessity to update it every time the ABox is changed. It would be interesting to investigate this alternative approach for *DL-Lite* logics and compare it with the approach described above. Another important problem is to characterize those queries for which the disjunction in (ii) can be represented by a polynomial size formula.

As the unique name assumption is replaced in OWL by the constructs **sameAs** and **differentFrom** (i.e., \approx and $\not\approx$), a challenging problem is to investigate possible ways of dealing with equality (inequality does not require any special treatment as shown in the proof of Lemma 8.8). Although reasoning with equality is LOGSPACE reducible to reasoning without it (cf. Lemma 8.1), we lose the property of first-order rewritability, and computing equivalence classes under \approx may be too costly for real-world applications.

11. <http://pellet.owldl.com/owlgres>

DL-Lite logics are among those few examples of DLs for which usually very complex ‘non-standard’ reasoning problems—such as checking whether one ontology is a conservative extension of another one w.r.t. a given signature Σ (Kontchakov et al., 2008), computing minimal modules of ontologies w.r.t. Σ (Kontchakov et al., 2009) or uniform interpolants (Wang, Wang, Topor, & Pan, 2008)—can be supported by practical reasoning tools. However, only first steps have been made in this direction, and more research is needed in order to include these reasoning problems and tools into the standard OWL toolkit. It would be also interesting to investigate the unification problem for *DL-Lite* logics (Baader & Narendran, 2001).

Finally, there exist certain parallels between the Horn logics of the *DL-Lite* family, \mathcal{EL} , Horn-*SHIQ* and the first-order language of tuple and equality generating dependencies, TGDs and EGDs, used in the theory of databases; see, e.g., (Gottlob & Nash, 2008). Further investigations of the relationships between these logics may lead to a deeper understanding of the role description logics can play in the database framework.

Acknowledgements

This research has been partially supported by FET project TONES (Thinking ONtologiES), funded within the EU 6th Framework Programme under contract FP6-7603, and by the large-scale integrating project (IP) OntoRule (ONTOlogies meet Business RULES ONtologiES), funded by the EC under ICT Call 3 FP7-ICT-2008-3, contract number FP7-231875.

References

- Abiteboul, S., Hull, R., & Vianu, V. (1995). *Foundations of Databases*. Addison-Wesley.
- Acciarri, A., Calvanese, D., De Giacomo, G., Lembo, D., Lenzerini, M., Palmieri, M., & Rosati, R. (2005). QUONTO: Querying ONTOlogies. In *Proc. of the 20th Nat. Conf. on Artificial Intelligence (AAAI 2005)*, pp. 1670–1671.
- Apt, K. (1990). Logic programming. In van Leeuwen, J. (Ed.), *Handbook of Theoretical Computer Science, Volume B: Formal Models and Semantics*, pp. 493–574. Elsevier and MIT Press.
- Artale, A., Calvanese, D., Kontchakov, R., & Zakharyashev, M. (2007a). DL-Lite in the light of first-order logic. In *Proc. of the 22nd Nat. Conf. on Artificial Intelligence (AAAI 2007)*, pp. 361–366.
- Artale, A., Calvanese, D., Kontchakov, R., Ryzhikov, V., & Zakharyashev, M. (2007b). Reasoning over extended ER models. In *Proc. of the 26th Int. Conf. on Conceptual Modeling (ER 2007)*, Vol. 4801 of *Lecture Notes in Computer Science*, pp. 277–292. Springer.
- Artale, A., Cesarini, F., & Soda, G. (1996). Describing database objects in a concept language environment. *IEEE Trans. on Knowledge and Data Engineering*, 8(2), 345–351.
- Artale, A., Parent, C., & Spaccapietra, S. (2007). Evolving objects in temporal information systems. *Ann. of Mathematics and Artificial Intelligence*, 50, 5–38.

- Baader, F., & Narendran, P. (2001). Unification of concepts terms in description logics. *J. Symbolic Computation*, 31(3), 277–305.
- Baader, F., Calvanese, D., McGuinness, D., Nardi, D., & Patel-Schneider, P. F. (Eds.). (2003). *The Description Logic Handbook: Theory, Implementation and Applications*. Cambridge University Press.
- Beeri, C., Levy, A. Y., & Rousset, M.-C. (1997). Rewriting queries using views in description logics. In *Proc. of the 16th ACM SIGACT SIGMOD SIGART Symp. on Principles of Database Systems (PODS'97)*, pp. 99–108.
- Berardi, D., Calvanese, D., & De Giacomo, G. (2005). Reasoning on UML class diagrams. *Artificial Intelligence*, 168(1–2), 70–118.
- Bergamaschi, S., & Sartori, C. (1992). On taxonomic reasoning in conceptual design. *ACM Trans. on Database Systems*, 17(3), 385–422.
- Boppana, R., & Sipser, M. (1990). The complexity of finite functions. In Leeuwen, J. (Ed.), *Handbook of Theoretical Computer Science: Volume A: Algorithms and Complexity*, pp. 757–804. Elsevier, Amsterdam.
- Börger, E., Grädel, E., & Gurevich, Y. (1997). *The Classical Decision Problem*. Perspectives in Mathematical Logic. Springer.
- Borgida, A., & Brachman, R. J. (2003). Conceptual modeling with description logics. In Baader et al. (Baader et al., 2003), chap. 10, pp. 349–372.
- Calvanese, D., De Giacomo, G., Lembo, D., Lenzerini, M., Poggi, A., & Rosati, R. (2007). Ontology-based database access. In *Proc. of the 15th Ital. Conf. on Database Systems (SEBD 2007)*, pp. 324–331.
- Calvanese, D., De Giacomo, G., Lembo, D., Lenzerini, M., Poggi, A., Rosati, R., & Ruzzi, M. (2008). Data integration through *DL-Lite_A* ontologies. In Schewe, K.-D., & Thalheim, B. (Eds.), *Revised Selected Papers of the 3rd Int. Workshop on Semantics in Data and Knowledge Bases (SDKB 2008)*, Vol. 4925 of *Lecture Notes in Computer Science*, pp. 26–47. Springer.
- Calvanese, D., De Giacomo, G., Lembo, D., Lenzerini, M., & Rosati, R. (2005). *DL-Lite*: Tractable description logics for ontologies. In *Proc. of the 20th Nat. Conf. on Artificial Intelligence (AAAI 2005)*, pp. 602–607.
- Calvanese, D., De Giacomo, G., Lembo, D., Lenzerini, M., & Rosati, R. (2006). Data complexity of query answering in description logics. In *Proc. of the 10th Int. Conf. on the Principles of Knowledge Representation and Reasoning (KR 2006)*, pp. 260–270.
- Calvanese, D., De Giacomo, G., Lembo, D., Lenzerini, M., & Rosati, R. (2007a). Can OWL model football leagues?. In *Proc. of the 3rd Int. Workshop on OWL: Experiences and Directions (OWLED 2007)*, Vol. 258 of *CEUR Electronic Workshop Proceedings*, <http://ceur-ws.org/>.
- Calvanese, D., De Giacomo, G., Lembo, D., Lenzerini, M., & Rosati, R. (2007b). Tractable reasoning and efficient query answering in description logics: The *DL-Lite* family. *J. of Automated Reasoning*, 39(3), 385–429.

- Calvanese, D., De Giacomo, G., Lembo, D., Lenzerini, M., & Rosati, R. (2008a). Inconsistency tolerance in P2P data integration: An epistemic logic approach. *Information Systems*, 33(4), 360–384.
- Calvanese, D., De Giacomo, G., Lembo, D., Lenzerini, M., & Rosati, R. (2008b). Path-based identification constraints in description logics. In *Proc. of the 11th Int. Conf. on the Principles of Knowledge Representation and Reasoning (KR 2008)*, pp. 231–241.
- Calvanese, D., De Giacomo, G., & Lenzerini, M. (2002a). Description logics for information integration. In Kakas, A., & Sadri, F. (Eds.), *Computational Logic: Logic Programming and Beyond, Essays in Honour of Robert A. Kowalski*, Vol. 2408 of *Lecture Notes in Computer Science*, pp. 41–60. Springer.
- Calvanese, D., De Giacomo, G., & Lenzerini, M. (2002b). A framework for ontology integration. In Cruz, I., Decker, S., Euzenat, J., & McGuinness, D. (Eds.), *The Emerging Semantic Web — Selected Papers from the First Semantic Web Working Symposium*, pp. 201–214. IOS Press.
- Calvanese, D., De Giacomo, G., Lenzerini, M., Nardi, D., & Rosati, R. (1998a). Description logic framework for information integration. In *Proc. of the 6th Int. Conf. on the Principles of Knowledge Representation and Reasoning (KR'98)*, pp. 2–13.
- Calvanese, D., Lenzerini, M., & Nardi, D. (1998b). Description logics for conceptual data modeling. In Chomicki, J., & Saake, G. (Eds.), *Logics for Databases and Information Systems*, pp. 229–264. Kluwer Academic Publishers.
- Calvanese, D., Lenzerini, M., & Nardi, D. (1999). Unifying class-based representation formalisms. *J. of Artificial Intelligence Research*, 11, 199–240.
- Cuenca Grau, B., Horrocks, I., Kazakov, Y., & Sattler, U. (2008). Modular reuse of ontologies: Theory and practice. *J. of Artificial Intelligence Research*, 31, 273–318.
- Decker, S., Erdmann, M., Fensel, D., & Studer, R. (1999). Ontobroker: Ontology based access to distributed and semi-structured information. In Meersman, R., Tari, Z., & Stevens, S. (Eds.), *Database Semantic: Semantic Issues in Multimedia Systems*, chap. 20, pp. 351–370. Kluwer Academic Publishers.
- Dolby, J., Fokoue, A., Kalyanpur, A., Ma, L., Schonberg, E., Srinivas, K., & Sun, X. (2008). Scalable grounded conjunctive query evaluation over large and expressive knowledge bases. In *Proc. of the 7th Int. Semantic Web Conf. (ISWC 2008)*, Vol. 5318 of *Lecture Notes in Computer Science*, pp. 403–418. Springer.
- Eiter, T., Gottlob, G., Ortiz, M., & Šimkus, M. (2008). Query answering in the description logic Horn-*SHIQ*. In *Proc. of the 11th Eur. Conference on Logics in Artificial Intelligence (JELIA 2008)*, pp. 166–179.
- Franconi, E., & Ng, G. (2000). The i.com tool for intelligent conceptual modeling. In *Proc. of the 7th Int. Workshop on Knowledge Representation meets Databases (KRDB 2000)*, Vol. 29 of *CEUR Electronic Workshop Proceedings*, <http://ceur-ws.org/>, pp. 45–53.
- Garey, M., & Johnson, D. (1979). *Computers and Intractability: A Guide to the Theory of NP-Completeness*. W. H. Freeman.

- Ghilardi, S., Lutz, C., & Wolter, F. (2006). Did I damage my ontology? A case for conservative extensions in description logics. In Doherty, P., Mylopoulos, J., & Welty, C. (Eds.), *Proc. of the 10th Int. Conf. on the Principles of Knowledge Representation and Reasoning (KR 2006)*, pp. 187–197.
- Glimm, B., Horrocks, I., Lutz, C., & Sattler, U. (2007). Conjunctive query answering for the description logic *SHIQ*. In *Proc. of the 20th Int. Joint Conf. on Artificial Intelligence (IJCAI 2007)*, pp. 399–404.
- Goasdoue, F., Lattes, V., & Rousset, M.-C. (2000). The use of CARIN language and algorithms for information integration: The Pícel system. *Int. J. of Cooperative Information Systems*, 9(4), 383–401.
- Gottlob, G., & Nash, A. (2008). Efficient core computation in data exchange. *J. of the ACM*, 55(2), 1–49.
- Hayes, P. (2004). RDF semantics. W3C Recommendation. Available at <http://www.w3.org/TR/rdf-mt/>.
- Heflin, J., & Hendler, J. (2001). A portrait of the Semantic Web in action. *IEEE Intelligent Systems*, 16(2), 54–59.
- Heymans, S., Ma, L., Anicic, D., Ma, Z., Steinmetz, N., Pan, Y., Mei, J., Fokoue, A., Kalyanpur, A., Kershenbaum, A., Schonberg, E., Srinivas, K., Feier, C., Hench, G., Wetzstein, B., & Keller, U. (2008). Ontology reasoning with large data repositories. In Hepp, M., De Leenheer, P., de Moor, A., & Sure, Y. (Eds.), *Ontology Management, Semantic Web, Semantic Web Services, and Business Applications*, Vol. 7 of *Semantic Web And Beyond Computing for Human Experience*, pp. 89–128. Springer.
- Horrocks, I., Patel-Schneider, P. F., & van Harmelen, F. (2003). From *SHIQ* and RDF to OWL: The making of a web ontology language. *J. of Web Semantics*, 1(1), 7–26.
- Horrocks, I., Sattler, U., & Tobies, S. (2000). Practical reasoning for very expressive description logics. *J. of the Interest Group in Pure and Applied Logic*, 8(3), 239–264.
- Hustadt, U., Motik, B., & Sattler, U. (2007). Reasoning in description logics by a reduction to disjunctive Datalog. *J. of Automated Reasoning*, 39(3), 351–384.
- Hustadt, U., Motik, B., & Sattler, U. (2005). Data complexity of reasoning in very expressive description logics. In *Proc. of the 19th Int. Joint Conf. on Artificial Intelligence (IJCAI 2005)*, pp. 466–471.
- Immerman, N. (1999). *Descriptive Complexity*. Springer.
- Klyne, G., & Carroll, J. J. (2004). Resource description framework (RDF): Concepts and abstract syntax. W3C Recommendation. Available at <http://www.w3.org/TR/rdf-concepts/>.
- Kontchakov, R., Pulina, L., Sattler, U., Selmer, P., Schneider, T., Wolter, F., & Zakharyashev, M. (2009). Minimal module extraction from DL-Lite ontologies. Accepted for IJCAI'09; available at <http://www.dcs.bbk.ac.uk/~michael>.
- Kontchakov, R., Wolter, F., & Zakharyashev, M. (2008). Can you tell the difference between DL-Lite ontologies?. In *Proc. of the 11th Int. Conf. on the Principles of Knowledge Representation and Reasoning (KR 2008)*, pp. 285–295.

- Kontchakov, R., & Zakharyashev, M. (2008). DL-Lite and role inclusions. In Domingue, J., & Anutariya, C. (Eds.), *Proc. of the 3rd Asian Semantic Web Conf. (ASWC 2008)*, Vol. 5367 of *Lecture Notes in Computer Science*, pp. 16–30. Springer.
- Kozen, D. (2006). *Theory of Computation*. Springer.
- Lenzerini, M. (2002). Data integration: A theoretical perspective. In *Proc. of the 21st ACM SIGACT SIGMOD SIGART Symp. on Principles of Database Systems (PODS 2002)*, pp. 233–246.
- Levy, A. Y., & Rousset, M.-C. (1998). Combining Horn rules and description logics in CARIN. *Artificial Intelligence*, 104(1–2), 165–209.
- Lutz, C., Toman, D., & Wolter, F. (2008). Conjunctive query answering in \mathcal{EL} using a database system. In *Proc. of the 5th Int. Workshop on OWL: Experiences and Directions (OWLED 2008)*.
- McGuinness, D., & Wright, J. R. (1998). Conceptual modelling for configuration: A description logic-based approach. *Artificial Intelligence for Engineering Design, Analysis, and Manufacturing. Special Issue on Configuration*, 12, 333–344.
- Meyer, T., Lee, K., & Booth, R. (2005). Knowledge integration for description logics. In *Proc. of the 20th Nat. Conf. on Artificial Intelligence (AAAI 2005)*, pp. 645–650.
- Noy, N. F. (2004). Semantic integration: A survey of ontology-based approaches. *SIGMOD Record*, 33(4), 65–70.
- Ortiz, M., Calvanese, D., & Eiter, T. (2006). Characterizing data complexity for conjunctive query answering in expressive description logics. In *Proc. of the 21st Nat. Conf. on Artificial Intelligence (AAAI 2006)*, pp. 275–280.
- Ortiz, M., Calvanese, D., & Eiter, T. (2008). Data complexity of query answering in expressive description logics via tableaux. *J. of Automated Reasoning*, 41(1), 61–98.
- Papadimitriou, C. (1994). *Computational Complexity*. Addison-Wesley.
- Poggi, A., Lembo, D., Calvanese, D., De Giacomo, G., Lenzerini, M., & Rosati, R. (2008a). Linking data to ontologies. *J. on Data Semantics*, X, 133–173.
- Poggi, A., Rodriguez, M., & Ruzzi, M. (2008b). Ontology-based database access with DIG-Mastro and the OBDA Plugin for Protégé. In Clark, K., & Patel-Schneider, P. F. (Eds.), *Proc. of the 4th Int. Workshop on OWL: Experiences and Directions (OWLED 2008 DC)*.
- Rautenberg, W. (2006). *A Concise Introduction to Mathematical Logic*. Springer.
- Reingold, O. (2008). Undirected connectivity in log-space. *J. of the ACM*, 55(4).
- Schaerf, A. (1993). On the complexity of the instance checking problem in concept languages with existential quantification. *J. of Intelligent Information Systems*, 2, 265–278.
- Schmidt-Schauß, M., & Smolka, G. (1991). Attributive concept descriptions with complements. *Artificial Intelligence*, 48(1), 1–26.
- Tobies, S. (2001). *Complexity results and practical algorithms for logics in Knowledge Representation*. Ph.D. thesis, LuFG Theoretical Computer Science, RWTH-Aachen, Germany.

- Toman, D., & Weddell, G. E. (2005). On the interaction between inverse features and path-functional dependencies in description logics. In *Proc. of the 19th Int. Joint Conf. on Artificial Intelligence (IJCAI 2005)*, pp. 603–608.
- Toman, D., & Weddell, G. E. (2008). On keys and functional dependencies as first-class citizens in description logics. *J. of Automated Reasoning*, 40(2–3), 117–132.
- Vardi, M. (1982). The complexity of relational query languages (extended abstract). In *Proc. of the 14th ACM SIGACT Symp. on Theory of Computing (STOC'82)*, pp. 137–146.
- Vollmer, H. (1999). *Introduction to Circuit Complexity: A Uniform Approach*. Springer.
- Wang, Z., Wang, K., Topor, R. W., & Pan, J. Z. (2008). Forgetting concepts in DL-Lite. In Bechhofer, S., Hauswirth, M., Hoffmann, J., & Koubarakis, M. (Eds.), *Proc. of the 5th Eur. Semantic Web Conf. (ESWC 2008)*, Vol. 5021 of *Lecture Notes in Computer Science*, pp. 245–257. Springer.